# pure<sup>11</sup>



### **Empfohlene Reinraumklassen**

**ISO** 3 | 4 | 5 | 6 | 7 | 8 | 9

GMP C D



## Nitril-Handschuhe PUREZERO HG3 (blue) #CLN9031LG

pure<sup>11</sup>-Nr.: 1105010, Marke: Halyard

### Eigenschaften

Marke: Halyard

Handschuhtyp: Dünnfilm

• Länge in cm: 30,5 cm

• Chemikalienbeständigkeit - Typ: Typ C

Puderfrei

Material: Nitril

• Texturierte Fingerspitzen

Zytostatikageeignet

• Lebensmittelkonformität

Silikonfrei

Vulkanisationsbeschleunigerfrei

Verpackungsform: Beutel

Antistatisch

• AQL (Acceptable Quality Level)-Wert: 0,65

• Chemikalienbeständig gegen Isopropanol (70%): Level 1 (10-30min)

• Länge in Inches: 12 In

Latexfrei

• Reißfestigkeit EN 455-2 ASTM in MPa: 20-30

Schutz vor Blut und K\u00f6rpersekreten ISO 16604:2004

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 //

www.pure11.de

info@pure11.de

# pure<sup>11</sup>

- Passform Hand: beidhändig
- Viren-/Mikroorganismenschutz EN ISO 374-5:2016
- Wandstärke Mittelfinger in mm: 0,1 mm

#### Material

Nitril

### Verpackung

• 1500STK

### **Produktvarianten**

pure<sup>11</sup>-Nr.: 1105010BLL, Nitril-Handschuhe PUREZERO HG3 (blue) #CLN9031LG

Farbe: Blau; Größe: L / VE: 1500STK

pure11-Nr.: 1105010BLM, Nitril-Handschuhe PUREZERO HG3 (blue) #CLN9031MD

Farbe: Blau; Größe: M / VE: 1500STK

pure11-Nr.: 1105010BLS, Nitril-Handschuhe PUREZERO HG3 (blue) #CLN9031SM

Farbe: Blau; Größe: S / VE: 1500STK

pure<sup>11</sup>-Nr.: 1105010BLXL, Nitril-Handschuhe PUREZERO HG3 (blue) #CLN9031XL

Farbe: Blau; Größe: XL / VE: 1500STK

pure<sup>11</sup>-Nr.: 1105010BLXS, Nitril-Handschuhe PUREZERO HG3 (blue) #CLN9031XS

Farbe: Blau; Größe: XS / VE: 1500STK

pure<sup>11</sup> GmbH

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführung: Julian Kropp, Linda Vereycken, Lars Engelei

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

www.pure rr.de

info@pure11.de



# HALYARD\* **PURE**ZERO\* LIGHT BLUE NON-STERILE CLEANROOM GLOVES



### HALYARD\* **PURE**ZERO\* HG3 LIGHT BLUE NON-STERILE CLEANROOM GLOVES DATA PACK

All documents depicted here are FOR EXAMPLE ONLY. For specific documents related to lot numbers, please visit **www.halyardhealth.com/information**, or ask your Distributor or HALYARD\* Representative.

### TABLE OF CONTENTS

Technical Data Sheet	3
Certificate of Analysis (COA)	6
Package Labels	
Case Label	9
Bag Label	10
Packaging Certificates	
Bag-Certificate of Conformance (COC)	12
Bag 2-Certificate of Conformance (COC)	14
Case Liner-Certificate of Conformance (COC)	17
Safety Data Sheet	20
REACH Regulation Letter	27
Certificate of Registration 9001:2015	28
Certificate of Registration ISO 13485:2016	30
Certificate of Registration ISO 14001:2015	33
Accelerator-Free Letter	34
Chemotherapy Drug Resistance Guide	35
Chemical Resistance Guide	36
ESD Testing Letter	37
BSE/TSE Letter	41
Storage Conditions Letter	42
Silicone-Free Letter	43
Packaging Supplier Notification Letter	45

## TECHNICAL DATA SHEET





### HALYARD\* PUREZERO\* HG3 Light Blue Nitrile Gloves

For the Cleanroom Environment For Industrial Use Only

### TECHNICAL DATA SHEET

### **Description**

HALYARD\* **PURE**ZERO\* HG3 Light Blue Nitrile Cleanroom Gloves are designed for semiconductor, pharmaceutical and medical device manufacturing applications. These gloves are clean processed (washed repeatedly in deionized water) to ensure consistent control of low particles and extractables and are recommended for use in ISO Class 3 or higher and Grade A/B/C/D cleanrooms. Because HALYARD\* **PURE**ZERO\* Light Blue Nitrile Gloves have an **accelerator-free**¹ formulation, there is a reduced risk of allergies and skin irritation associated with accelerator chemicals in other nitrile gloves.





### **Cleanliness Properties**

Max Level (ug/g)	IEST RP-CC005
50	
35	
5	
20	
5	
10	
10	
7	
5	
	50 35 5 20 5 10 10

### **Physical Properties**

AQL	0.65
Non-Sterile	✓
Ambidextrous	✓
Tacky Grip	✓
Textured Fingertips	✓
Accelerator-Free <sup>1</sup>	✓
Latex-Free	✓
Powder-Free	✓
Silicone-Free	✓
Static Dissipative in Use	✓
Tensile Strength <sup>2</sup>	35 MPa (Target)
Ultimate Elongation <sup>2</sup>	600%
Shelf Life	3 Years

### **Glove Dimensions**

	X-SMALL	SMALL	MEDIUM	LARGE	X-LARGE
Glove Length (inch/cm)	12"/30.5	12"/30.5	12"/30.5	12"/30.5	12"/30.5
Middle Finger Length (mm)	72	78.9	81.6	88.2	92.1
Width of Palm (mm)	70	80	95	110	120
Finger Tip Thickness	0.10 mm (3.9 mil)				
Palm Thickness	0.08 mm (3.1 mil)				
<b>Cuff Thickness</b>	0.07 mm (2.75 mil)				



### HALYARD\* **PURE**ZERO\* HG3 Light Blue Nitrile Gloves

For the Cleanroom Environment For Industrial Use Only

### TECHNICAL DATA SHEET

### **Packaging Data**

Double bag, plus case liner

1500 gloves per case: 250 gloves per PE bag X 6 PE bags per lined carton Packaged in ISO Class 5 Cleanroom

### **Quality & Regulatory Standards**

Compliant to these regulatory standards:

ISO 9001

ISO 13485

ISO 14001

Compliant to these food handling regulatory standards:

FDA 21 CFR 177-2600

FDA 21 CFR 180.22

Commission Regulation (EU) No 10/2011

PPE Cat III according to Regulation (EU) 2016/425 and as amended to apply in GB (UKCA)

EN 16523-1:2015+A1:2018

EN ISO 374-2:2019

EN ISO 374-4:2019

EN ISO 374-5:2016 Bacteria, Fungi, and Virus Protection

EN ISO 374-1:2016+A1:2018/ Type B

EN ISO 21420:2020 Dexterity Classification: Level 5

ISO16604:2004

Compliant with the REACH regulation

RoHS 2011/65/EU Annex II

Static Dissipative in Use

Tested per ANSI/ ESD SP 15.1

Meets USP <800> Guidelines











### **Additional Glove Information**

Recommended for use in ISO Class 3 or higher and Grade A/B/C/D cleanrooms.

Tested against 29 chemicals, 14 chemotherapy drugs and Fentanyl.

Made in Thailand

Declaration of Conformity (DoC) and Certificates of Analysis (COA) for every production lot available online at halyardhealth.com/information

### **Storage Instructions**

HALYARD\* **PURE**ZERO\* Nitrile Gloves shall be stored in conditions where the product is kept dry (away from moisture), away from direct sunlight, away from sources of heat, and away from radioactive sources.

### **Ordering Information**

HALYARD\* PUREZERO\* HG3 LIGHT BLUE NITRILE GLOVES, NON-STERILE, AMBIDEXTROUS, TACKY

Size	Code
XS	CLN9031XS
SM	CLN9031SM
MD	CLN9031MD
LG	CLN9031LG
XL	CLN9031XL

For additional information or samples, contact your local distributor or visit www.purezerogloves.com

This fact sheet has been created using the most recent information. In the interest of continuous improvement, the characteristics of the products may change without prior notice.



<sup>1</sup> Not formulated with these commonly used vulcanizing chemicals: Sulfur, Thiurams, Thiaxoles, Guanidines and Carbamates.

<sup>2</sup> Tested per ASTM D412

## CERTIFICATE OF ANALYSIS





Safeskin Medical & Scientific (Thailand) Ltd. 200 Moo 8 Kanchanavanich Road Tambol Prik, Amphur Sadao Songkhla 90120 Thailand

### **CERTIFICATE OF ANALYSIS**

Product Description: HALYARD\* PUREZERO\* HG3 Light Blue Nitrile Gloves
Catalog Numbers: CLN9031XS, CLN9031SM, CLN9031MD, CLN9031LG, CLN9031XL

OMH Code: 48162-80, 48163-80, 48164-80, 48165-80, 48166-80

Total Cases per Lot: 2,900 Date of Manufacture: Jul-22

Batches: SM218227X to SM221227X

Expiration Date: 2027-06-30

			Physica	al Test Data					
		Visual	Visual Defects		Visual Defects		Tensile (MPa)	Elongation (%)	Median Force at Break (N)
	Watertight	Minor	Negligible	Dimensions	Pre Aging	Pre Aging	Pre Aging		
Sample Size :	2555	2555	2325	195	156	156	156		
AQL Level :	1.0	2.5	4.0	4.0	4.0	4.0	4.0		
Failures Allowed per AQL :	39	90	128	15	12	12	12		
Failures :	0	0	0	0	0	0	0		
Inspection Results :	Accept	Accept	Accept	Accept	Accept	Accept	Accept		
				Averages:	41.18	577	10.32		

Test Methods : Water tight test ASTM D 5151, EN 455-1, Elongation and Tensile ASTM D 412, ASTM D 6319, Median Force at Break EN 455-2, Dimension ASTM D 6319, EN 455-2

#### Particle Test Data

Particle	Min	Max	Average Particles/cm²	Inspection Result
#/cm2:	532	947	822	Accept

Particulate Level (≥0.5 microns) #/cm²

Test Method : IEST-RP-CC005.4

#### Extractable Ion Test Data

		Anions Results	3		Cations Results						
- Units :	Chloride Cl	Nitrate N03	Sulfate S0 <sub>4</sub> -2	Sodium Na <sup>+</sup>	Ammonium NH₄⁺	Potassium K <sup>+</sup>	Magnesium Mg <sup>+2</sup>	Calcium Ca <sup>+2</sup>			
μg/g glove	28.292	11.808	3.383	3.344	1.766	2.173	1.655	39.816			
Inspection Result :	Accept	Accept	Accept	Accept	Accept	Accept	Accept	Accept			

#### Trace Element Results

Test Method: IEST-RP-CC005.4


Review By :

(OA Sr. Manager)

FORM-28013/6



### CASE LABEL





## **PURE**ZERO\* HG3 LIGHT BLUE NITRILE GLOVES

For the Cleanroom Environment

For Industrial Use Only

- ® Gants en nitrile bleu dair HG3 Pour l'environnement des salles blanches Pour usage industriel uniquement Sans accélérateur • Ambidextres
- ® HG3 Nitrilhandschuhe, hellblau Für Reinraumumgebungen Nur für den industriellen Gebrauch Beschleunigerfrei\* Beidhändig
- Guantes de nitrilo celestes HG3 Para entornos de sala blanca Solo para uso industrial Sin aceleradores • Ambidiestro
- Guanti in nitrile azzurri HG3 Per camera bianca Solo per uso industriale Privi di acceleranti\* Ambidestri
- ## HG3 Lichtblauwe nitril handschoenen Voor gebruik in kritieke schone ruimtes/cleanrooms Alleen voor industrieel gebruik Versnellervrij • Symmetrisch
- Duvas de nitrilo azuis-claras HG3 Para ambiente de sala limpa Exclusivamente para utilização industrial Sem aceleradores • Ambidestras
- ® Голубые нитриловые перчатки HG3 ∙ Для стерильных условий ∙ Только для промышленного использования Без химических присадок •
- ④ ピュアゼロ HG3ライトブルーニトリルグローブ・クリーンルーム環境対応・工業用途のみ・加硫促進剤不使用・ •左右兼用
- ⑩ HG3 하늘색 니트릴 장갑·클린룸 환경용·산업용으로만 사용·촉진제 없음⁺・양손형
- ② HG3 浅蓝色丁腈手套・适用于洁净室环境・仅限工业使用・无催化剂・左右手通用

### Manufactured at our SAFESKIN\* Facility

١													
	ACCELERATOR FREE <sup>1</sup>												
	XS (5.5) = CLN9031XS S (6.0 - 6.5) = CLN9031SM M (7.0 - 7.5) = CLN9031MD	Ambidextrous	(2)	NON		兄'	IJ [	₩	淡				
	L (8.0 - 8.5) = CLN9031LG XL (9.0 - 10.0) = CLN9031XL	AQL 0.65 Level 3 G1	(i)	DOC halyardhe	ealth.com/informat	ion	C	€ 2797 (PPE Cat.III)	UK CA 0086	250∰			

Not formulated with the following vulcanizing chemicals and accelerators: Sulfur, Thiurams, Thiazoles, Guanidines, Carbamates

Product of Thailan

**Place Label Here** 

■ O&M Halyard, Inc., 9120 Lockwood Blvd, Mechanicsville, VA 25116 + In USA, please call 1-844-425-9273 \* halyardhealth.com 医配置外元化のyol Unlimited Company, Virginia Road, Kells, Co Meath, Reland

● OM Halyard Religium SP, Berkenlands SB, 1831 MacHene Ilrab3, Belgium

Product certified to the Regulation (EU) 2016/425 by Notified Body 279 FSI Group The Netherlands B.V.

Say Building, John McKyenepielin S, 1666 FP Amsterdam, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and to the Regulation (EU) 2016/425 on personal protective equipment, and the Regulation (EU) 2016/425 on personal protective equipment, and the Regulation (EU) 2016/425 on personal protective equipment, and the Regula

\*Registered Trademark or Trademark of O&M Halyard, Inc., or its affiliates. ©2018. All rights reserved. Patent and/or Pending Application. See www.halyardhealth.com/patents.

06-HM-118-0-00

## PACKAGING CERTIFICATES







## TIP CORPORATION SDN BHD (187530-A)

Lot 608, Jalan Sungai Sop, Batu 14, 43100 Hulu Langat, Selangor, Malaysia. Tel: +603-9021 3985 E-mail: sales@tipcorp.com Website: www.tipcorp.com





THIS IS TO CERT	TFY TH	CERTIFICATE OF CON AT THE FOLLOWING PRODUCT CONF	FORMANCE ORM/PASS THE SPECIFICATION LISTED BELOW:-
CUSTOMER	: SAFE	SKIN	
DESCRIPTION	: C/R E.	ASY TEAR LDPE -PRT -355X405X0.05N	MM
QUANTITY	: 10000	pcs	
LOT NO	: 61446		
PART NO	: 06-HM	1-038-0-00	
P.O NO. & DATE	: 45611	63725	
TEST DATE	: 25.07.	2021	Safeskin Thailand
OUR INVOICE NO	D: TPL16	5516	
			D/O No. : // <sup>8</sup> L /168/6  IOA Batch : / 2/07/24/9
PALLET REFEREN NUMBER (IF AN)			Date : 50-324
PACKING LIST N	UMBER	:TPL16516	Signature By: Chaff
DATE OF MANUE	FACTUR	UNG:	Contract No. 1985, Late of the Contract of the
DATE OF EXPIRE	D:		
		TIVITY TEST (Deference ASTM D25	7, ANSI / ESD S541 & ANSI / ESD STM 11.11)
BORFACI	LEDIO	11111 1EST - (Reference ASTM DES	A MIST ESE SOUTH A MIST ESE STILL THILL
		DISSIPATIVE $: \ge 1 \times 10^5 \text{ AND} \le 1 \times 10^5  AN$	10 <sup>12</sup> OHMS/SQ
		CONDUCTIVE : < 1 X 10 <sup>5</sup> OHMS/SQ	
	1	VISUAL TEST	
		DIMENSION CHECK (WIDTH, LENGT	H & THICKNESS)
		WATER LEAK TEST	
		LPC TEST	
	/	SEAL/PEEL STRENGTH TEST	
	/	PRINTING	
		AMIDE & SILICON FREE	
		CENTRE SEAL / WITH PERFORATION	LINE
		NO CENTRE SEAL / WITHOUT PERFO	
Rub	amat		O.O
TESTED BY: Rule		TMENT	VERIFIED BY QA EXECUTIVE



TOP IN PERFORMANCE

## BAG COC

	☐ IN COI			TIP	TIP COR	PORATIO	N SDN BHD			√	OUT GOING	QUALITY INS	SPECTION REF					FORM : QC-01 REV 9 Date Implement : 05.04.2018  REF NO : QC -01  DATE : 25.07.2021
USTOMER	/SUPPLIER:		SAFESKIN	_				OT NO	6144	46					PLAN 0.65 sing	le Pian Normai I		
														Lot Qtty			SS	Accept / Reject
M:	C/R EASY TE	AR LDPE -PF	RT -355X405	(0.05MM				YTITAAUG	10000 pcs					501 to 3,2	00pcs		13	Acc / Rej : 0/1
														3,201 to 3	5,000pcs		20	Acc / Rej : 0/1
RT NO:	06-HM-038-0-	00													500,000pc	s	32	Acc / Rej : 0/1
															cs and ove		50	Acc / Rej : 0/1
					1	DIMENSION	/ PHYSICAL I	NSPECTIO	ON					500,001 p		ESISITIVIT FUAT		PROPERTIES OF MATERIAL
-	T			DIM	IENSION CH			101 20 110		VISUAL	T		SEAL	PRT/	+	SAMPLE N	2	CONDUCTIVE
NO				_		_	I	2	T	OKING	REMARKS	EASY TO	1 1 1 1 1 1 1					
	WIDTH	MAX	MIN -	LENGTH	MAX	MIN	THICKNESS	MAX	MIN	-		OPEN	STRENGTH	GUSSET	-	OHM/SQ		DIOON ATTVE
EC	355+/-15	370	340	405+/-15	420	390	0.05+/-0.01	0.06	0.04	OK	OK	OK	OK	OK	NO	RIGHT	LEFT	INSULATOR
1	355			410			0.05		-	1	-				1	10	11	TEST METHOD
2	354		-	411			0.05		-	-	-	-	-		2	11	10	(ASTM D 257)
3	355			410		1	0.05	_		-			1		3	10	10	OTHER
4	353		-	410		1	0.05			1		-	1	1	4	11	11	, , , , , , , , , , , , , , , , , , , ,
5	353			411			0.05	-		1					5	11	11	Remarks :
6	353			411			0.05		-	1		1	11		6	10	10	2 side seal width 10mm
7	355			410			0.05	-		-	1				7	11	11	min
8	354			410		1	0.05								8	10	10	
9	354		-	411		1	0.05						11		9	10	11	For Incoming visual :
10	354	OK		410	OK		0.05	OK		OK	OK	OK	OK	OK	10	11	10	Bag no torn , damaged - Accept
11	354			410			0.05								11	11	11	Reject for the bag is broken
12	355			411			0.06							-	12	10	10	
13	354			410			0,05								13	11	11	Equipment for Inspection : -
14	353			410			0.05								14	11	10	Dimension - Measuring Tape
15	354			410			0.05								15	10	11	Thickness - Thickness Checker
16	353			410			0.05				1				16	11	10	Surface Resistivity - SRM
17	354			410			0.05				1				17	11	11	SUMMARY OF OUTGOING QC
18	354			410			0.05				1		11		18	10	11	INSPECTION RESULT :
19	353			411			0.05								19	10	10	Visual : OK MVTR- N/A
20	353		1	410			0.05			11	1	1	1	1	20	11	11	Sticky: NO Easy to open: OK
21										-	1				21	1		LPC : OK Mixed: NO
22	-			-			1		-	-	+	-	-		22	1		Seal Strength : OK Water Leak Test N/A
23				-		-	+ -		-	-	-			-	23	-	-	Printing per spec: OK
24				-	_	-	+ +		-	-	+		-		24	+	-	Surface Resistivity: N/A
				-		-	+		-	-	-					-	-	
26 27	-			1			-		-	_	1		-		26	-	-	PACKING CONDITION INSPECTION
	1		-	-		-	+ +		+	+	+		-			-	-	SPEC ACTUA
28	-			-		-	+ +		-	+	+	-	-	-	28	+	-	Otty per bag
30							+ -		-	1	1		-		30	+	-	Otty per carton
31						-	1			-	1				30	-	-	Carton size
32	1						1			-	+	-	-	-	31	+	-	PN vs Actual
92														D	-			Label In vs Out
					_		44.492							Prepared				Verified By :
		REMARKS:		ACCEPT			REJECT							Final disp		OK		Final Disposition OK
														Accept / F	Reject:	ACCEPT		Accept / Reject: ACCEPT



FORM: QC-07 REV 10

Date Reviewed: 30.11.2017

### TIP CORPORATION SDN BHD (1872)0-A)

Lot 608, Jalan Sungai Sop, Batu 14, 43100 Hulu Langat, Selangor, Malaysia. Tel: +603-9021 3985 E-mall: sales@tipcorp.com Website: www.tipcorp.com





CERTIFICA	ATE OF	CONFO	DRMANCE
-----------	--------	-------	---------

THIS IS TO CERTIFY THAT THE FOLLOWING PRODUCT CONFORM/PASS THE SPECIFICATION LISTED BELOW;-

CUSTOMER

: SAFESKIN

DESCRIPTION

: C/R EASY TEAR LDPE BAG -355X405X0.045MM

QUANTITY

: 48,000 PCS

LOT NO

: 61448

PART NO

: 06-HM-041-0-00

P.O NO. & DATE : 4561164448

TEST DATE

: 10.08.2021

OUR INVOICE NO: TPL16679

PALLET REFERENCE NUMBER (IF ANY):

NOMBER (II ANT).

DATE OF MANUFACTURING:

PACKING LIST NUMBER: TPL16679

DATE OF EXPIRED:

Safeskin Thailand	200			
	Calan	7 0	FETT	0.7

D/O No.

TPL 16679

IQA Batch

1 2108109

Signature By :

14-AUG 202

### SURFACE RESISTIVITY TEST - (Reference ASTM D257, ANSI / ESD S541 & ANSI / ESD STM 11.11)

Rul	alyat	VERIFIED BY : QA EXECUTIVE
A		
		NO CENTRE SEAL / WITHOUT PERFORATION
		CENTRE SEAL / WITH PERFORATION LINE
	D	AMIDE & SILICON FREE
		PRINTING
	Z	SEAL/PEEL STRENGTH TEST
	D	LPC TEST
		WATER LEAK TEST
	D	DIMENSION CHECK (WIDTH, LENGTH & THICKNESS)
	Z	VISUAL TEST
		CONDUCTIVE : < 1 X 10 <sup>5</sup> OHMS/SQ
		DISSIPATIVE $:\ge 1 \times 10^5 \text{ AND} < 1 \times 10^{12} \text{ OHMS/SQ}$

TIP

QC DEPARTMENT

TESTED BY

TOP IN PERFORMANCE

## BAG 2 COC

USTOMER	IN COM	IING QUALITY	INSPECTION	TIP N REPORT	TIP COR	PORATIO	ON SDN BHE	LOT NO	61448	٧	OUT GOING	QUALITY INS	SPECTION RE	SAMPLING P	LAN 0.65 sing	le Plan Normal li	nspection S3	FORM : QC-01 REV 9 Date Implement : 05.04.2018 REF NO : QC-01 DATE : 10.08.2021
EM:	C/R EASY TEA	DI DDE DAG	255740574	0451114										Lot Qtty			SS	Accept / Reject
CIVI .	ON EAST TEA	IN LUFE BAC	-335X4U5XC	J.U45IVIM		-		QUANTITY	48,000 pcs	_				501 to 3,2	00pcs		13	Acc / Rej : 0/1
ART NO:	06-HM-041-0-0	20												3,201 to 3	5,000pcs		20	Acc / Rej : 0/1
WI NO.	00-1111-047-0-0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,												35,001 to	500,000pcs	5	32	Acc / Rej : 0/1
														500,001 p			50	Acc / Rej : 0/1
	_						/ PHYSICAL II	VSPECTIO	N						SUKPACEK	SRM110	A (EGOIPMENT	PROPERTIES OF MATERIAL
NO					ENSION CHE	_				VISUAL	REMARKS	EASY TO	SEAL	PRT/		SAMPLE NO	)	CONDUCTIVE
	WIDTH	MAX	MIN	LENGTH	MAX	MIN	THICKNESS	MAX	MIN	OKING		OPEN	STRENGTH	GUSSET		OHM/SQ	SEAL.	DISSIPATIVE
PEC	355+/-5	360	350	405+/-10	415	395	0.045+/-0.01	0.055	0.035	OK	OK	OK	ОК		NO	RIGHT	LEFT	INSULATOR
1	355	1		410			0.047						1		1	11	10	TEST METHOD
2	354			409			0.047								2	10	10	(ASTM D 257)
3	355			410			0.048								3	10	11	OTHÈR -
5	354 355	-		410	-		0.047								4	11	10	
6	355	-		409			0.048								5	10	10	Remarks:
7	355	-	_	410	-	_	0.047								6	- 11	11	2 side seal-seal width 10mm min
8	354			409	-		0.048	-							7	11	10	
9	355			409			0.047	-		-					8	10	11	
10	354			410			0.048								9	11	10	For Incoming visual :
11	355			409	-		0.047	-		-					10	11	11	Bag no torn , damaged - Accept
12	354			410			0.048	-		-					11	10	10	Reject for the bag is broken
13	355			409			0.047			-	-				12	11	11	
14	354			410	77		0.048	-							13	10	10	Equipment for Inspection : -
15	355			409		-	0.048	-		+	-				14	11	11	Dimension - Measuring Tape
16	355	ОК		410	ОК		0.047	ОК		OK	ОК	***			15	10	11	Thickness - Thickness Checker
17	354			409	1		0.048	- OK		UK UK	OK	OK	ОК		16	11	10	Surface Resistivity - SRM
18	355			410			0.047			-	9				17	11	11	SUMMARY OF OUTGOING QC
19	354			409			0.048			+	-		-		18	10	10	INSPECTION RESULT:
20	354			410			0.047	-					-		19	11	11	Visual : OK MVTR- N/A
21	355			409			0.047								20	11	10	Sticky : NO Easy to open: OK  LPC : OK Mixed: NO
22	354			410			0.048								22		11	mintag, 110
23	355			409			0.047								23	11	10	Seal Strength : OK Water Leak Test N/A
24	354			409			0.048								24	10	11	Printing per spec; N/A
25	354			410			0.047								25	10	10	Surface Resistivity: N/A
26	355			410			0.048								26	11	10	Displayer
27	354			409			0.048								27	10	10	PACKING CONDITION INSPECTION
28	355			410			0.047								28	10	10	SPEC ACTU
29	354			409			0.048								29	11	11	Otty per bag
30	355			410			0.047								30	10	10	Otty per carton  Carton size
31	354			409			0.048								31	10		PN vs Actual
32	354	1		410			0.048						1		32	11	11	Label In vs Out 1 A
														Prepared B		Ch		Verified By :
		REMARKS:		ACCEPT	She w		REJECT							Final dispo		OK		
														101 01300	JILIUII .	UK		Final Disposition OK

### BAG 2 COC



TIP Corporation Sdn. Bhd.

Lot 608, Jalan Sg Sop, Off Jalan Sg Tekali, Batu 14 Hulu Langat, 43100 Selangor, MY.

Tel: +603-90213985 / 6 / 7 Fax: +603-90213982/4 Email: sales@tipcorp.com

FORM QC-21

		4.8	LPC Test	Re	port	
ltem		: C/R EASY TEAR LI	DPE I Lot No	:	61448	
Testing Date Customer	2	: 10.8.2021 : SAFESKIN	size	:	355 X 405 X 0.05MM OUTGOING	
	le Counts ( Cum				06-HM-041-0-00	
	Blank Cts 1 Counts/ml	Blank Cts 2 Counts/ml	Blank Ct 3 Counts/ml		Average Blank ( A ) Counts/ml	
0.5 micron	20.0	19.0	17.0		18.7	
1.0 micron	3.0	4.0	2.0		3.0	
1.5 micron	2.0	4.0	2.0		2.7	
2.0 micron	1.0	2.0	4.0		2.3 Total counts	26.666667
Wash Sampl	le Particle Coun	ts ( Cumulative )				
	Washed Cts 1 Counts/ml	Washed Cts 2 Counts/ml	Washed Cts 3 Counts/ml	3	Average Washed ( B ) Counts/ml	
).5 micron	80.0	95.0	100.0		91.7	
.0 micron	13.0	14.0	17.0		14.7	
.5 micron	9.0	8.0	7.0		8.0	
.0 micron	5.0	7.0	9.0		7.0 Total counts	121.33333
Vet Particle	e Counts		(C)		Total Vol. for Washed Sam	ple (D
Ave.Washed	- Ave.Blank ( C	= B - A )			Washed Volume ( ml )	400 ml
.5 micron		73.0				
.0 micron		11.7				
.5 micron		5.3			Total Area of Plastic	( E
.0 micron		4.7	-		Total Area for wash	2947 cm
otal Particle	e Counts in Was	shed Volume	(F)		Total Wet Part Cts / cm <sup>2</sup>	( G
	$(F = C \times D)$					(G=F/E)
.5 micron	29200				0.5 micron	9.9083814
.0 micron	4666.6667				1.0 micron	1.5835313
1.5 micron	2133.3333				1.5 micron	0.7239
.0 micron	1866.6667				2.0 micron	0.6334125
		W	et Particle Counts			
	12.0	9.9				
ounts	10.0 -	1				
Cumulative Counts / cm Area	6.0 -					
zmula / cr	4.0					
ő	2.0		1.6		0.7	0.6

Total Particle:

12.8492252

1.0 micron

0.5 micron

SPEC:  $\geq 0.5u \leq 100 \text{ COUNTS/CM}^2$ 

1.5 micron

Tested By:

MARIAM 10.8.2021

Date:

\*

Verified By : Date : 10 8 20

2.0 micron

### **CASE LINER**

FORM: QC-07 REV 10

Date Reviewed: 30.11.2017



### P CORPORATION SDN BHD Reg No. 10409/21010224

Lot 2288, Jalan P4/8, Bandar Teknologi Kajang, Semenyih, 43500 Selangor, Malaysia. Tel: +603-8723 7889 E-mail: sales@lipcorp.com Websile: www.tipcorp.com SST No: W24-1808-21017734





CERTIFICATE OF CONFORMANCE

THIS IS TO CERTIFY THAT THE FOLLOWING PRODUCT CONFORM/PASS THE SPECIFICATION LISTED BELOW:-

CUSTOMER

: SAFESKIN

DESCRIPTION

: CLEANROOM LDPE BAG WITH GUSSET 350 X 700 X 0.04mm + G150mm

QUANTITY

: 20,000 PCS

LOT NO

: K61449

PART NO

: 06-HM-042-0-00

P.O NO. & DATE : 4561163570

TEST DATE

: 06.08.2021

OUR INVOICE NO: TPL16653

PALLET REFERENCE

NUMBER (IF ANY): -

PACKING LIST NUMBER: TPL16653

DATE OF MANUFACTURING: N/A

DATE OF EXPIRED: N/A

Safeskin Thailand

D/O No.

. TPL 166 53

F8080/69

Date

11- AUB-2021

Signature By :

M

SURFACE RESISTIVITY TEST - (Reference ASTM D257, ANSI / ESD S541 & ANSI / ESD STM 11.11)

	DISSIPATIVE $:\ge 1 \times 10^5 \text{ AND} < 1 \times 10^{12} \text{ OHMS/SQ}$
	CONDUCTIVE : < 1 X 10 <sup>5</sup> OHMS/SQ
Z.	VISUAL TEST
Ø	DIMENSION CHECK (WIDTH, LENGTH & THICKNESS)
	WATER LEAK TEST
Z,	LPC TEST
	SEAL/PEEL STRENGTH TEST
	PRINTING
Z	AMIDE & SILICON FREE
	CENTRE SEAL / WITH PERFORATION LINE
	NO CENTRE SEAL / WITHOUT PERFORATION
DANT	
TESTED BY:	NIN LOC VERIFIED BY CHENEER



TOP IN PERFORMANCE

## CASE LINER

				TTP SPECTION RE	EPORT	ORP	PORA	TION SDN	BHD			V	OUT GOIN	IG QUALITY	INSPECTIO	N REPORT				FORM : QC-01 REV 9 Date Implement : 05.04.2018 REF NO : QC-01	
: !	CLEANRO O: 06-HM-04	OM LDPI		60 X 700 X 0	-					TITY	K61449	-				SAMPLING PLAN Lot Qtty 501 to 3,200; 3,201 to 35,0 35,001 to 500 500,001 pcs a	00pc 00pc	s lpcs	SS 13 20 32	Accept / Reject Acc / Rej : 0/1 Acc / Rej : 0/1 Acc / Rej : 0/1 Acc / Rej : 0/1	1
7								ON / PHYSIC	AL IN	SPEC	CTION						SUR (	EQUIPMENT:	SRM110)	PROPERTIES OF MATERIAL	
+					ENSION (	_	-					VISUAL	REMARKS	EASY	SEAL	PRT/		SAMPLE		CONDUCTIVE	
+	WIDTH	MAX	MIN	LENGTH	MAX	-	MIN	THICKNESS	MA	_	MIN	OK/NG		TO OPEN	STRENGTH	GUSSET		OHM/	SQ.	DISSIPATIVE	
ł	350±5mm 351	355mm	345mm	700±10mm	710mm	69	0mm	0.04±0.01mm	0.05	mm	0.03mm	OK		OK	OK	150mm±10MM	NO	INSIDE	OUTSIDE	INSULATOR -	
f	351			702		+		0.05 0.04								151	. 1			TEST METHOD	
ŀ	350			702		+		0.04		_						152	2			(ASTM D 257)	
ľ	350			702				0.04								152 150	3			OTHER :	
ľ	351			- 701				0.05								152	5				_
Į.	350			702				0.04								152	6			Remarks :	
ŀ	351	1		702				0.04								152	7			HACO	-0-1
ŀ	351	V	V	701	V	_	$\Psi$	0.04	4		V	-		V	V	150	8			W406E	PH
ŀ	350 350	OK	OK	702	OK	(	OK	0.05	0	K	OK	OK		OK	OK	152	9			For Incoming visual :	
ŀ	351	1	1	702 701	1	1	1	0.04	-4	1	1	1		1	1	150	10			Bag no torn , damaged - Acce	pt
t	350			. 702		+		0.04		-						152	11			Reject for the bag is broken	
ľ	351			702		+		0.05				+				152 152	12				
	351			701				0.04						-		152	13			Equipment for Inspection : -	
L	350			702				0.05								150	15			Dimension - Measuring Tape	
L	350			702				0.04								152	16			Thickness - Thickness Checker Surface Resistivity - SRM	
Ļ	351			701				0.04								150	17			SUMMARY OF OUTGOING QC	
ŀ	350			702		1		0.04								152	18			INSPECTION RESULT:	
	351 351			702		-		0.05								152	19			Visual : OK MVTR :-	
	991			702		-	1	0.04								151	20			Sticky: NO Easy to open:	: OK
						+	-										21			LPC : OK Mixed : NO	
i						1				-							22			Seal Strength OK Water Leak To	est:-
		7				1											23			Printing per spec : -	
																	25			Surface Resistivity : -	
																	26			BACKING CONDESS.	FOTION
-																	27			PACKING CONDITION INSP SPEC	ACTUAL
-																	28			Qtty per bag 50PCS	50F
-						-											29			Otty per carton 500PCS	5001
						-											30			Carton size T10	T1
						-			_								31			PN vs Actual . 06-HM-042-0-00	0 06-HM-0
		REMARK	S:	ACCEPT				REJECT		1						Prepared By : Final disposition	32			Label In vs Out OK  Verified By: HAJAR  Final Disposition: OK	OLTIO

### **CASE LINER**



### TIP CORPORATION SDN BHD RG. NO. (195901010228

Lot 2288, Jalan P4/8, Bandar Teknologi Kajang, Semenyih, 43500 Selangor, Malaysia. Tel: +603-8723 7889 E-mail: sales@tipcorp.com Website: www.tipcorp.com SST No: W24-1808-21017734





FORM QC-21

2.3

LPC	Test	Repor	t

Item: C/R LDPE BAG
Testing Date: 06.08.2021
Customer: SAFESKIN

Lot No: K61449
Size: 650X700X0.04MM
Method: BY SHAKER

Blank Particle Counts (Cumulative)

Machine: KCCS-6

	Blank Cts 1	Blank Cts 2	2	Blank Ct 3	Average Blank (A)
	Counts	Counts		Counts	Counts
0.5 micron	4.0		2.0	0.0	2.0
1.0 micron	1.0		0.0	0.0	0.3
2.0 micron	0.0		0.0	0.0	0.0
5.0 micron	0.0		0.0	0.0	0.0 Total counts

Wash Sample Particle Counts (Cumulative)

	Washed Cts 1	Washed Cts 2	Washed Cts 3	Average Washed (B)	
	Counts	Counts	Counts	Counts	
0.5 micron	124.0	134.0	112.0	123.3	
1.0 micron	21.0	26.0	19.0	22.0	
2.0 micron	8.0	5.0	8.0	7.0	
5.0 micron	2.0	2.0	2.0	2.0 Total counts	154.3

(D) Total Vol. for Washed Sample (C) Wet Particle Counts 1000 ml Washed Volume (ml) Ave.Washed - Ave.Blank (C = B - A) 121.3 0.5 micron 5 ml (E) Sampling size 21.7 1.0 micron 7.0 2.0 micron (F) Total Area of Plastic 5.0 micron 2.0 **Total Washed Area** 8775 cm<sup>2</sup>

(G) Particle counts per ml (G = C/E) (H) Total Wet Part Cts/cm2 (H = GXD/F) 0.5 micron 2.765 24.267 0.5 micron 0.494 1.0 micron 4.333 1.0 micron 0.160 2.0 micron 2.0 micron 1.400 0.046 5.0 micron 0.400 5.0 micron

Wet Particle Counts (counts per cm2)

2.765

2.0

1.5

1.0

0.5

0.0

0.5 micron

Particle sizes in Micron

Particle sizes in Micron

5.0 micron

5.0 micron

Particle sizes in Micron

Cts/cm2

Total Particle (≥0.5):

3.464 (PASSED)

SPEC: ≥ 0.5u <16

Tested By: SUHAIDA
Date: 06.08.2021

Verified By:

Date:







### 1. IDENTIFICATION

Product Name: HALYARD\* PUREZERO\* HG3 Nitrile Gloves

Product Number: Various

Date Prepared:	6/24/2021
Manufacturer:	O&M Halyard, Inc.
	1 Edison Dr.
	Alpharetta, Georgia 30005
Telephone:	
MEDICAL EMERGENCY:	Call 911 or your local Emergency Room or
	Poison Control Services
TRANSPORTATION EMERGENCY:	Chemtrec 1-800-424-9300 or 1-703-527-3887
	(collect calls accepted)
INFORMATION:	1-844-HALYARD

Product Use: Protective gloves.

### 2. HAZARDS IDENTIFICATION

GHS Classification: Not Hazardous. These products are manufactured articles or articles as this term is defined in the OSHA Hazard Communication Standard (20CFR 1910.1200), EU REACH, Canadian WHMIS, Australia WHS and the GHS. These products are out of the scope of the GHS and no SDS or labeling are required.

GHS Labeling: No GHS labeling required.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No./ EINECS-No	%	GHS Classification:
Non-Hazardous Ingredients	Mixture	100	Not Hazardous

#### 4. FIRST AID MEASURES

**Inhalation:** No first aid needed.

Skin contact: No first aid needed. These products are intended to be used in contact with

the skin.

Eye contact: No first aid needed.

**Ingestion:** Not a relevant route of exposure.

Most Important symptoms and effects, both acute and delayed: No adverse

effects.

Indication of any immediate medical attention and special treatment

needed: None required.



### HALYARD\* PUREZERO\* HG3 Nitrile Gloves

### 5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) Extinguishing Media: Use media suitable for surrounding materials.

**Specific Hazards Arising from the Chemical:** These products can melt in a fire. Molten material may flow or drip and spread the fire.

**Hazardous Combustion Products:** Combustion may produce toxic and irritating gases and vapors.

Special Protective Equipment and Precautions for Fire-fighters: None required.

### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures: None required.

Environmental Precautions: None required.

Methods and Materials for Containment and Cleaning Up: No special precautions required. Pick up and dispose of in an appropriate container.

### 7. HANDLING AND STORAGE

Precautions for Safe Handling: No special handling is required.

Conditions for Safe Storage, including any Incompatibilities: Store away from heat and flames.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure limit(s)

Chemical Name	Exposure limit(s)
Non-Hazardous Ingredients	None established

Appropriate Engineering Controls: None required.

Individual Protection Measures, such as Personal Protective Equipment:

**Respiratory Protection:** None required.

Protective Gloves: None required.

**Eye Protection:** None required.



### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor	Solid Gloves, blue or white
Odor Threshold:	Not applicable
Boiling point/range	Not applicable
Melting point/range	Not determined
Relative Density (water=1)	Not determined
Vapor pressure	Not applicable
Vapor density (air=1)	Not applicable
Solubility	Insoluble
pH	Not applicable
Partition coefficient (n-octanol/water):	Not applicable
Evaporation Rate (Butyl acetate=1)	Not applicable
Viscosity:	Not applicable
Volatile Organic Carbon Compounds (VOC) (g/L)	Not applicable
Flashpoint:	None.
Flammable Limits in Air % by Volume:	LEL (Lower):Not applicable
	UEL (Upper): Not applicable
Autoignition temperature:	Not determined.
Decomposition temperature:	Not determined
Flammability (solid, gas):	Not a flammable solid
	I and the second

### 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical Stability: Stable at ambient temperature and pressure.

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: Avoid heat and flames.

Incompatible Materials: None known.

Hazardous Decomposition Products: Thermal decomposition may produce carbon and nitrogen oxides and unidentified hydrocarbon fragments.



### HALYARD\* PUREZERO\* HG3 Nitrile Gloves

### 11. TOXICOLOGICAL INFORMATION

**Symptoms/Effects of Overexposure:** These gloves are manufactured articles. Their use will not result in exposure to any hazardous materials.

Inhalation: Not applicable.

Skin contact: None. Intended for skin contact. These products contain no natural latex.

Eye contact: None expected.

Ingestion: Not applicable.

Chronic toxicity: None expected.

Carcinogenicity Data: None of the components of this product is listed as a carcinogen

by IARC, NTP, US OSHA or the EU CLP Annex VI.

Reproductive Toxicity: None known.

**Numerical Measures of Toxicity:** 

Not acutely toxic.

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** These gloves are manufactured articles. Their use will not result in adverse environmental effects.

Persistence and Degradability: Not degradable. Bioaccumulative Potential: Not bioaccumulative.

Mobility in Soil: Not mobile.

Other Adverse Effects: None currently known.

### 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all state, local and federal regulations. If unused, the product may be disposed of as a non-hazardous material.

#### 14. TRANSPORT INFORMATION

US DOT Shipping Description: Not regulated
IATA Shipping Description (Air): Not regulated
IMDG Shipping Description (Vessel): Not regulated

### 15. REGULATORY INFORMATION

#### **US Regulations**

**EPA Toxic Substances Control Act (TSCA):** These gloves are articles and exempt from the TSCA regulations.





SARA 302 Listed Chemicals: None.

SARA 311/312 Hazard Categories: Not applicable to articles

SARA 313 This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under the SARA Section 313 (40

CFR 372): Not applicable to articles.

### 16. OTHER INFORMATION

**Date Prepared:** 6/24/2021

HMIS Rating: Health 0 Fire 1 Physical Hazard 0

The information contained herein is true and correct to the best of O&M Halyard, Inc's knowledge. However, no warranty, expressed or implied, is made. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. Final determination of the suitability of the material is the sole responsibility of the user.



June 24, 2021

Dear Customer,

O&M Halyard supplies the following items that meet the definition of an *article* under both OSHA and WHMIS. A Safety Data Sheet (SDS), therefore, is not required for them.

HALYARD\* PUREZERO\* SMOOTH HG3 WHITE NITRILE GLOVES
HALYARD\* PUREZERO\* HG3 WHITE NITRILE GLOVES
HALYARD\* PUREZERO\* HG3 LIGHT BLUE NITRILE GLOVES
HALYARD\* PUREZERO\* HG3 LIGHT BLUE STERILE NITRILE GLOVES
HALYARD\* PUREZERO\* HG3 WHITE STERILE NITRILE GLOVES

Under the Occupational Safety and Health Administration (OSHA) 1910.1200, the Hazard Communication Standard Safety Data Sheets (SDS) are required for all hazardous chemicals with certain exceptions. One exception is for manufactured articles. An *article*, as defined in section (c), is "a manufactured item: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which, under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical or health risk to employees."

The Canadian WHMIS Regulation contains a similar exclusion for manufactured articles. While the EU Regulations do not specifically contain an exemption for manufactured articles, it is our opinion that those products sold by O&M Halyard that are considered articles in the U.S. and Canada would not be considered dangerous substances or preparations in the EU and would not require a Safety Data Sheet.

Since certain O&M Halyard products may be used to absorb bodily fluids or other potentially hazardous materials that may require special disposal, the user must determine the local, state, and federal regulations that apply to the disposal of the used products and ensure proper disposal.

Please feel free to contact us if you require any further information

William Swanger Global Leader, Environment, Health, & Safety William.swanger@hyh.com

 ${\rm *Registered\ Trademark\ or\ Trademark\ of\ O\&M\ Halyard\ or\ its\ affiliates.\ @2021.\ All\ rights\ reserved.}$ 



July 11, 2023

Sincerely,

RE: HALYARD\* PUREZERO\* HG3 and HG5 Cleanroom Nitrile Gloves

O&M Halyard, Inc. confirms that our Halyard PUREZERO\* HG3 and Halyard PUREZERO HG5 Nitrile Cleanroom Glove families are fully compliant with the related requirements of the European Union Regulation (EC) 1907/2006 concerning Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH).

O&M Halyard, Inc. hereby confirms that our Halyard PUREZERO\* HG3 and Halyard PUREZERO HG5 Nitrile Cleanroom Gloves either do not contain the presence of greater than 0.1% of substances identified on the SVHC Candidate list according to Article 33 of the REACH Regulation and/or do not contain any of the listed substances.

Thank you for your interest in Halyard products. If you have any questions or need additional information, please do not hesitate to contact us at PIQ@hyh.com or call us directly at (844) 425-9273.

Caitlin Senter
Director
Global Regulatory Affairs
0&M Halyard, Inc

<sup>\*</sup>Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2023. All rights reserved. COPY-04686







## Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 9001:2015

This is to certify that: Safeskin Medical & Scientific

(Thailand) Ltd.

200 Moo 8, Kanchanavanich Road, Tambol Prik, Amphur Sadao,

Songkhla 90120 Thailand

Holds Certificate Number: FM 697757

and operates a Quality Management System which complies with the requirements of ISO 9001:2015 for the following scope:

> Design and Development, Production and Distribution of Industrial Gloves-Sterile and Non-Sterile Examination Gloves.

For and on behalf of BSI:

Michael Lam - Managing Director Assurance, APAC

Original Registration Date: 2018-08-12 Effective Date: 2022-09-01 Latest Revision Date: 2022-09-01 Expiry Date: 2025-08-31

Page: 1 of 2





...making excellence a habit.™

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract. An electronic certificate can be authenticated online.

Printed copies can be validated at www.bsi-global.com/ClientDirectory or telephone +66(2) 2944889-92.

Further clarifications regarding the scope of this certificate and the applicability of ISO 9001:2015 requirements may be obtained by consulting the organization. This certificate is valid only if provided original copies are in complete set.

### ISO 9001:2015 (continued)

Certificate No: FM 697757

Location

Safeskin Medical & Scientific (Thailand) Ltd. 200 Moo 8, Kanchanavanich Road, Tambol Prik, Amphur Sadao, Songkhla 90120 Thailand

#### Registered Activities

Design and Development, Production and Distribution of Industrial Gloves-Sterile and Non-Sterile Examination Gloves.

Including the following support function: Owens & Minor Halyard Incorporation. 5405 Windward Parkway, Alpharetta, GA, USA: Design and Development of Industrial Gloves-Sterile and Non-Sterile Examination Gloves.



Original Registration Date: 2018-08-12 Effective Date: 2022-09-01 Latest Revision Date: 2022-09-01 Expiry Date: 2025-08-31

Page: 2 of 2

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract. An electronic certificate can be authenticated <u>online</u>.

Frinted copies can be validated at www.bsi-global.com/ClientDirectory or telephone +66(2) 2944889-92.

Further clarifications regarding the scope of this certificate and the applicability of ISO 9001:2015 requirements may be obtained by consulting the organization. This certificate is valid only if provided original copies are in complete set.





## Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 13485:2016

This is to certify that: O & M Halyard, Inc.

9120 Lockwood Blvd Mechanicsville Virginia 23116 USA

Holds Certificate Number: FM 697013

and operates a Quality Management System which complies with the requirements of ISO 13485:2016 for the following scope:

The design and development, manufacture and distribution of surgical gowns, protective garments, face masks, surgical drapes, orthopedic soft goods, patient care products, cold therapy products, C-Section packs, OB Packs, orthopedic packs, sterile and non-sterile medical examination gloves, Temperature management systems for the areas of general surgery and general medical use and sterilization wrap and non-woven materials for medical devices.

For and on behalf of BSI:

Graeme Tunbridge, Senior Vice President Medical Devices

Original Registration Date: 2014-12-09 Effective Date: 2023-01-09 Latest Revision Date: 2023-01-07 Expiry Date: 2026-01-08

Page: 1 of 3

bsi.



...making excellence a habit."

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract. An electronic certificate can be authenticated <u>online</u>. Printed copies can be validated at www.bsigroup.com/ClientDirectory

### ISO 13485:2016 (continued)

FM 697013

Certificate No:

Location	Registered Activities
O & M Halyard, Inc. 9120 Lockwood Blvd Mechanicsville Virginia 23116 USA	Headquarter management activities.
O & M Halyard, Inc. 1 Edison Drive Alpharetta Georgia 30005 USA	The design and development of surgical gowns, protective garments, face masks, surgical drapes, orthopedic soft goods, patient care products, cold therapy products, C-Section packs, OB Packs, orthopedic packs, sterile and nonsterile medical examination gloves, Temperature management systems for the areas of general surgery and general medical use and sterilization wrap and non-woven materials for medical devices.
Halyard North Carolina, LLC 389 Clyde Fitzgerald Rd. Linwood North Carolina 27299 USA	The manufacture of nonwoven materials for medical devices, Sterilization wrap, non-sterile face masks (respirators), and infection control products including disposable gowns and linens.
La Ada de Acuna	Receiving and Incoming Inspection, Warehouse and

respirators.

non-sterile surgical gowns.

Honduras La Ada de Acuna Avenida Hidalgo #16 Parque Industrial San Carlos Nogales Sonora 84092

O&M Halyard Honduras S.A. de C.V.

Carretera Tegucigalpa Villanueva

14 Finegan Road

Del Rio Texas 78840 **USA** 

Cortes

Mexico

Receiving and incoming inspection. Manufacturer/Conversion of nonwoven materials.

Distribution. The manufacture of non-sterile face masks and

The manufacture and distribution of disposable sterile and

Original Registration Date: 2014-12-09 Effective Date: 2023-01-09 Latest Revision Date: 2023-01-07 Expiry Date: 2026-01-08

Page: 2 of 3

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract. An electronic certificate can be authenticated online. Printed copies can be validated at www.bsigroup.com/ClientDirectory

Issuing Body: BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands BSI Group The Netherlands B.V. is registered in The Netherlands under number 33264284 | A Member of the BSI Group Holdings B.V. Contact Office: 12950 Worldgate Drive, Suite 800, Herndon, VA 20170-6007 USA.

### ISO 13485:2016 (continued)

Location	Registered Activities
La Ada de Acuna Km. 4.5 Carretera Presa La Amistad Ciudad De Acuna Coahuila 26220 Mexico	The manufacture of non-sterile face masks (surgical isolation, industrial and respirator), non-surgical gowns, cold therapy products, and sterilization wrap.
La Ada de Acuna S.De. R.L. De C.V AV. Hidalgo #6 Esq., Blvd., Luis Donaldo Colosio, Col. Educativa Nogales Sonora Sonora 84093 Mexico	The manufacture of disposable products including sterile and non sterile surgical packs, gowns and components. The manufacture of temperature management systems for areas of general surgery.
Safeskin Medical & Scientific (Thailand) Ltd. 200 Moo 8, Kanchanavanich Road, Tambol Prik, Amphur Sadao, Songkhla 90120 Thailand	The design and development, production and distribution of industrial gloves, sterile and non-sterile medical examination gloves.
La Ada de Acuna II Lote #8 del parque Industrial la Paz II Carretera Santa Eulalia #810 Cd. Acuña Coahuila C.P.26238 Mexico	Warehouse space for the storage of raw materials, components, and spare parts.
O&M Halyard Honduras S.A. de C.V. Carreterra Tegucigalpa Villanueva Building #7 Cortes Honduras	The manufacture and distribution of disposable non-sterile apparel and surgical gowns.

Original Registration Date: 2014-12-09 Effective Date: 2023-01-09 Latest Revision Date: 2023-01-07 Expiry Date: 2026-01-08

Page: 3 of 3

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract. An electronic certificate can be authenticated <u>online</u>.

Printed copies can be validated at www.bsigroup.com/ClientDirectory

Issuing Body: BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands BSI Group The Netherlands B.V. is registered in The Netherlands under number 33264284 | A Member of the BSI Group Holdings B.V. Contact Office: 12950 Worldgate Drive, Suite 800, Herndon, VA 20170-6007 USA.







## Certificate of Registration

### ENVIRONMENTAL MANAGEMENT SYSTEM - ISO 14001:2015

This is to certify that: Safeskin Medical & Scientific

(Thailand) Ltd.

200 Moo 8, Kanchanavanich Road, Tambol Prik, Amphur Sadao,

Songkhla 90120 Thailand

Holds Certificate Number: EMS 772160

and operates an Environmental Management System which complies with the requirements of ISO 14001:2015 for the following scope:

The Manufacturing of Medical and Scientific Gloves.

For and on behalf of BSI:

Michael Lam - Managing Director Assurance, APAC

Original Registration Date: 2022-10-27 Effective Date: 2022-10-27 Latest Revision Date: 2022-10-27 Expiry Date: 2025-10-26

Page: 1 of 1





...making excellence a habit."

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract. An electronic certificate can be authenticated <u>online</u>.

Printed copies can be validated at www.bsi-global.com/ClientDirectory or telephone +66(2) 2944889-92.

Further clarifications regarding the scope of this certificate and the applicability of ISO 14001:2015 requirements may be obtained by consulting the organization. This certificate is valid only if provided original copies are in complete set.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000 BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK. A Member of the BSI Group of Companies.



May 4, 2023

RE: HALYARD\* PUREZERO\* HG3 and HG5 Nitrile Gloves

Dear Valued Customer,

This letter is in response to your recent accelerator-free inquiry for the HALYARD\* PUREZERO\* HG3 and HG5 Nitrile Gloves.

The following gloves are accelerator-free and are not formulated with the following vulcanizing chemicals and accelerators: Sulfur, Thiurams, Thiaxoles, Guanidines, Carbamates.†

HALYARD\* PUREZERO\* HG3 White Nitrile Gloves
HALYARD\* PUREZERO\* HG3 Light Blue Nitrile Gloves
HALYARD\* PUREZERO\* HG3 White SGX\* Nitrile Gloves
HALYARD\* PUREZERO\* HG3 White Sterile Nitrile Gloves
HALYARD\* PUREZERO\* HG3 Light Blue Sterile Nitrile Gloves

HALYARD\* PUREZERO\* HG5 White Nitrile Gloves
HALYARD\* PUREZERO\* HG5 Blue SGX\* Nitrile Gloves

Thank you for your interest in Halyard products. If you have any questions or need additional information, please do not hesitate to contact us at PIQ@hyh.com or call us directly at (844) 425-9273.

Sincerely,

Shannon Smith

Shannon Sm**it**h Associate Product Manager O&M Halyard, Inc.

COPY-04632

<sup>&</sup>lt;sup>†</sup> The chemicals and accelerators shown is not a comprehensive list.

<sup>\*</sup>Registered Trademark or Trademark of O&M Halyard or its affiliates.

# HG3 Nitrile Cleanroom Gloves

## ADDED PROTECTION FROM THE RISK OF CHEMICAL EXPOSURE

It's critical to protect staff from exposure to potentially hazardous chemicals and chemotherapy drugs. In addition to providing a barrier to chemical splash, microorganisms and viruses, **PURE**ZERO\* HG3 Cleanroom Gloves are **now tested against 29 chemicals, 14 chemotherapy drugs and Fentanyl.** 

## CHEMOTHERAPY DRUG RESISTANCE GUIDE<sup>4</sup>

Chemotherapy Agent (Concentration in mg/ml)	HALYARD* <b>PURE</b> ZERO* HG3 Light Blue Nitrile Gloves	
	Minimum Breakthrough Detection Time (minutes)	Average Steady State Perm. Rate (µg/cm²/ min)
Carmustine (BCNU) (3.3)	24.7	0.66
Cisplatin (1.0)	>240	N/A
Cyclophasphamide (20.0)	>240	N/A
Dacarbazine (10.0)	>240	N/A
Doxorubicin HCL (2.0)	>240	N/A
Etoposide (20.0)	>240	N/A
Fluorouracil (50.0)	>240	N/A
Ifosfamide (50.0)	>240	N/A
Methotrexate (25.0)	>240	N/A
Mitomycin C (0.5)	>240	N/A
Mitoxantrone (2.0)	>240	N/A
Paclitaxel (6.0)	>240	N/A
Thiotepa (10.0)	27.4	0.60
Vincristine (1.0)	>240	N/A
Additional Tests		
Fentanyl Citrate Injection, 100 mcg/2mL	>240	N/A

Use the rating system below to determine the chemotherapy compatibility for exposure:

<10	Not recommended for use - breakthrough can occur in less than 10 minutes.
11 - 239	Use with caution - breakthrough can occur between 11 and 239 minutes.
>240	Recommended for protection - no breakthrough up to 240 minutes.
N/A	The chemotherapy drug did not reach the minimum permeation rate (0.01 µg/cm²/min) as defined within ASTM D6978.

CAUTION:

It's the user's responsibility to determine the applicability of these gloves for their intended use with chemotherapy drugs.

#### **DEFINITION OF TERMS**

**Breakthrough time:** The time required for the test chemical to be detected on the inside of the glove. Essentially, this is the amount of time that the glove can resist a chemical when the glove is fully immersed in the chemical.

Meets USP <800>

against Fentanyl,

**Permeation:** The process where chemicals, such as liquids, gases and vapors can pass through a glove film (or other PPE interfaces) without penetrating directly through a pinhole, tear or other visible opening.

**Permeation rate:** The flowrate of the chemical after the chemical breaks through the inside of the glove. It is measured in amount per surface area of the glove per time (µg/cm²/min).

# **PURE**ZERO\*

# **HG3 Nitrile Cleanroom Gloves**

## CHEMICAL RESISTANCE GUIDE<sup>5</sup>

	HALYARD* <b>PURE</b> ZERO HG3 Light Blue Nitrile Gloves	
Chemical (Concentration %)	Minimum Breakthrough Detection Time (minutes)	Average Steady State Perm. Rate (µg/cm²/min)
1-Butanol (99)	23.9	1.6E+01
Acetic Acid (30)	269.2	0.3
Acrylamide (40)	>480	<1.0
Benzalkonium Chloride (1)	>480	<1.0
Chloroform (70)	0	-
Citric Acid (30)	>480	N/A
Citric Acid (70)	>480	<1.0
Cyclohexane (99)	44.9	7.0E+01
Didecyldimethylammonium Chloride (0.04)	>480	<1.0
Dimethylformamide (99)	0.2	-
Dimethyl Sulfoxide (99)	5.1	9.0
Ethanol (70)	30.6	7.6
Ethanol (99)	7.1	N/A
Ethidium Bromide (1)	>480	<1.0
Glycolic Acid (10)	>480	<1.0
Glutaraldehyde (50)	>480	<1.0
Hydrazine Monohydrate (55)	>480	<1.0
Hydrochloric Acid (30)	>480	<1.0
Isopropyl Alcohol (70)	33.0	1.1E+01
Isopropyl Alcohol (99)	16.6	1.6E+01
Methanol (99)	0	N/A
Nitric Acid (65)	6.5	1.3E+04
Peracetic Acid (5)	>480	<1.0
Phosphoric Acid (70)	>480	<1.0
Sodium Hydroxide (50)	>480	<1.0
Sodium Hypochlorite (10-13)	>480	<1.0
Spor-Klenz (N/A)	>480	<1.0
Sulfuric Acid (50)	>480	<1.0
Sulfuric Acid (99)	10.0	N/A

Use the rating system below to determine the chemical compatibility for exposure:

<10	Not recommended for use - breakthrough can occur in less than 10 minutes.
11 - 479	Use with caution - breakthrough can occur between 11 and 479 minutes.
>480	Permeation breakthrough is excellent. Permeation does not occur during the test (8 hours).
N/A	The chemical did not reach the minimum permeation rate (1 $\mu$ g/cm <sup>2</sup> /min) as defined within EN 16523-1. There is a possibility for trace amounts of the chemical to permeate through the glove.
_	The permeation rate was beyond the range of the detection instruments. The permeation of the chemical through the glove film may be too high for the detector to reach a steady-state reading.

CAUTION: It's the user's responsibility to determine the applicability of these gloves for their intended use.



November 13th, 2023

#### RE: ESD Testing for HALYARD\* PUREZERO\* Nitrile Gloves

Dear Valued Customer,

This letter is in response to your recent inquiry regarding ESD testing of **HALYARD\* PURE**ZERO\* **Nitrile Gloves.** 

The following **HALYARD\* PURE**ZERO**\* Nitrile Glove** families have been tested against ANSI/ESD STM15.1:2019 "In-Use Resistance Testing of Gloves and Finger Cots":

#### **HALYARD\* PURE**ZERO\* **HG3 Cleanroom Nitrile Gloves**

HALYARD* PUREZERO* HG3 White Nitrile Gloves	CLN3031XS
HALYARD* PUREZERO* HG3 White Nitrile Gloves	CLN3031SM
HALYARD* PUREZERO* HG3 White Nitrile Gloves	CLN3031MD
HALYARD* <b>PURE</b> ZERO* HG3 White Nitrile Gloves	CLN3031LG
HALYARD* <b>PURE</b> ZERO* HG3 White Nitrile Gloves	CLN3031XL
HALYARD* <b>PURE</b> ZERO* HG3 Blue Nitrile Gloves	CLN9031XS
HALYARD* <b>PURE</b> ZERO* HG3 Blue Nitrile Gloves	CLN9031SM
HALYARD* <b>PURE</b> ZERO* HG3 Blue Nitrile Gloves	CLN9031MD
HALYARD* <b>PURE</b> ZERO* HG3 Blue Nitrile Gloves	CLN9031LG
HALYARD* <b>PURE</b> ZERO* HG3 Blue Nitrile Gloves	CLN9031XL
HALYARD* <b>PURE</b> ZERO* HG3 White SGX* Nitrile Gloves	CLN3231XS
HALYARD* <b>PURE</b> ZERO* HG3 White SGX* Nitrile Gloves	CLN3231SM
HALYARD* <b>PURE</b> ZERO* HG3 White SGX* Nitrile Gloves	CLN3231MD
HALYARD* <b>PURE</b> ZERO* HG3 White SGX* Nitrile Gloves	CLN3231LG
HALYARD* <b>PURE</b> ZERO* HG3 White SGX* Nitrile Gloves	CLN3231XL
HALYARD* <b>PURE</b> ZERO* HG3 White Sterile Nitrile Gloves	CLN323260
HALYARD* <b>PURE</b> ZERO* HG3 White Sterile Nitrile Gloves	CLN323265
HALYARD* <b>PURE</b> ZERO* HG3 White Sterile Nitrile Gloves	CLN323270
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323275
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323280
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323285
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323290
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323210



HALYARD* <b>PURE</b> ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923260
HALYARD* <b>PURE</b> ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923265
HALYARD* <b>PURE</b> ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923270
HALYARD* <b>PURE</b> ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923275
HALYARD* <b>PURE</b> ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923280
HALYARD* <b>PURE</b> ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923285
HALYARD* <b>PURE</b> ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923290
HALYARD* PUREZERO* HG3 Blue Sterile Nitrile Gloves	CLN923210

### HALYARD\* PUREZERO\* HG5 Cleanroom Nitrile Gloves

HALYARD* <b>PURE</b> ZERO* HG5 White Nitrile Gloves	CLN30512XS
HALYARD* <b>PURE</b> ZERO* HG5 White Nitrile Gloves	CLN30512SM
HALYARD* <b>PURE</b> ZERO* HG5 White Nitrile Gloves	CLN30512MD
HALYARD* <b>PURE</b> ZERO* HG5 White Nitrile Gloves	CLN30512LG
HALYARD* <b>PURE</b> ZERO* HG5 White Nitrile Gloves	CLN30512XL
HALYARD* <b>PURE</b> ZERO* HG5 Blue SGX* Nitrile Gloves	CLN92512XS
HALYARD* <b>PURE</b> ZERO* HG5 Blue SGX* Nitrile Gloves	CLN92512SM
HALYARD* <b>PURE</b> ZERO* HG5 Blue SGX* Nitrile Gloves	CLN92512MD
HALYARD* <b>PURE</b> ZERO* HG5 Blue SGX* Nitrile Gloves	CLN92512LG
HALYARD* <b>PURE</b> ZERO* HG5 Blue SGX* Nitrile Gloves	CLN92512XL

### **HALYARD\* PURE**ZERO\* Nitrile Exam Gloves

HALYARD* <b>PURE</b> ZERO* MARIN* Nitrile Exam Gloves	LFS111XS
HALYARD* <b>PURE</b> ZERO* MARIN* Nitrile Exam Gloves	LFS111SM
HALYARD* <b>PURE</b> ZERO* MARIN* Nitrile Exam Gloves	LFS111MD
HALYARD* <b>PURE</b> ZERO* MARIN* Nitrile Exam Gloves	LFS111LG
HALYARD* <b>PURE</b> ZERO* MARIN* Nitrile Exam Gloves	LFS111XL
HALYARD* <b>PURE</b> ZERO* MARIN-XTRA* Nitrile Exam Gloves	LFS121XS
HALYARD* <b>PURE</b> ZERO* MARIN-XTRA* Nitrile Exam Gloves	LFS121SM
HALYARD* <b>PURE</b> ZERO* MARIN-XTRA* Nitrile Exam Gloves	LFS121MD
HALYARD* <b>PURE</b> ZERO* MARIN-XTRA* Nitrile Exam Gloves	LFS121LG
HALYARD* <b>PURE</b> ZERO* MARIN-XTRA* Nitrile Exam Gloves	LFS121XL
HALYARD* <b>PURE</b> ZERO* LIMON* Nitrile Exam Gloves	LFS311XS
HALYARD* <b>PURE</b> ZERO* LIMON* Nitrile Exam Gloves	LFS311SM
HALYARD* <b>PURE</b> ZERO* LIMON* Nitrile Exam Gloves	LFS311MD



	ı
HALYARD* <b>PURE</b> ZERO* LIMON* Nitrile Exam Gloves	LFS311LG
HALYARD* <b>PURE</b> ZERO* LIMON* Nitrile Exam Gloves	LFS311XL
HALYARD* <b>PURE</b> ZERO* LIMON-XTRA* Nitrile Exam Gloves	LFS321XS
HALYARD* <b>PURE</b> ZERO* LIMON-XTRA* Nitrile Exam Gloves	LFS321SM
HALYARD* <b>PURE</b> ZERO* LIMON-XTRA* Nitrile Exam Gloves	LFS321MD
HALYARD* <b>PURE</b> ZERO* LIMON-XTRA* Nitrile Exam Gloves	LFS321LG
HALYARD* <b>PURE</b> ZERO* LIMON-XTRA* Nitrile Exam Gloves	LFS321XL
HALYARD* PUREZERO* ULTRA VIOLET* Nitrile Exam Gloves	LFS511XS
HALYARD* <b>PURE</b> ZERO* ULTRA VIOLET* Nitrile Exam Gloves	LFS511SM
HALYARD* <b>PURE</b> ZERO* ULTRA VIOLET* Nitrile Exam Gloves	LFS511MD
HALYARD* <b>PURE</b> ZERO* ULTRA VIOLET* Nitrile Exam Gloves	LFS511LG
HALYARD* <b>PURE</b> ZERO* ULTRA VIOLET* Nitrile Exam Gloves	LFS511XL

#### **HALYARD\* PURE**ZERO\* Nitrile Gloves

HALYARD* <b>PURE</b> ZERO* MARIN* Nitrile Gloves	LFS1117XS
HALYARD* <b>PURE</b> ZERO* MARIN* Nitrile Gloves	LFS1117SM
HALYARD* <b>PURE</b> ZERO* MARIN* Nitrile Gloves	LFS1117MD
HALYARD* <b>PURE</b> ZERO* MARIN* Nitrile Gloves	LFS1117LG
HALYARD* <b>PURE</b> ZERO* MARIN* Nitrile Gloves	LFS1117XL
HALYARD* <b>PURE</b> ZERO* LIMON* Nitrile Gloves	LFS3117XS
HALYARD* <b>PURE</b> ZERO* LIMON* Nitrile Gloves	LFS3117SM
HALYARD* <b>PURE</b> ZERO* LIMON* Nitrile Gloves	LFS3117MD
HALYARD* <b>PURE</b> ZERO* LIMON* Nitrile Gloves	LFS3117LG
HALYARD* <b>PURE</b> ZERO* LIMON* Nitrile Gloves	LFS3117XL
HALYARD* <b>PURE</b> ZERO* ULTRA VIOLET* Nitrile Gloves	LFS5117XS
HALYARD* <b>PURE</b> ZERO* ULTRA VIOLET* Nitrile Gloves	LFS5117SM
HALYARD* <b>PURE</b> ZERO* ULTRA VIOLET* Nitrile Gloves	LFS5117MD
HALYARD* <b>PURE</b> ZERO* ULTRA VIOLET* Nitrile Gloves	LFS5117LG
HALYARD* PUREZERO* ULTRA VIOLET* Nitrile Gloves	LFS5117XL

Based on the ANSI/ESD STM15.1:2019 test results from an external laboratory at conditions of 12% RH and 23°C, all **HALYARD\* PURE**ZERO**\* Nitrile Glove** product families listed above are within the dissipative classification range (Resistance =  $10^4$  to  $10^{11}$  ohms) as defined by ANSI/ESD standards.

Therefore, **HALYARD\* PURE**ZERO**\* Nitrile Gloves** are considered to be static dissipative in-use. Please note that this is based on a standardized test method in a laboratory environment, and the resistance test results and classification do not fully characterize the glove for all electrostatic properties. Other electrostatic properties, such as charge accumulation, and specific process conditions may need to be assessed based on your particular application prior to use.



Thank you for your interest in Halyard products. If you have any questions or need additional information, please do not hesitate to contact us at <a href="PIQ@hyh.com">PIQ@hyh.com</a> or call us directly at (844) 425-9273.

Sincerely,

**Caitlin Senter** 

Director

**Global Regulatory Affairs** 

O&M Halyard, Inc.

**Ryan Solan** 

Manager

Global Research and Development

Ryan Solan

O&M Halyard, Inc.

COPY-04825

<sup>\*</sup>Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2023. All rights reserved.



RE: Compliance statement – HALYARD\* PUREZERO\* Nitrile Gloves

Please be advised that to the best of O&M Halyard knowledge, the **PURE**ZERO\* HG3 Nitrile Gloves and HALYARD\* **PURE**ZERO\* HG5 Nitrile Gloves are produced entirely from materials of synthetic origin and therefore are free from human or any other animal derived materials including bovine products (Bovine Spongiform Encephalopathy (BSE) and Transmissible Spongiform Encephalopathy (TSE)).

• Under various environmental protection and product safety regulations, directives, standards, and initiatives "intentionally introduced" means "deliberately utilized during the manufacture of the components and/or for the formulation of a material or component where its continued presence is desired in the final product to provide a specific property, appearance or quality."

This information is based on O&M Halyard, Inc.'s knowledge of these products at the time of publication.

If you have any questions or need additional information, please do not hesitate to contact us at PIQ@hyh.com or call us directly at (844) 425-9273.

-This statement is valid unsigned -

 $<sup>{\</sup>rm *Registered\ Trademark\ or\ Trademark\ of\ O\&M\ Halyard\ or\ its\ affiliates.\ @2020,\ 2022.\ All\ rights\ reserved.}$ 



March 14<sup>th</sup>, 2023

RE: HALYARD\* PUREZERO\* Nitrile Gloves

Dear Valued Customer,

This letter is in response to your recent inquiry regarding storage conditions of HALYARD\* PUREZERO\* Nitrile Gloves.

As displayed by the indications on the packaging labeling, HALYARD\* PUREZERO\* Nitrile Gloves shall be stored in conditions where the product is kept dry (away from moisture), away from direct sunlight, away from sources of heat, and away from radioactive sources. To reduce the potential of accelerated aging, it is recommended to store the product at standard room temperature conditions, when possible.

Thank you for your interest in HALYARD\* products. If you have any questions or need additional information, please do not hesitate to contact us at PIQ@hyh.com or call us directly at (844) 425-9273.

Sincerely,

Ryan Solan R&D Senior Engineer

Ryan Solan

Global Research and Development

O&M Halyard, Inc.

Theresa McCoy Global Product Manager Global Strategic Marketing O&M Halyard, Inc.

Theresa McCoy

\*Registered Trademark or Trademark of O&M Halyard or its affiliates.

COPY-04606



September 24, 2023

RE: HALYARD\* PUREZERO\* HG3 and HG5 Nitrile Gloves

Dear Valued Customer,

This letter is in response to your recent inquiry regarding the presence of silicone for the PUREZERO\* HG3 White Nitrile Gloves, PUREZERO\* HG3 White SGX\* Nitrile Gloves, PUREZERO\* HG3 Light Blue Nitrile Gloves, PUREZERO\* HG3 Sterile Light Blue Nitrile Gloves, PUREZERO\* HG3 Sterile White Nitrile Gloves, HALYARD\* PUREZERO\* HG5 White Nitrile Gloves, and HALYARD\* PUREZERO\* HG5 Blue SGX\* Nitrile Gloves.

According to ASTM E1252 Standard Practice for General Techniques for Obtaining Spectra for Qualitative Analysis, the results below reflect the detectable limits of silicone covering the spectral range from 4000cm<sub>1</sub> to 50cm<sup>-1</sup>- via FT-IR (Fourier Transform Infrared Anaysis). The results below indicate that the HALYARD\* PUREZERO\* HG3 NITRILE GLOVES and HALYARD\* PUREZERO\* HG5 NITRILE GLOVES have no silicone detectable on the outside surface and inside surface of either gloves sampled per 3<sup>rd</sup> party testing.

The following product codes are applicable: PUREZERO\* HG3 White Nitrile Gloves: CLN92512XS, CLN92512SM, CLN92512MD, CLN92512LG, CLN92512XL; PUREZERO\* HG3 Light Blue Nitrile Gloves: CLN90511XS, CLN90511SM, CLN90511MD, CLN90511LG, CLN90511XL; PUREZERO\* HG3 White SGX\* Nitrile Gloves: CLN3031XS, CLN3031SM, CLN3031MD, CLN3031LG, CLN3031XL; PUREZERO\* HG3 Sterile White Nitrile Gloves: CLN323260, CLN323265, CLN323270, CLN323275, CLN323280, CLN323290, CLN323210; PUREZERO\* HG3 Sterile Light Blue Nitrile Gloves: CLN923260, CLN923265, CLN923270, CLN923275, CLN923280, CLN923285, CLN923290, CLN923210; HALYARD\* PUREZERO\* HG5 White Nitrile Gloves: CLN30512XS, CLN30512SM, CLN30512MD, CLN30512LG, and CLN30512XL; HALYARD\* PUREZERO\* HG5 Blue SGX\* Nitrile Gloves: CLN92512XS, CLN92512XS, CLN92512XS, CLN92512XL.

Fourier Transform Per ASTM Infrared Anaysis (FT-IR) E1252-98(21)	
Gloves	Results
PUREZERO* HG3 and HG5	
Nitrile Gloves No silicon detected	

Thank you for your interest in Halyard products. If you have any questions or need additional information, please do not hesitate to contact us at PIQ@hyh.com or call us directly at (844) 425-9273.

Sincerely

COPY-04662

<sup>\*</sup>Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2023. All rights reserved.



Ca**itli**n Senter Director

Global Regulatory Affairs

O&M Halyard, Inc.

Mining Mayor

Nimia Maya R&D Engineer II Global Research and Development O&M Halyard, Inc.

<sup>\*</sup>Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2023. All rights reserved.



Owens & Minor

TITLE: HALYARD\* PUREZERO\* HG3 & HG5 Nitrile Gloves Packaging

**UPDATE:** Alternate packaging supplier for HALYARD\* **PURE**ZERO\* HG3 and HG5 Nitrile Gloves

#### WHAT YOU NEED TO KNOW:

There will be an alternate supplier for the packaging (poly bag, poly pouch and poly wallet) used for **HALYARD\* PURE**ZERO\* **HG3 and HG5 Nitrile Gloves** 

#### WHAT YOU CAN EXPECT:

There is an alternate supplier being qualified to supply the poly bag, poly pouch and poly wallet used to package HALYARD\* PUREZERO\* HG3 and HG5 Nitrile Gloves. The alternate supplier, TAKO Astatic Technology SDN BHD, will supply the same packaging as our current supplier, Tip Corporation SDN BHD. All specifications for the packaging, including the material, composition, dimensions, thickness, and ink, will be identical to the current packaging. There will be no change to the appearance of the packaging or printing. There will be no change to the sterilization process or the sterility assurance level of the products. Additionally, there will be no changes to the product codes or product labeling.

**TIMING OF CHANGE:** There will be a rolling change for the alternate supplier's packaging that will enter our inventory as early as December 2023. Both packaging vendors could be used based on supply chain availability.



## PRODUCTS IMPACTED BY THIS CHANGE:

PUREZERO* HG3 White Nitrile Gloves
CODE
CLN3031XS
CLN3031SM
CLN3031MD
CLN3031LG
CLN3031XL
PUREZERO* HG3 Light Blue Nitrile Gloves
CODE
CLN9031XS
CLN9031SM
CLN9031MD
CLN9031LG
CLN9031MD
PUREZERO* HG3 White SGX* Nitrile Gloves
CODE
CLN3231XS
CLN3231SM
CLN3231MD
CLN3231LG
CLN3231XL
PUREZERO* HG3 White Sterile Nitrile Gloves
CODE
CLN323260
CLN323265
CLN323270
CLN323275
CLN323280
CLN323285
CLN323290
CLN323210
PUREZERO* HG3 Light Blue Sterile Nitrile Gloves
CODE
CLN923260
CLN923265
CLN923270
CLN923275
CLN923280
CLN923285
CLN923290
CLN923210

1 Edison Drive, Alpharetta, GA 30005 | 844.425.9273 owens-minor.com | halyardhealth.com | byramhealthcare.com



PUREZERO* HG5 White Nitrile Gloves
CODE
CLN30512XS
CLN30512SM
CLN30512MD
CLN30512LG
CLN30512XL
PUREZERO* HG5 Blue SGX* Nitrile Gloves
CODE
CLN92512XS
CLN92512SM
CLN92512MD
CLN92512LG
CLN92512XL

Thank you for your interest in HALYARD\* products. If you have any questions or need additional information including example certifications, please do not hesitate to contact us at PIQ@hyh.com, call us directly at 1-844-425-9273 or reach out to your O&M Halyard commercial representative or distributor.

Sincerely,

**Gustavo Fiallos** 


Director Global Quality Operations, Owens & Minor

<sup>\*</sup>Registered Trademark or Trademark of O&M Halyard. © 2023. All rights reserved. COPY-04748




# GUIDE TO DONNING AND DOFFING OF NON-STERILE CLEANROOM GLOVES


# **DONNING GLOVES**




Grasp the beaded cuff of one glove and carefully pull over the opposite hand.




Gently ease the glove up over the hand and wrist.



Grasp the second glove at the edge of the beaded cuff.




Gently ease the glove up over the hand and wrist.




You are now ready to perform your task.


# **DOFFING GLOVES**




Grasp the exterior of one glove with your other gloved hand.




Carefully pull the glove off your hand, turning it inside-out.




Ball the glove up and hold in your other gloved hand.



Slide your ungloved fingers into the opening of the other glove.



Carefully pull the glove off your hand, turning it inside-out and wrapping it around the doffed glove in your palm.



Discard appropriately.

For more information, contact your HALYARD\* representative or distributor, or visit www.purezerogloves.com

