



## Abeba ESD-Sicherheitsschuh x-light

pure<sup>11</sup>-Nr.: 04214, Hersteller: ABEBA



### Zusammenfassung

- Neue pure11-Artikelnummer (ab 01.07.2023): 1104214
- Material: Glattleder
- Schuhart: offen
- Mit Stahlkappe
- Auswechselbare Active Comfort Einlegesohle (351720)
- Atmungsaktives Spezialfutter mit Silberionen
- Verstellbarer Fersenriemen mit Klettverschluss
- Gummizug im Ristbereich
- Rutschhemmende, leichte und stabile PU-Laufsohle
- Sanitized behandelt (geruchs- und bakterienhemmend)
- Besonders gute Dämpfung und Passform
- ESD-gerecht nach DIN EN 61340
- Bitte beachten Sie die Änderung der Artikelnummer von #31030 auf #7131030
- CE, EN ISO 20345:2012, SB, FO, SRC

### Empfohlene Reinraumklassen

ISO  3  4  5  6  7  8  9

GMP      C  D

### Produktvarianten

pure<sup>11</sup>-Nr.: 04214S35

Farbe: Schwarz / Größe: 35 / Herst.-Nr.: 7131035 / VE: 1 Paar

pure<sup>11</sup>-Nr.: 04214S36

Farbe: Schwarz / Größe: 36 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214S37**

Farbe: Schwarz / Größe: 37 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214S38**

Farbe: Schwarz / Größe: 38 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214S39**

Farbe: Schwarz / Größe: 39 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214S40**

Farbe: Schwarz / Größe: 40 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214S41**

Farbe: Schwarz / Größe: 41 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214S42**

Farbe: Schwarz / Größe: 42 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214S43**

Farbe: Schwarz / Größe: 43 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214S44**

Farbe: Schwarz / Größe: 44 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214S45**

Farbe: Schwarz / Größe: 45 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214S46**

Farbe: Schwarz / Größe: 46 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214S47**

Farbe: Schwarz / Größe: 47 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214S48**

Farbe: Schwarz / Größe: 48 / Herst.-Nr.: 7131035 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W35**

Farbe: Weiß / Größe: 35 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W36**

Farbe: Weiß / Größe: 36 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W37**

Farbe: Weiß / Größe: 37 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W38**

Farbe: Weiß / Größe: 38 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W39**

Farbe: Weiß / Größe: 39 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W40**

Farbe: Weiß / Größe: 40 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

Quelle: <https://www.pure11.de/abeba-esd-sicherheitsschuh-x-light-0>

---

**pure<sup>11</sup>-Nr.: 04214W41**

Farbe: Weiß / Größe: 41 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W42**

Farbe: Weiß / Größe: 42 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W43**

Farbe: Weiß / Größe: 43 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W44**

Farbe: Weiß / Größe: 44 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W45**

Farbe: Weiß / Größe: 45 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W46**

Farbe: Weiß / Größe: 46 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W47**

Farbe: Weiß / Größe: 47 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

**pure<sup>11</sup>-Nr.: 04214W48**

Farbe: Weiß / Größe: 48 / Herst.-Nr.: 7131030 / VE: 1 Paar

---

Quelle: <https://www.pure11.de/abeba-esd-sicherheitsschuh-x-light-0>

# ESD-Safety shoes x-light Clog black ESD



## Art. 7131035 X-light

- ▶ Size 35-48
- ▶ CE, EN ISO 20345:2012, SB, FO, SRC
- ▶ Smooth leather, black
- ▶ Breathable lining with Silver ions
- ▶ Heel strap non-foldable, adjustable
- ▶ Instep area with elastic band
- ▶ Velcro fastening
- ▶ Slip resistance PU outsole sole
- ▶ Steel toe cap
- ▶ Replaceable Active Comfort Insole (art. 351720)
- ▶ Sanitized treated
- ▶ ESD dissipative according to DIN EN 61340
- ▶ \*Certification for heel and foot lift submitted
- ▶ Suitable for heel and foot lift



**CLIMATE CLASS 1**



## TECHNOLOGY

### OUTSOLE

- 1\_ESD dissipative according to DIN EN 61340
- 2\_SRC slip resistance according to EN ISO 20345:2012
- 3\_Lightweight PU-sole with high slip resistance and shock absorption
- 4\_Fuel resistance

**351620**

Size 35-48 (closed)

**351720**

Size 35-48 (open)



Product qualification DIN EN 61340-5-1:	
test method	IEC 61340-5-1
limit values	$R \leq 10^8 \Omega$
average value	$R = 10^7 \Omega$

# ESD-Safety shoes x-light Clog white ESD



## Art. 7131030 X-light

- ▶ Size 35-48
- ▶ CE, EN ISO 20345:2012, SB, SRC
- ▶ Smooth leather, white
- ▶ Breathable lining with Silver ions
- ▶ Heel strap non-foldable, adjustable
- ▶ Instep area with elastic band
- ▶ Velcro fastening
- ▶ Slip resistance PU outsole sole
- ▶ Steel toe cap
- ▶ Replaceable Active Comfort Insole (art. 351720)
- ▶ Sanitized treated
- ▶ ESD dissipative according to DIN EN 61340
- ▶ \*Certification for ORTHOstat sole submitted



**CLIMATE CLASS 1**



## TECHNOLOGY

### OUTSOLE

- 1\_ ESD dissipative according to DIN EN 61340
- 2\_SRC slip resistance according to EN ISO 20345:2012
- 3\_Lightweight PU-sole with high slip resistance and shock absorption
- 4\_Fuel resistance

**351620**

Size 35-48 (closed)

**351720**

Size 35-48 (open)



Product qualification DIN EN 61340-5-1:	
test method	IEC 61340-5-1
limit values	$R \leq 10^8 \Omega$
average value	$R = 10^7 \Omega$