

CELOS



CELOS®  
a pure<sup>11</sup> brand

## Tuch CELOS Wiper 1.40

pure<sup>11</sup>-Nr.: 1106064, Marke: CELOS

### Eigenschaften

- Marke: CELOS
- Flächengewicht in g/m<sup>2</sup>: 160 g/m<sup>2</sup>
- Flächengewicht in g/m<sup>2</sup>: 160 g/m<sup>2</sup>
- Struktur: Vliesstoff
- Material: Nylon/Polyester
- Lieferform in Verpackung: gelegt
- Verpackungsform: Beutel
- Anzahl in kleinster Unterverpackung:  
75
- Kantenverarbeitung: lasergeschnitten
- Gebrauch: Einweg
- Vorgewaschen

## Empfohlene Reinraumklassen

ISO 4|5|6|7|8|9

GMP C|D

**pure<sup>11</sup> GmbH**

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführung: Julian Kropp, Linda Vereycken, Lars Engeler

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

[www.pure11.de](http://www.pure11.de)

[info@pure11.de](mailto:info@pure11.de)

## Material

- Nylon/Polyester

## Verpackung

- 150STK

## Produktvarianten

---

**pure<sup>11</sup>-Nr.: 1106064, Tuch CELOS Wiper 1.40**

Größe: 31 x 31 cm (12 x 12"); Farbe: Weiß / VE: 150STK

---

**pure<sup>11</sup> GmbH**

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführung: Julian Kropp, Linda Vereycken, Lars Engeler

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

[www.pure11.de](http://www.pure11.de)

[info@pure11.de](mailto:info@pure11.de)

## CELOS Wiper 1.40

### Product information:

Material	Polyester/Nylon
Process	100% continuous-filament, single-knit polyester/nylon fiber
Properties	High absorption capacity, high cleanliness and high chemical durability. Ideal for wiping in highly critical areas.
Cutting process	Laser cut
Basic weight	160 g/m <sup>2</sup> (+/- 12 g)
Color	White
Thickness	0.40 mm (+/- 0.04 mm)

### Products:

Part Number	Style	Size	Inner packing	Quantity per Case
<b>1106064</b>	Unsterile	31 x 31 cm (12 x 12")	150 pcs/OB	6 OB/Case
IB=Inner Bag; OB=Outer Bag				
Parallel part number 06064	Please note: The packaging may show either of the parallel valid part numbers during the changeover period.			

### Characteristics:

- Very high absorption and cleanliness in one wiper
- Soft surfaces and thus suitable for sensitive components
- Several washing cycles during production process
- Lowest particles and extractable ions
- Cleanroom production and packaging
- Inspection of every wiper
- Traceability with every batch

### Performance parameter:

	Typical measured value	Unit
Sorbency capacity	> 300	ml/m <sup>2</sup>
Sorbency (IPA)	< 1	seconds
APC (≥0.5µm)	< 200	counts/piece
LPC (≥0.5µm)	< 3000	counts/cm <sup>2</sup>
Extractables NVR (IPA)	< 0.80	mg/g
Cl <sup>-</sup>	< 2	ppm
SO <sub>4</sub> <sup>2-</sup>	< 2	ppm

pure<sup>11</sup> has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure<sup>11</sup> does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.

## CELOS Wiper 1.40

### Product information:

Material	Polyester/Nylon
Process	100 % continuous-filament, single-knit polyester/nylon fiber
Properties	High absorption capacity, high cleanliness and high chemical durability. Ideal for wiping in highly critical areas.
Cutting process	Laser cut
Basic weight	160 g/m <sup>2</sup> (+/- 12 g)
Thickness	0.40 mm (+/- 0.04 mm)
Color	White

### Product:

Part number	Style	Size	Outer packing	Quantity per case
<b>1106064</b>	Unsterile	31 x 31 cm (12 x 12")	150 pcs/OB	6 OB/case <small>IB=Inner Bag; OB=Outer Bag</small>
<i>Parallel part number 06064</i>	<i>Please note: The packaging may show either of the parallel valid part numbers during the changeover period.</i>			

### Characteristics:

- Very high absorption and cleanliness in one wiper
- Soft surfaces and thus suitable for sensitive components
- Several washing cycles during production process
- Lowest particles and extractable ions
- Cleanroom production and packaging
- Inspection of every wiper
- Traceability with every batch

### Performance parameter:

	Specification	Unit
Sorbency capacity	> 300	ml/m <sup>2</sup>
Sorbency (IPA)	< 1	seconds
APC (≥ 0.5 µm)	< 200	counts/pcs
LPC (≥ 0.5 µm)	< 3,000	counts/cm <sup>2</sup>
Extractables NVR (IPA)	< 0.80	mg/g
Cl <sup>-</sup>	< 2	ppm
SO <sub>4</sub> <sup>2-</sup>	< 2	ppm

pure<sup>11</sup> has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure<sup>11</sup> does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.



## CELOS Wiper 1.40

### Product information:

Material	Polyester/Nylon
Process	100 % continuous-filament, single-knit polyester/nylon fiber
Properties	High absorption capacity, high cleanliness and high chemical durability. Ideal for wiping in highly critical areas.
Cutting process	Laser cut
Basic weight	160 g/m <sup>2</sup> (+/- 12 g)
Thickness	0.40 mm (+/- 0.04 mm)
Color	White

### Product:

Part number	Style	Size	Outer packaging	Quantity per case
<b>1106064</b>	Non-sterile	31 x 31 cm (12 x 12")	150 pcs/OB	6 OB/case <small>IB=Inner Bag; OB=Outer Bag</small>
Parallel part number 06064	Please note: The packaging may show either of the parallel valid part numbers during the changeover period.			

### Characteristics:

- Very high absorption and cleanliness in one wiper
- Soft surfaces and thus suitable for sensitive components
- Several washing cycles during production process
- Lowest particles and extractable ions
- Cleanroom production and packaging
- Inspection of every wiper
- Traceability with every batch

### Performance parameter:

	Specification	Unit
Sorbency capacity	> 300	ml/m <sup>2</sup>
Sorbency (IPA)	< 1	seconds
APC (≥ 0.5 µm)	< 200	counts/pcs
LPC (≥ 0.5 µm)	< 3,000	counts/cm <sup>2</sup>
Extractables NVR (IPA)	< 0.80	mg/g
Cl <sup>-</sup>	< 2	ppm
SO <sub>4</sub> <sup>2-</sup>	< 2	ppm

pure<sup>11</sup> has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure<sup>11</sup> does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.