

Empfohlene Reinraumklassen

ISO 4|5|6|7|8|9 GMP A/B|C|D

Anti-Fog Spray BioClean #BAFS-601

pure¹¹-Nr.: 1120033, Marke: BioClean

Eigenschaften

Marke: BioClean



Material

.

Verpackung

• 10STK

Produktvarianten

pure¹¹-Nr.: 1120033, Anti-Fog Spray BioClean #BAFS-601

Steril; Gebinde: 60 ml / VE: 10STK



BIOCLEAN ANTI-FOG SPRAY For Autoclavable Goggles BAFS

About

To address any fogging issues with our autoclavable goggles an application of BioClean Anti-fog Goggle Spray is recommended. The procedure for the successful application of the spray is as follows:

- 1. Autoclave the BioClean autoclavable goggles as usual
- 2. Just before donning, apply one or two sprays to the INSIDE of the lens
- 3. Using a sterile cleanroom wipe, dry the excess liquid from the inside surface of the lens with a spreading motion, covering the whole of the inside of the lens
- 4. Ensure the treated side of the lens is dry after wiping
- 5. Repeat the process after every autoclave cycle

Specifications

MATERIAL:

Non-hazardous ingredients

LENGTH:

60ml

COLOUR:

Colourless

STERILIZATION:

Gamma Irradiated

Features

- · Reduces fogging
- · Airless pump action spray
- · Alcohol free
- · Quick and easy application
- Suitable for all BioClean autoclavable goggles







Quality Standards

 Manufactured in a facility holding ISO 9001:2015 and PPER 2016/425 Module D

Sterilization

Method: Gamma irradiation Minimum Dose: 25kGy

Shelf Life & Storage

Three (3) years from date of manufacture. Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

TO ORDER

Re-order code

BAFS-601 60ml

Packing

One bottle per sealed inner PE bag; one inner bag per second PE bag; 10 double bags per sealed outer PE bag; 10 outer bags per lined carton (100 bottles)

For additional information visit us at www.bioclean.com, or call us at +44 1638 663338

Size

Nitritex Ltd Ground Floor, 15 Kings Court Willie Snaith Road Newmarket, Suffolk CB8 7SG United Kingdom

BAFS/1809/PDS12

Ansell

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of accessory for a specific application.

Ansell, ® and TM are trademarks owned by Ansell Limited or one of its affiliates. © 2012 – 2019 Ansell Limited. All Rights Reserved.