Univet



Optische Fassung 601-RX insert für UNIVET-Vollsichtbrille

pure[11]-Nr.: 1120012, Marke: Univet

Eigenschaften

- Marke: Univet

Empfohlene Reinraumklassen

ISO 5 | 6 | 7 | 8 | 9

GMP A/B | C | D

we care

pure[11] GmbH |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

Material

-

Verpackung

- 10STK

Produktvarianten

pure[11]-Nr.: 1120012, Optische Fassung 601-RX insert für UNIVET-Vollsichtbrille

z.B. passend für Artikel 1120003 / VE: 10STK

pure[11] GmbH |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

PERSONAL PROTECTIVE EQUIPMENT – GOGGLES RX LENS INSERT

CODE	CODE	DESCRIPTION	STANDARDS : EN166 / EN167 / EN170 / EN 8980
601.OP.00.99	614.0P.00.99	OPTI MOD. 601/611/614	

PART 1 – TECHNICAL FEATURES



Description :

RX lens insert enable the employee / worker with defective sight to perform work activities without any conditioning. It can be assembled with UNIVET goggles Mod.601 - Mod.611 - Mod.614.






MATERIAL RX LENS INSERT	Nylon GTR90
MATERIAL SUPPORT	Nylon GTR90
UTILIZE TEMPERATURE	Included between -20° C and +50° C
STORAGE TEMPERATURE	Included between -25° C and +70° C
RX CORRECTIVE LENS	Correction included between -5D and +5D Sphere and -3D and +3D and Cylinder
STERILIZATION	Sterilizable in autoclave to 121° for 30' to 1 Atm (25 cicles max.)


NOTES:

- Disposal as plastic decontaminating material
- Storage keeping far from direct sunlight
- The technical features remain unchanged after 200 hours of UV rays exposure

PART 2 – TECHNICAL DRAWINGS



601.0P.00.99



614.0P.00.99

Univet s.r.l. via G.Prati 87 25086 Rezzato (BS) Italy
Tel.030/2499411 Fax 030/2499430 info@univet.it www.univet.it