UltraTape



Abroller für Reinraum-Klebebänder #UT922

pure[11]-Nr.: 1120121, Marke: UltraTape

Eigenschaften

- Marke: UltraTape
- Material Reinraum Arbeitsplatz: Kunststoff

Empfohlene Reinraumklassen

ISO

GMP

pure[11] GmbH |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

we care

Material

-

Verpackung

- STK

Produktvarianten

pure[11]-Nr.: 1120121, Abroller für Reinraum-Klebebänder #UT922

Passend für Klebebänder / VE: STK

pure[11] GmbH |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

UltraTape
Adhesive Tape & Labels for Critical Environments

9770 SW Wilsonville Road, Suite 400
Wilsonville, Oregon, USA 97070
(503) 427-2880
(503) 482-5616 (Fax)
www.cleanroomtape.com

UT922 Single Roll Tape Dispenser

Product Datasheet

Description

The UT922 is an industrial powder coated tape dispenser, coupled with the mounting brackets on the bottom.

- Replaceable electroplated chrome serrated blades
- Powder coated steel
-
-

Properties

Base Material	Powder Coated Steel
Weight	3.0 lbs
Blade	Electroplated Chrome
Core Holder	3.0" Plastic
Max Roll Width	2.0"
Dimensions	8.8"(L) x 2.5"(W) x 3.8"(H)
Bench Mountable	Yes
Colors	Blue

To achieve ultimate adhesion, the bonding surface should be clean, dry, and free of dirt and oils. The strength of the adhesive bond is dependent on the amount of surface area directly in contact with the adhesive. Firm pressure is recommended to achieve good adhesive to surface contact.

UltraTape recommends that each user conduct their own test to determine the product's suitability for the intended application and shall assume all risks and liabilities in connection therewith. Materials should be stored at 70°F (21C°) with 50% relative humidity.