

BioClean



Überschuhe BioClean ESD #ESD016W

pure¹¹-Nr.: 1103612, Marke: BioClean

Eigenschaften

- Marke: BioClean
- Materialzusammensetzung: Reinmaterial
- ESD-Eigenschaften
- Material: Polypropylen (PP)
- Anzahl in kleinster Unterverpackung: 100
- Ausführung: niedrig
- Gebrauch: Einweg
- Materialstärke in mm: 8 mm
- Polypropylen: 100 %
- Schuhart: Überschuhe
- Verschluss: mit Bändern

Empfohlene Reinraumklassen

ISO 6|7|8|9

GMP C|D



Material

- Polypropylen (PP)

Verpackung

- 1000STK

Produktvarianten

pure¹¹-Nr.: 1103612WH16I, Überschuhe BioClean ESD #ESD016W

Farbe: Weiß; Größe: 16"; Ausführung: Niedrig / VE: 1000STK

pure¹¹-Nr.: 1103612WH18I, Überschuhe BioClean ESD #ESD018W

Farbe: Weiß; Größe: 18"; Ausführung: Niedrig / VE: 1000STK

BIOCLEAN ESD

Cleanroom Overshoes
ESD

About

BioClean ESD Cleanroom Overshoes have non-marking conductive tape providing dissipative properties when worn as instructed.

Specifications

TEARING STRENGTH:

0.9kg (min)

MATERIAL:

Shoe: non-woven spunbonded polypropylene

Tape: Polyester filament yarn (96%) with conductive nylon carbon filament yarn (4%)

THICKNESS:

0.08mm

HEIGHT:

170mm (6.5")

LENGTH:

Shoe: 400mm (16") & 455mm (18").

Tape: 61cm (24").

CONSTRUCTION:

Shoe: Non-woven spun-bonded polypropylene. Tape: Polyester filament yarn (96%) with conductive nylon carbon filament yarn (4%). Conductivity: Consistently below 35 Megohms

COLOUR:

White (16" or 18") or Blue (18" only)

Features

- Non-marking conductive tape
- ESD properties

ISO CLASS 5 COMPATIBLE

ESD PROPERTIES

Quality Standards

- Manufactured in a facility holding ISO 9001:2015 certification
- Processed in an NEBB certified ISO Class 5 cleanroom environment

Shelf Life & Storage

Five (5) years from date of manufacture. Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

Physical Properties

PRODUCT CODE	LENGTH(±5%)	HEIGHT(±5%)	Conductivity
ESD016W	406mm	170mm	< 35 Megohms
ESD018W	457mm	170mm	
ESD018B	457mm	170mm	

TO ORDER

Re-order code

Size

ESD016W	White 16" (406mm)
ESD018W	White 18" (457mm)
ESD018B	Blue 18" (457mm)

Packing

100 pieces per sealed inner PE bag; one inner bag per sealed outer PE bag; 10 outer bags per lined carton (1000 pieces)

Please Note: When donning the ESD overshoes ensure that the loose black tape is located at the back/heel of the foot and is tucked securely inside the users sock making sure the tape is in direct contact with the skin.

For additional information visit us at www.bioclean.com, or contact us at;

Nitritex Ltd

Ground Floor, 15 Kings
Court
Willie Snaith Road,
Newmarket,
Suffolk, CB8 7SG
UK
Tel: +44 1638 663338
ESD/1903/PDS29

Ansell US

111 Wood Avenue South
Suite 210
Iselin, NJ 08830
USA
Tel: +1 800 800 0444

Nitritex (M) Sdn.Bhd

2 Jalan Jurunilai U1/20
Seksyen U1, Hicom Glenmarie Industrial Park
40150 Shah Alam, Selangor
Malaysia
Tel: +603 5569 3857/3859



Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of accessory for a specific application.

Ansell, ® and TM are trademarks owned by Ansell Limited or one of its affiliates. © 2012 – 2020 Ansell Limited. All Rights Reserved.