

PIP Europe



## Latex-Fingerlinge 7C-700

pure<sup>11</sup>-Nr.: 1105604, Marke: PIP Europe

### Eigenschaften

- Marke: PIP Europe
- Puderfrei
- Texturierte Fingerspitzen
- Material: Latex
- Materialzusammensetzung: Reinmaterial
- Antistatisch
- ESD-Eigenschaften (nach EN 61340/EN 16350)
- Latex: 100 %

### Empfohlene Reinraumklassen

**ISO** 6 | 7 | 8 | 9

**GMP** C | D



**pure<sup>11</sup> GmbH**

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführung: Julian Kropp, Linda Vereycken, Lars Engeler

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

[www.pure11.de](http://www.pure11.de)

[info@pure11.de](mailto:info@pure11.de)

## Material

- Latex

## Verpackung

- 720STK

## Produktvarianten

---

### **pure<sup>11</sup>-Nr.: 1105604PKXXL, Latex-Fingerlinge 7C-700**

Farbe: Rosa; Größe: XXL / VE: 720STK

---

### **pure<sup>11</sup>-Nr.: 1105604PKL, Latex-Fingerlinge 7C-700**

Farbe: Rosa; Größe: L / VE: 720STK

---

### **pure<sup>11</sup>-Nr.: 1105604PKM, Latex-Fingerlinge 7C-700**

Farbe: Rosa; Größe: M / VE: 720STK

---

### **pure<sup>11</sup>-Nr.: 1105604PKS, Latex-Fingerlinge 7C-700**

Farbe: Rosa; Größe: S / VE: 720STK

---

### **pure<sup>11</sup>-Nr.: 1105604PKXL, Latex-Fingerlinge 7C-700**

Farbe: Rosa; Größe: XL / VE: 720STK

---

## **pure<sup>11</sup> GmbH**

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführung: Julian Kropp, Linda Vereycken, Lars Engeler

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

[www.pure11.de](http://www.pure11.de)

[info@pure11.de](mailto:info@pure11.de)

## 7C Anti-Static Latex Fingercots

### Data Sheet



#### Key Features

- ESD safe compliance to ANSI/ESD S20.20-2014
- Packaged for Class 100 (ISO5/M3.5) applications
- Compliant with ASTM and IEST-RP-CC 005.3 standards
- Average surface resistance  $10^{10}$  Ohms per square unit
- For use with Class II static sensitive devices (thresholds above 1000V)
- RoHS compliant
- P3 Polar Process
- 100% natural latex - Pink for easy identification
- Unique stand-up pack
- For industrial use only
- Sizes: S - XL
- Pack: 5 gross (720 ea)/pack

#### Industrial Applications

- EDS-sensitive areas
- Defence, avionics
- Marine electronics, consumer electronics
- IC industries, wire bonding
- Repair stations, assembly areas

#### Quality Assurance Conformity

D 3772-92 ASTM Standard Specification for Rubber Finger Cots

IES-RP-CC005.2 Gloves and Finger Cots Used in Cleanrooms and Other Controlled Environments

D 573-88 (1984)e1 ASTM Standard Test Method for Rubber Deterioration in an Air Oven

21 CFR 170

MIL-STD-1686C

#### About QRP Gloves

Founded in 1974, QRP Gloves, Inc. is a global growth company and leading independent supplier of gloves and fingercots for use in industry.

Known for innovations such as the first Class 100 cleanroom latex glove, first carbon-free ESD control glove and first ESD control finger cot, all QRP products are engineered to increase yields in industrial applications, high technology manufacturing, aerospace, biotechnology and pharmaceuticals.

For further information about QRP Gloves, Inc., feel free to call us at: 800-832-3882, ext. 250, PO Box 27466 Tucson, AZ 85726 or email us: [info@QRPGloves.com](mailto:info@QRPGloves.com)

# Qualatex®XC

## 7C Anti-Static Latex Fingercots

### FINGERCOT COMPOSITION

|                    |                                       |                 |             |
|--------------------|---------------------------------------|-----------------|-------------|
| Material:          | Natural Rubber Latex (Bio-degradable) | Material Color: | Pink        |
| Mil Thickness:     | 3.5                                   | Length:         | 2.75 inches |
| Country of Origin: | Vietnam                               | Product ID:     | 7C          |

### Physical Data

| Dimensions:          | Length                                           |        | Width      | Thickness     |
|----------------------|--------------------------------------------------|--------|------------|---------------|
|                      | Inches                                           | mm     | mm         | mm            |
| Small                | 2.75                                             | 70 ± 5 | 24 ± 2     | 0.09 ± 0.03   |
| Medium               | 2.75                                             | 70 ± 5 | 28 ± 2     | 0.09 ± 0.03   |
| Large                | 2.75                                             | 70 ± 5 | 30 ± 2     | 0.09 ± 0.03   |
| X-Large              | 2.75                                             | 70 ± 5 | 34.5 ± 2.5 | 0.09 ± 0.03   |
| Tensile Properties:  | (Tensile Strength (MPa))                         |        | Mean       | Sample Size   |
|                      |                                                  |        | 24         | 18            |
|                      |                                                  |        | 20         | 18            |
|                      |                                                  |        | 20         | 18            |
| Physical Appearance: | Rolled fingercots, pink color, textured tip      |        |            |               |
| Powder Coating:      | None                                             |        |            |               |
| Case Pack:           | 5 gross (720 per pack-packed by weight) per pack |        |            | 20 packs/case |

**Storage:** Store in a cool, dry location, away from sources of light. Avoid extremes of heat or cold. Recommended storage temperature range: 50F – 86F (10C – 30C)

### PROTECTION STANDARDS



Contains natural rubber latex which may cause allergic reactions.



The information presented herein, while not guaranteed, was prepared by technical personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, is made regarding accuracy, performance, stability, reliability or use. This information is not intended to be all-inclusive, because the manner and conditions of use, handling, storage and other factors may involve other or additional safety or performance considerations. The user is responsible for determining the suitability of any material for a specific purpose and for adopting such safety precautions as may be required. QRP, Inc does not warrant the results to be obtained in using any material, and disclaims all liability with respect to the use, handling or further processing of any such material. No suggestion for use is intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patent or to violate any federal, state or local law or regulation. User assumes all risks. In the interests of continual product improvement, specifications subject to change without notice. The information contained in this sheet relates only to the specific material designated herein and does not relate to use in combination with other material or in any process. The information presented is from sources deemed to be reliable, but the thoroughness or completeness is not guaranteed.

**Note:** Gloves are included in the Manufactured Article Exemption of the Hazard Communications Regulations in the Code of Federal Regulations (29 CFR 1910.1200). As a result, an MSDS is not required. QRP endeavors to provide as much information as is possible about the product in its catalog and product information sheets.