


Micronova



## Reinraum-Klebeband "Safety", gestreift

pure<sup>11</sup>-Nr.: 1130067, Marke: Micronova

### Eigenschaften

- Marke: micronova
- Breite in cm: 7,62 cm
- Klebestärke: mittel
- Klebstoff: Gummi
- Rückstandsfrei ablösbar
- Vinyl: 100 %

### Empfohlene

### Reinraumklassen

ISO 5|6|7|8|9

GMP C|D

## Material

- 

## Verpackung

- 12STK

## Produktvarianten

---

**pure<sup>11</sup>-Nr.: 1130067BKYL3I, Reinraum-Klebeband "Safety", gestreift**

Farbe: Schwarz/Gelb; Breite: 3" / VE: 12STK

---

# STRIPED SAFETY TAPE

## Product Specification

Product Name:	Striped Safety Tape
Manufacturer Part Number(s):	SST18-1BLYE, SST18-2BLWH, SST18-2BLYE, SST18-2REWH, SST18-3BLYE
Description:	A striped, pressure-sensitive tape for delineating and color-coding specific equipment and areas including fire equipment and exits, hazardous areas and first aid points. Manufactured at Micronova's Torrance, CA facility. Designed for cleanrooms and controlled environments, ISO 5 to ISO 9.
Manufacturing Standards:	ISO 9001 Certified Facility
Physical Data:	
Materials of Construction:	
Film	Poly-laminated vinyl
Adhesive	Rubber
Core	Plastic
Color	BLYE: Black/ Yellow BLWH: Black/ White REWH: Red/ White
Dimensions:	
Core	3 in (7.6 cm)
Length	18 yards (16.5 m)
Width	SST18-1: 1 in (2.5 cm) SST18-2: 2 in (5 cm) SST18-3: 3 in (7.6 cm)
For Use with: (as needed)	P-52, P-52W Tape Dispensers
Autoclavability:	Not autoclavable
Chemical Compatibility:	Good chemical compatibility with common solutions
Packaging:	Individually bagged
Traceability:	Part number and lot number printed on each bag and case
Irradiation Standards:	Not Irradiated
Certificates:	Certificate of Conformance available upon request and on website