Halyard Nitril-Handschuhe PUREZERO HG3 blau #CLN9031XS

pure¹¹-Nr.: 1105010, Marke: Halyard

Eigenschaften

- Marke: Halyard
- Handschuhtyp: Dünnfilm
- Länge in cm: 30,5 cm
- Chemikalienbeständigkeit - Typ: Typ C
- Puderfrei
- Material: Nitril
- Texturierte Fingerspitzen
- Zytostatikageeignet
- Lebensmittelkonformität
- Silikonfrei
- Vulkanisationsbeschleunigerfrei
- Verpackungsform: Beutel
- Antistatisch
- AQL (Acceptable Quality Level)-Wert: 0,65
- Chemikalienbeständig gegen Isopropanol (70%): Level 1 (10-30min)
- Länge in Inches: 12 In
- Latexfrei
- Reißfestigkeit EN 455-2 ASTM in MPa: 20-30
- Schutz vor Blut und Körpersekreten ISO 16604:2004

Empfohlene Reinraumklassen

ISO 3 | 4 | 5 | 6 | 7 | 8 | 9

GMP C | D

- Passform Hand: beidhändig
- Viren-/Mikroorganismenschutz EN ISO 374-5:2016
- Wandstärke Mittelfinger in mm: 0,1 mm

Material

- Nitril

Verpackung

- 1500STK

Produktvarianten

pure¹¹-Nr.: 1105010BLXS, Halyard Nitril-Handschuhe PUREZERO HG3 blau #CLN9031XS

Farbe: Blau; Größe: XS / VE: 1500STK

pure¹¹-Nr.: 1105010BLL, Halyard Nitril-Handschuhe PUREZERO HG3 blau #CLN9031LG

Farbe: Blau; Größe: L / VE: 1500STK

pure¹¹-Nr.: 1105010BLM, Halyard Nitril-Handschuhe PUREZERO HG3 blau #CLN9031MD

Farbe: Blau; Größe: M / VE: 1500STK

pure¹¹-Nr.: 1105010BLS, Halyard Nitril-Handschuhe PUREZERO HG3 blau #CLN9031SM

Farbe: Blau; Größe: S / VE: 1500STK

pure¹¹-Nr.: 1105010BLXL, Halyard Nitril-Handschuhe PUREZERO HG3 blau #CLN9031XL

Farbe: Blau; Größe: XL / VE: 1500STK

HALYARD*

HALYARD* **PURE**ZERO* LIGHT BLUE NON-STERILE CLEANROOM GLOVES

DATA PACK

For the Cleanroom Environment
For Industrial Use Only

HALYARD* **PURE**ZERO* HG3 LIGHT BLUE NON-STERILE CLEANROOM GLOVES DATA PACK

All documents depicted here are FOR EXAMPLE ONLY. For specific documents related to lot numbers, please visit **www.halyardhealth.com/information**, or ask your Distributor or HALYARD* Representative.

TABLE OF CONTENTS

Technical Data Sheet 3

Certificate of Analysis (COA) 6

Package Labels

- Case Label 9
- Bag Label 10

Packaging Certificates

- Bag–Certificate of Conformance (COC) 12
- Bag 2–Certificate of Conformance (COC) 14
- Case Liner–Certificate of Conformance (COC) 17

Safety Data Sheet 20

REACH Regulation Letter 27

Certificate of Registration 9001:2015. 28

Certificate of Registration ISO 13485:2016 30

Certificate of Registration ISO 14001:2015 33

Accelerator-Free Letter 34

Chemotherapy Drug Resistance Guide 35

Chemical Resistance Guide 36

ESD Testing Letter 37

BSE/TSE Letter 41

Storage Conditions Letter 42

Silicone-Free Letter 43

Packaging Supplier Notification Letter 45

HALYARD*

HALYARD* **PURE**ZERO* HG3 Light Blue Nitrile Gloves

For the Cleanroom Environment
For Industrial Use Only

TECHNICAL DATA SHEET

Description

HALYARD* **PURE**ZERO* HG3 Light Blue Nitrile Cleanroom Gloves are designed for semiconductor, pharmaceutical and medical device manufacturing applications. These gloves are clean processed (washed repeatedly in deionized water) to ensure consistent control of low particles and extractables and are recommended for use in ISO Class 3 or higher and Grade A/B/C/D cleanrooms. Because HALYARD* **PURE**ZERO* Light Blue Nitrile Gloves have an **accelerator-free**[1] formulation, there is a reduced risk of allergies and skin irritation associated with accelerator chemicals in other nitrile gloves.

Manufactured at OUR OWN Safeskin Facility in Thailand.

Cleanliness Properties

Max Particle Count (>0.5 µm)	<1200 Particles/cm^2	IEST RP-CC005
Ionic Content (Extractable ions)	**Max Level (ug/g)**	IEST RP-CC005
Calcium	50	
Chloride	35	
Magnesium	5	
Nitrate	20	
Potassium	5	
Sodium	10	
Sulfate	10	
Zinc	7	
Ammonium	5	

Physical Properties

AQL	0.65
Non-Sterile	✓
Ambidextrous	✓
Tacky Grip	✓
Textured Fingertips	✓
Accelerator-Free[1]	✓
Latex-Free	✓
Powder-Free	✓
Silicone-Free	✓
Static Dissipative in Use	✓
Tensile Strength[2]	35 MPa (Target)
Ultimate Elongation[2]	600%
Shelf Life	3 Years

Glove Dimensions

	X-SMALL	SMALL	MEDIUM	LARGE	X-LARGE
Glove Length (inch/cm)	12"/30.5	12"/30.5	12"/30.5	12"/30.5	12"/30.5
Middle Finger Length (mm)	72	78.9	81.6	88.2	92.1
Width of Palm (mm)	70	80	95	110	120
Finger Tip Thickness	0.10 mm (3.9 mil)	0.10 mm (3.9 mil)	0.10 mm (3.9 mil)	0.10 mm (3.9 mil)	0.10 mm (3.9 mil)
Palm Thickness	0.08 mm (3.1 mil)	0.08 mm (3.1 mil)	0.08 mm (3.1 mil)	0.08 mm (3.1 mil)	0.08 mm (3.1 mil)
Cuff Thickness	0.07 mm (2.75 mil)	0.07 mm (2.75 mil)	0.07 mm (2.75 mil)	0.07 mm (2.75 mil)	0.07 mm (2.75 mil)

HALYARD*

HALYARD* **PURE**ZERO* HG3 Light Blue Nitrile Gloves

For the Cleanroom Environment
For Industrial Use Only

TECHNICAL DATA SHEET

Packaging Data

Double bag, plus case liner

1500 gloves per case: 250 gloves per PE bag X 6 PE bags per lined carton

Packaged in ISO Class 5 Cleanroom

Quality & Regulatory Standards

Compliant to these regulatory standards:
- ISO 9001
- ISO 13485
- ISO 14001

Compliant to these food handling regulatory standards:
- FDA 21 CFR 177-2600
- FDA 21 CFR 180.22
- Commission Regulation (EU) No 10/2011

PPE Cat III according to Regulation (EU) 2016/425 and as amended to apply in GB (UKCA)
- EN 16523-1:2015+A1:2018
- EN ISO 374-2:2019
- EN ISO 374-4:2019
- EN ISO 374-5:2016 Bacteria, Fungi, and Virus Protection
- EN ISO 374-1:2016+A1:2018/ Type B
- EN ISO 21420:2020 Dexterity Classification: Level 5
- ISO16604:2004

Compliant with the REACH regulation
- RoHS 2011/65/EU Annex II

Static Dissipative in Use
- Tested per ANSI/ ESD SP 15.1

Meets USP <800> Guidelines

CE 2797 (PPE Cat. III) | ISO 374-5:2016 VIRUS | ISO 374-1 / Type B KTJ | UK CA 0086

Additional Glove Information

Recommended for use in ISO Class 3 or higher and Grade A/B/C/D cleanrooms.

Tested against 29 chemicals, 14 chemotherapy drugs and Fentanyl.

Made in Thailand

Declaration of Conformity (DoC) and Certificates of Analysis (COA) for every production lot available online at **halyardhealth.com/information**

Storage Instructions

HALYARD* **PURE**ZERO* Nitrile Gloves shall be stored in conditions where the product is kept dry (away from moisture), away from direct sunlight, away from sources of heat, and away from radioactive sources.

Ordering Information

HALYARD* PUREZERO*** **HG3 LIGHT BLUE NITRILE GLOVES, NON-STERILE, AMBIDEXTROUS, TACKY**

Size	Code
XS	CLN9031XS
SM	CLN9031SM
MD	CLN9031MD
LG	CLN9031LG
XL	CLN9031XL

For additional information or samples, contact your local distributor or visit **www.purezerogloves.com**

1 Not formulated with these commonly used vulcanizing chemicals: Sulfur, Thiurams, Thiaxoles, Guanidines and Carbamates.
2 Tested per ASTM D412
This fact sheet has been created using the most recent information. In the interest of continuous improvement, the characteristics of the products may change without prior notice.

Owens & Minor | HALYARD* is an Owens & Minor brand

*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2020, 2021, 2023, 2024. All rights reserved.
008638 COPY-04710 December 2024

CERTIFICATE OF ANALYSIS

Owens & Minor HALYARD

Safeskin Medical & Scientific (Thailand) Ltd. 200 Moo 8 Kanchanavanich Road Tambol Prik, Amphur Sadao Songkhla 90120 Thailand

CERTIFICATE OF ANALYSIS

Product Description : **HALYARD* PUREZERO* HG3 Light Blue Nitrile Gloves**

Catalog Numbers : CLN9031XS, CLN9031SM, CLN9031MD, CLN9031LG, CLN9031XL

OMH Code : 48162-80, 48163-80, 48164-80, 48165-80, 48166-80

Total Cases per Lot : 2,900

Date of Manufacture : Jul-22

Batches : SM218227X to SM221227X

Expiration Date : 2027-06-30

Physical Test Data

	Watertight	Visual Defects		Dimensions	Tensile (MPa)	Elongation (%)	Median Force at Break (N)
		Minor	Negligible		Pre Aging	Pre Aging	Pre Aging
Sample Size :	2555	2555	2325	195	156	156	156
AQL Level :	**1.0**	**2.5**	**4.0**	**4.0**	**4.0**	**4.0**	**4.0**
Failures Allowed per AQL :	39	90	128	15	12	12	12
Failures :	0	0	0	0	0	0	0
Inspection Results :	**Accept**	**Accept**	**Accept**	**Accept**	**Accept**	**Accept**	**Accept**
				Averages:	41.18	577	10.32

Test Methods : Water tight test ASTM D 5151, EN 455-1, Elongation and Tensile ASTM D 412, ASTM D 6319, Median Force at Break EN 455-2, Dimension ASTM D 6319, EN 455-2

Particle Test Data

Particle	Min	Max	Average Particles/cm²	Inspection Result
#/cm2:	532	947	822	**Accept**

Particulate Level (≥0.5 microns) #/cm²

Test Method : IEST-RP-CC005.4

Extractable Ion Test Data

	Anions Results			Cations Results				
	Chloride	Nitrate	Sulfate	Sodium	Ammonium	Potassium	Magnesium	Calcium
Units :	Cl^-	$N0_3^-$	$S0_4^{-2}$	Na^+	NH_4^+	K^+	Mg^{+2}	Ca^{+2}
µg/g glove	28.292	11.808	3.383	3.344	1.766	2.173	1.655	39.816
Inspection Result :	**Accept**	**Accept**	**Accept**	**Accept**	**Accept**	**Accept**	**Accept**	**Accept**

Trace Element Results

	Zinc
Units :	Zn
µg/g glove	2.83
Inspection Result :	**Accept**

Test Method : IEST-RP-CC005.4

Review By : 15 Aug 2022

(QA Sr. Manager)

FORM-28013/6

PACKAGE LABELS

CASE LABEL

PUREZERO* HG3
LIGHT BLUE NITRILE GLOVES
M
(7.0 – 7.5)
1500
(6 x 250)
FR Gants en nitrile bleu clair HG3
DE HG3 Nitrilhandschuhe, hellblau
BG Светлосини нитрилни ръкавици HG3
ES Guantes de nitrilo celestes HG3
CS Světle modré nitrilové rukavice HG3
DA HG3 Lyseblå nitrilhandsker
ET HG3 helesinised nitriilkindad
EL HG3 Γαλάζια γάντια νιτριλίου
IT Guanti in nitrile azzurri HG3
LV HG3 gaiši zili nitrila cimdi
LT HG3 šviesiai mėlynos nitrilinės pirštinės
HR HG3 svijetlo plave nitrilne rukavice
HU HG3 világoskék nitrilkesztyű
AQL 0.65 Level 3 G1
ISO 374-5:2016
VIRUS
ISO 374-1/Type B
KTP
EN ISO 374-1:2016+A1:2018
10481648 2
CLN9031MD
REF
LOT
306 80651 48164 2
PUREZERO* HG3
LIGHT BLUE NITRILE GLOVES
M
(7.0 – 7.5)
1500
(6 x 250)
MT HG3 Ingwanti tan-Nitril Blu Ċari
NL HG3 Lichtblauwe nitril handschoenen
NO HG3 lyseblå nitrilhansker
PL HG3 Jasnoniebieskie rękawice nitrylowe
LT Luvas de nitrilo azuis-claras HG3
RO Mănuşi din nitril albastre deschis HG3
RU HG3 Голубые нитриловые перчатки
SK HG3 Bledomodré nitrilové rukavice HG3
SL HG3 Svetlo modre rokavice iz nitrila
FI HG3, vaaleansiniset nitriilikäsineet
SV HG3 Ljusblå nitrilhandskar
JA ピュアゼロ HG3 ライトブルーニトリルグローブ
KO HG3 하늘색 니트릴 장갑
ZH HG3 浅蓝色丁腈手套
AQL 0.65 Level 3 G1
ISO 374-5:2016
VIRUS
ISO 374-1/Type B
KTP
EN ISO 374-1:2016+A1:2018
10481648 2
CLN9031MD
REF
LOT
306 80651 48164 2

BAG LABEL

HALYARD*

PUREZERO* HG3
LIGHT BLUE NITRILE GLOVES

For the Cleanroom Environment
For Industrial Use Only
12 in. / 30.5 cm

(FR) Gants en nitrile bleu clair HG3 • Pour l'environnement des salles blanches • Pour usage industriel uniquement • Sans accélérateur♦ • Ambidextres

(DE) HG3 Nitrilhandschuhe, hellblau • Für Reinraumumgebungen • Nur für den industriellen Gebrauch • Beschleunigerfrei♦ • Beidhändig

(ES) Guantes de nitrilo celestes HG3 • Para entornos de sala blanca • Solo para uso industrial • Sin aceleradores♦ • Ambidiestro

(IT) Guanti in nitrile azzurri HG3 • Per camera bianca • Solo per uso industriale • Privi di acceleranti♦ • Ambidestri

(NL) HG3 Lichtblauwe nitril handschoenen • Voor gebruik in kritieke schone ruimtes/cleanrooms • Alleen voor industrieel gebruik • Versnellervrij♦ • Symmetrisch

(PT) Luvas de nitrilo azuis-claras HG3 • Para ambiente de sala limpa • Exclusivamente para utilização industrial • Sem aceleradores♦ • Ambidestras

(RU) Голубые нитриловые перчатки HG3 • Для стерильных условий • Только для промышленного использования • Без химических присадок♦ • Амбидекстральные

(JA) ピュアゼロ　HG3ライトブルーニトリルグローブ・クリーンルーム環境対応・工業用途のみ・加硫促進剤不使用♦・左右兼用

(KO) HG3 하늘색 니트릴 장갑 · 클린룸 환경용 · 산업용으로만 사용 · 촉진제 없음♦ · 양손형

(ZH) HG3 浅蓝色丁腈手套 · 适用于洁净室环境 · 仅限工业使用 · 无催化剂♦ · 左右手通用

Manufactured at our SAFESKIN* Facility

ACCELERATOR FREE♦

XS (5.5) = CLN9031XS
S (6.0 - 6.5) = CLN9031SM
M (7.0 - 7.5) = CLN9031MD
L (8.0 - 8.5) = CLN9031LG
XL (9.0 - 10.0) = CLN9031XL

Ambidextrous
NON STERILE
LATEX

AQL 0.65 Level 3 G1
DOC halyardhealth.com/information
CE 2797 (PPE Cat. III)
UK CA 0086
250

♦ *Not formulated with the following vulcanizing chemicals and accelerators: Sulfur, Thiurams, Thiazoles, Guanidines, Carbamates*

Product of Thailand

O&M Halyard, Inc., 9120 Lockwood Blvd., Mechanicsville, VA 23116 • In USA, please call 1-844-425-9273 • halyardhealth.com
EC REP ArcRoyal Unlimited Company, Virginia Road, Kells, Co Meath, Ireland
O&M Halyard Belgium BV, Berkenlaan 8B, 1831 Machelen (Brab.), Belgium
Product certified to the Regulation (EU) 2016/425 by Notified Body 2797 BSI Group The Netherlands B.V.,
Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, and to the Regulation (EU) 2016/425 on personal protective equipment,
as amended to apply in Great Britain by Approved Body BSI Assurance UK Ltd (0086) Kitemark Court, Davy Avenue, Milton Keynes, MK5 8PP.
UK RP • RLD Quality Limited Centenary House, Peninsula Park, Rydon Lane, Exeter, EX2 7XE, United Kingdom
Sponsored in Australia by O&M Halyard Australia Pty Ltd., Tenancy 1, Level 1, Triniti 3, 39 Delhi Road, North Ryde NSW 2113
販売元　O&M Halyard Japan合同会社　東京都港区芝公園2-6-3 芝公園フロントタワー12階

*Registered Trademark or Trademark of O&M Halyard, Inc., or its affiliates. ©2018. All rights reserved.
Patent and/or Pending Application. See www.halyardhealth.com/patents.
06-HM-118-0-00

Place Label Here

PACKAGING CERTIFICATES

BAG COC

FORM: QC-07 REV 10
Date Reviewed : 30.11.2017

TIP CORPORATION SDN BHD (187530-A)

Lot 608, Jalan Sungai Sop, Batu 14,
43100 Hulu Langat, Selangor, Malaysia.
Tel: +603-9021 3985
E-mail: sales@tipcorp.com Website: www.tipcorp.com

MS ISO 9001:2015 CERT NO AR 1944 MS ISO 14001:2015 CERT NO. ER 0499

CERTIFICATE OF CONFORMANCE

THIS IS TO CERTIFY THAT THE FOLLOWING PRODUCT CONFORM/PASS THE SPECIFICATION LISTED BELOW:-

CUSTOMER : SAFESKIN

DESCRIPTION : C/R EASY TEAR LDPE -PRT -355X405X0.05MM

QUANTITY : 10000 pcs

LOT NO : 61446

PART NO : 06-HM-038-0-00

P.O NO. & DATE : **4561163725**

TEST DATE : 25.07.2021

OUR INVOICE NO: TPL16516

PALLET REFERENCE NUMBER (IF ANY):

PACKING LIST NUMBER :TPL16516

DATE OF MANUFACTURING :

DATE OF EXPIRED :

Safeskin Thailand
D/O No. : TPL 16516
IQA Batch : P 2107249
Date : 30-JUL-2021
Signature By : Chatt

SURFACE RESISTIVITY TEST – (Reference ASTM D257, ANSI / ESD S541 & ANSI / ESD STM 11.11)

- [ ] DISSIPATIVE : $\geq 1 \times 10^5$ AND $< 1 \times 10^{12}$ OHMS/SQ
- [ ] CONDUCTIVE : $< 1 \times 10^5$ OHMS/SQ
- [x] VISUAL TEST
- [x] DIMENSION CHECK (WIDTH, LENGTH & THICKNESS)
- [ ] WATER LEAK TEST
- [x] LPC TEST
- [x] SEAL/PEEL STRENGTH TEST
- [x] PRINTING
- [ ] AMIDE & SILICON FREE
- [ ] CENTRE SEAL / WITH PERFORATION LINE
- [ ] NO CENTRE SEAL / WITHOUT PERFORATION

Rubaiyat
TESTED BY: Rubaiyat
QC DEPARTMENT

VERIFIED BY : QA EXECUTIVE

TOP IN PERFORMANCE

BAG COC

TIP CORPORATION SDN BHD

FORM : QC-01 REV 9
Date Implement : 05.04.2018
REF NO : QC -01
DATE : 25.07.2021

☐ IN COMING QUALITY INSPECTION REPORT ☑ OUT GOING QUALITY INSPECTION REPORT

CUSTOMER / SUPPLIER : SAFESKIN

LOT NO 61446

ITEM : C/R EASY TEAR LDPE -PRT -355X405X0.05MM

QUANTITY 10000 pcs

PART NO: 06-HM-038-0-00

SAMPLING PLAN 0.65 single Plan Normal Inspection S3

Lot Qtty	SS	Accept / Reject
501 to 3,200pcs	13	Acc / Rej : 0/1
3,201 to 35,000pcs	20	Acc / Rej : 0/1
35,001 to 500,000pcs	32	Acc / Rej : 0/1
500,001 pcs and over	50	Acc / Rej : 0/1

DIMENSION / PHYSICAL INSPECTION

NO	DIMENSION CHECK									VISUAL	REMARKS	EASY TO OPEN	SEAL STRENGTH	PRT / GUSSET
	WIDTH	MAX	MIN	LENGTH	MAX	MIN	THICKNESS	MAX	MIN	OK/NG				
SPEC	355+/-15	370	340	405+/-15	420	390	0.05+/-0.01	0.06	0.04	OK	OK	OK	OK	OK
1	355			410			0.05							
2	354			411			0.05							
3	355			410			0.05							
4	353			410			0.05							
5	353			411			0.05							
6	353			411			0.05							
7	355			410			0.05							
8	354			410			0.05							
9	354			411			0.05							
10	354	OK		410	OK		0.05	OK		OK	OK	OK	OK	OK
11	354			410			0.05							
12	355			411			0.05							
13	354			410			0.05							
14	353			410			0.05							
15	354			410			0.05							
16	353			410			0.05							
17	354			410			0.05							
18	354			410			0.05							
19	353			411			0.05							
20	353			410			0.05							
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														
31														
32														

SURFACE RESISTIVITY DATA (EQUIPMENT - SRM110)

SAMPLE NO	OHM/SQ	
NO	RIGHT	LEFT
1	10	11
2	11	10
3	10	10
4	11	11
5	11	11
6	10	10
7	11	11
8	10	10
9	10	11
10	11	10
11	11	11
12	10	10
13	11	11
14	11	10
15	10	11
16	11	10
17	11	11
18	10	11
19	10	10
20	11	11
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		

PROPERTIES OF MATERIAL

- CONDUCTIVE ☐
- DISSIPATIVE ☐
- INSULATOR ☐
- TEST METHOD ☐
- (ASTM D 257) ☐
- OTHER ☐

Remarks :
2 side seal width 10mm min

For Incoming visual :
Bag no torn , damaged - Accept
Reject for the bag is broken

Equipment for Inspection : -
Dimension - Measuring Tape
Thickness - Thickness Checker
Surface Resistivity - SRM

SUMMARY OF OUTGOING QC INSPECTION RESULT :

Visual : **OK** MVTR- **N/A**
Sticky : **NO** Easy to open: **OK**
LPC : **OK** Mixed: **NO**
Seal Strength : **OK** Water Leak Test **N/A**
Printing per spec: OK
Surface Resistivity: N/A

PACKING CONDITION INSPECTION

	SPEC	ACTUAL
Qtty per bag		
Qtty per carton		
Carton size		
PN vs Actual		
Label In vs Out		

REMARKS : ACCEPT ■ REJECT ☐

Prepared By :
Final disposition : **OK**
Accept / Reject : **ACCEPT**

Verified By :
Final Dispositior **OK**
Accept / Reject: **ACCEPT**

BAG 2 COC

FORM: QC-07 REV 10
Date Reviewed : 30.11.2017

TIP CORPORATION SDN BHD (187530-A)

Lot 608, Jalan Sungai Sop, Batu 14,
43100 Hulu Langat, Selangor, Malaysia.
Tel: +603-9021 3985
E-mail: sales@tipcorp.com Website: www.tipcorp.com

MS ISO 9001 2015 CERT NO. AR 1944 MS ISO 14001 2015 CERT NO. ER 8459

CERTIFICATE OF CONFORMANCE

THIS IS TO CERTIFY THAT THE FOLLOWING PRODUCT CONFORM/PASS THE SPECIFICATION LISTED BELOW:-

CUSTOMER : SAFESKIN

DESCRIPTION : C/R EASY TEAR LDPE BAG -355X405X0.045MM

QUANTITY : 48,000 PCS

LOT NO : 61448

PART NO : 06-HM-041-0-00

P.O NO. & DATE : **4561164448**

TEST DATE : 10.08.2021

OUR INVOICE NO: TPL16679

PALLET REFERENCE NUMBER (IF ANY):

PACKING LIST NUMBER :TPL16679

DATE OF MANUFACTURING :

DATE OF EXPIRED :

Safeskin Thailand
D/O No. : TPL 16679
IQA Batch : P 2108109
Date : 14-AUG 2021
Signature By : Chals

SURFACE RESISTIVITY TEST – (Reference ASTM D257, ANSI / ESD S541 & ANSI / ESD STM 11.11)

- [ ] DISSIPATIVE : $\geq 1 \times 10^5$ AND $< 1 \times 10^{12}$ OHMS/SQ
- [ ] CONDUCTIVE : $< 1 \times 10^5$ OHMS/SQ
- [x] VISUAL TEST
- [x] DIMENSION CHECK (WIDTH, LENGTH & THICKNESS)
- [ ] WATER LEAK TEST
- [x] LPC TEST
- [x] SEAL/PEEL STRENGTH TEST
- [ ] PRINTING
- [x] AMIDE & SILICON FREE
- [ ] CENTRE SEAL / WITH PERFORATION LINE
- [ ] NO CENTRE SEAL / WITHOUT PERFORATION

TESTED BY: *Rubaiyat*
QC DEPARTMENT

VERIFIED BY : QA EXECUTIVE

TOP IN PERFORMANCE

BAG 2 COC

TIP CORPORATION SDN BHD

FORM : QC-01 REV 9
Date Implement : 05.04.2018
REF NO : QC -01
DATE : 10.08.2021

[ ] IN COMING QUALITY INSPECTION REPORT
[√] OUT GOING QUALITY INSPECTION REPORT

CUSTOMER / SUPPLIER : SAFESKIN
LOT NO 61448
ITEM : C/R EASY TEAR LDPE BAG -355X405X0.045MM
QUANTITY 48,000 pcs
PART NO: 06-HM-041-0-00

SAMPLING PLAN 0.65 single Plan Normal Inspection S3

Lot Qtty	SS	Accept / Reject
501 to 3,200pcs	13	Acc / Rej : 0/1
3,201 to 35,000pcs	20	Acc / Rej : 0/1
35,001 to 500,000pcs	32	Acc / Rej : 0/1
500,001 pcs and over	50	Acc / Rej : 0/1

DIMENSION / PHYSICAL INSPECTION

NO	DIMENSION CHECK									VISUAL	REMARKS	EASY TO OPEN	SEAL STRENGTH	PRT / GUSSET
	WIDTH	MAX	MIN	LENGTH	MAX	MIN	THICKNESS	MAX	MIN	OK/NG				
SPEC	355+/-5	360	350	405+/-10	415	395	0.045+/-0.01	0.055	0.035	OK	OK	OK	OK	
1	355			410			0.047							
2	354			409			0.047							
3	355			410			0.048							
4	354			410			0.047							
5	355			409			0.048							
6	354			410			0.047							
7	355			409			0.048							
8	354			410			0.047							
9	355			409			0.048							
10	354			410			0.047							
11	355			409			0.048							
12	354			410			0.047							
13	355			409			0.048							
14	354			410			0.047							
15	355			409			0.048							
16	355	OK		410	OK		0.047	OK		OK	OK	OK	OK	
17	354			409			0.048							
18	355			410			0.047							
19	354			409			0.048							
20	354			410			0.047							
21	355			409			0.047							
22	354			410			0.048							
23	355			409			0.047							
24	354			409			0.048							
25	354			410			0.047							
26	355			410			0.048							
27	354			409			0.048							
28	355			410			0.047							
29	354			409			0.048							
30	355			410			0.047							
31	354			409			0.048							
32	354			410			0.048							

REMARKS : ACCEPT [■] REJECT [ ]

SURFACE RESISTIVITY DATA (EQUIPMENT - SRM110)

SAMPLE NO		
OHM/SQ SEAL		
NO	RIGHT	LEFT
1	11	10
2	10	10
3	10	11
4	11	10
5	10	10
6	11	11
7	11	10
8	10	11
9	11	10
10	11	11
11	10	10
12	11	11
13	10	10
14	11	11
15	10	11
16	11	10
17	11	11
18	10	10
19	11	11
20	11	10
21	10	11
22	11	10
23	10	11
24	11	10
25	10	11
26	11	10
27	10	11
28	10	10
29	11	11
30	10	10
31	10	11
32	11	11

PROPERTIES OF MATERIAL
CONDUCTIVE [ ]
DISSIPATIVE [ ]
INSULATOR [ ]
TEST METHOD [ ]
(ASTM D 257) [ ]
OTHER [ ]

Remarks :
2 side seal-seal width 10mm min

For Incoming visual :
Bag no torn , damaged - Accept
Reject for the bag is broken

Equipment for Inspection : -
Dimension - Measuring Tape
Thickness - Thickness Checker
Surface Resistivity - SRM

SUMMARY OF OUTGOING QC INSPECTION RESULT :
Visual : OK MVTR- N/A
Sticky : NO Easy to open: OK
LPC : OK Mixed: NO
Seal Strength : OK Water Leak Test N/A
Printing per spec: N/A
Surface Resistivity: N/A

PACKING CONDITION INSPECTION

	SPEC	ACTUAL
Qtty per bag		
Qtty per carton		
Carton size		
PN vs Actual		
Label In vs Out		

Prepared By : Chn
Final disposition : OK
Accept / Reject : ACCEPT

Verified By : [signature]
Final Disposition : OK
Accept / Reject: ACCEPT

BAG 2 COC

TIP Corporation Sdn. Bhd.
Lot 608, Jalan Sg Sop, Off Jalan Sg Tekali, Batu
14 Hulu Langat, 43100 Selangor, MY.
Tel : +603-90213985 / 6 / 7 Fax : +603-90213982/4 Email: sales@tipcorp.com

FORM QC-21

LPC Test Report

Item	: C/R EASY TEAR LDPE I Lot No		:	61448
Testing Date	: 10.8.2021	size	:	355 X 405 X 0.05MM
Customer	: SAFESKIN			OUTGOING
				06-HM-041-0-00

Blank Particle Counts (Cumulative)

	Blank Cts 1 Counts/ml	Blank Cts 2 Counts/ml	Blank Ct 3 Counts/ml	Average Blank (A) Counts/ml		
0.5 micron	20.0	19.0	17.0	18.7		
1.0 micron	3.0	4.0	2.0	3.0		
1.5 micron	2.0	4.0	2.0	2.7		
2.0 micron	1.0	2.0	4.0	2.3	Total counts	26.666667

Wash Sample Particle Counts (Cumulative)

	Washed Cts 1 Counts/ml	Washed Cts 2 Counts/ml	Washed Cts 3 Counts/ml	Average Washed (B) Counts/ml		
0.5 micron	80.0	95.0	100.0	91.7		
1.0 micron	13.0	14.0	17.0	14.7		
1.5 micron	9.0	8.0	7.0	8.0		
2.0 micron	5.0	7.0	9.0	7.0	Total counts	121.33333

Wet Particle Counts (C)
Ave.Washed - Ave.Blank (C = B - A)

0.5 micron	73.0
1.0 micron	11.7
1.5 micron	5.3
2.0 micron	4.7

Total Vol. for Washed Sample (D)
Washed Volume (ml) 400 ml

Total Area of Plastic (E)
Total Area for wash 2947 cm^2

Total Particle Counts in Washed Volume (F)
(F = C x D)

0.5 micron	29200
1.0 micron	4666.6667
1.5 micron	2133.3333
2.0 micron	1866.6667

Total Wet Part Cts / cm^2 (G)
(G = F / E)

0.5 micron	9.9083814
1.0 micron	1.5835313
1.5 micron	0.7239
2.0 micron	0.6334125

Total Particle : 12.8492252

SPEC: ≥ 0.5u ≤100 COUNTS/CM^2

Tested By : MARIAM
Date : 10.8.2021

Verified By :
Date : 10/8/2021

CASE LINER

FORM: QC-07 REV 10
Date Reviewed : 30.11.2017

TIP CORPORATION SDN BHD Reg No 199001010221-(185510-A)

Lot 2288, Jalan P4/8, Bandar Teknologi Kajang,
Semenyih, 43500 Selangor, Malaysia.
Tel: +603-8723 7889
E-mail: sales@tipcorp.com Website: www.tipcorp.com
SST No: W24-1808-21017734

CERTIFICATE OF CONFORMANCE

THIS IS TO CERTIFY THAT THE FOLLOWING PRODUCT CONFORM/PASS THE SPECIFICATION LISTED BELOW:-

CUSTOMER : SAFESKIN

DESCRIPTION : CLEANROOM LDPE BAG WITH GUSSET 350 X 700 X 0.04mm + G150mm

QUANTITY : 20,000 PCS

LOT NO : K61449

PART NO : 06-HM-042-0-00

P.O NO. & DATE : 4561163570

TEST DATE : 06.08.2021

OUR INVOICE NO: TPL16653

PALLET REFERENCE NUMBER (IF ANY): -

PACKING LIST NUMBER : TPL16653

DATE OF MANUFACTURING : N/A

DATE OF EXPIRED : N/A

Safeskin Thailand
D/O No. : TPL16653
IQA Batch : P210 8087
Date : 11-AUG-2021
Signature By : [illegible]

SURFACE RESISTIVITY TEST – (Reference ASTM D257, ANSI / ESD S541 & ANSI / ESD STM 11.11)

- [ ] DISSIPATIVE : $\geq 1 \times 10^5$ AND $< 1 \times 10^{12}$ OHMS/SQ
- [ ] CONDUCTIVE : $< 1 \times 10^5$ OHMS/SQ
- [x] VISUAL TEST
- [x] DIMENSION CHECK (WIDTH, LENGTH & THICKNESS)
- [ ] WATER LEAK TEST
- [x] LPC TEST
- [x] SEAL/~~PEEL STRENGTH TEST~~
- [ ] PRINTING
- [x] AMIDE & SILICON FREE
- [ ] CENTRE SEAL / WITH PERFORATION LINE
- [ ] NO CENTRE SEAL / WITHOUT PERFORATION

DANIEL
TESTED BY: OPERATING QC

HAJAR
VERIFIED BY: QA ENGINEER

TOP IN PERFORMANCE

CASE LINER

TIP CORPORATION SDN BHD

FORM : QC-01 REV 9
Date Implement : 05.04.2018
REF NO : QC -01
DATE : 06.08.2021

☐ IN COMING QUALITY INSPECTION REPORT ☑ OUT GOING QUALITY INSPECTION REPORT

CUSTOMER / SUPPLIER : SAFESKIN MEDICAL

LOT NO K61449

ITEM : CLEANROOM LDPE BAG 350 X 700 X 0.04mm + G150mm

QUANTITY 20,000 PCS

PART NO: 06-HM-042-0-00

SAMPLING PLAN 0.65 single Plan Normal Inspection S3

Lot Qtty	SS	Accept / Reject
501 to 3,200pcs	13	Acc / Rej : 0/1
3,201 to 35,000pcs	20	Acc / Rej : 0/1
35,001 to 500,000pcs	32	Acc / Rej : 0/1
500,001 pcs and over	50	Acc / Rej : 0/1

DIMENSION / PHYSICAL INSPECTION

NO	DIMENSION CHECK									VISUAL	REMARKS	EASY TO OPEN	SEAL STRENGTH	PRT / GUSSET
	WIDTH	MAX	MIN	LENGTH	MAX	MIN	THICKNESS	MAX	MIN	OK/NG				
SPEC	350±5mm	355mm	345mm	700±10mm	710mm	690mm	0.04±0.01mm	0.05mm	0.03mm	OK		OK	OK	150mm±10MM
1	351			702			0.05							151
2	351			701			0.04							152
3	350			702			0.04							152
4	350			702			0.04							150
5	351			701			0.05							152
6	350			702			0.04							152
7	351			702			0.04							152
8	351			701			0.04							150
9	350	OK	OK	702	OK	OK	0.05	OK	OK	OK		OK	OK	152
10	350			702			0.04							150
11	351			701			0.04							152
12	350			702			0.04							152
13	351			702			0.05							152
14	351			701			0.04							152
15	350			702			0.05							150
16	350			702			0.04							152
17	351			701			0.04							150
18	350			702			0.04							152
19	351			702			0.05							152
20	351			702			0.04							151
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														
31														
32														

SURFACE RESISITIVITY DATA (EQUIPMENT : SRM110)

SAMPLE NO	OHM/SQ	
NO	INSIDE	OUTSIDE
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		

PROPERTIES OF MATERIAL

- CONDUCTIVE ☐
- DISSIPATIVE ☐
- INSULATOR ☐
- TEST METHOD ☐
- (ASTM D 257) ☐
- OTHER ☐

Remarks : ACCEPT

For Incoming visual :
Bag no torn , damaged - Accept
Reject for the bag is broken

Equipment for Inspection : -
Dimension - Measuring Tape
Thickness - Thickness Checker
Surface Resistivity - SRM

SUMMARY OF OUTGOING QC INSPECTION RESULT :

Visual : OK	MVTR : -
Sticky : NO	Easy to open : OK
LPC : OK	Mixed : NO
Seal Strength : OK	Water Leak Test : -
Printing per spec : -	
Surface Resistivity : -	

PACKING CONDITION INSPECTION

	SPEC	ACTUAL
Qtty per bag	50PCS	50PCS
Qtty per carton	500PCS	500PCS
Carton size	T10	T10
PN vs Actual	06-HM-042-0-00	06-HM-042-0-00
Label In vs Out	OK	OK

REMARKS : ACCEPT ■ REJECT ☐

Prepared By : DANIEL
Final disposition :
Accept / Reject : ACCEPT

Verified By : HAJAR
Final Disposition : OK
Accept / Reject: Accept

CASE LINER

TIP CORPORATION SDN BHD Reg. No: 198901010228 (187530-A)

Lot 2288, Jalan P4/8, Bandar Teknologi Kajang,
Semenyih, 43500 Selangor, Malaysia.
Tel: +603-8723 7889
E-mail: sales@tipcorp.com Website: www.tipcorp.com
SST No: W24-1808-21017734

FORM QC-21

LPC Test Report

Item:	C/R LDPE BAG	Lot No:	K61449
Testing Date:	06.08.2021	Size:	650X700X0.04MM
Customer :	SAFESKIN	Method:	BY SHAKER
		Machine:	KCCS-6

Blank Particle Counts (Cumulative)

	Blank Cts 1 Counts	Blank Cts 2 Counts	Blank Ct 3 Counts	Average Blank (A) Counts		
0.5 micron	4.0	2.0	0.0	2.0		
1.0 micron	1.0	0.0	0.0	0.3		
2.0 micron	0.0	0.0	0.0	0.0		
5.0 micron	0.0	0.0	0.0	0.0	Total counts	2.3

Wash Sample Particle Counts (Cumulative)

	Washed Cts 1 Counts	Washed Cts 2 Counts	Washed Cts 3 Counts	Average Washed (B) Counts		
0.5 micron	124.0	134.0	112.0	123.3		
1.0 micron	21.0	26.0	19.0	22.0		
2.0 micron	8.0	5.0	8.0	7.0		
5.0 micron	2.0	2.0	2.0	2.0	Total counts	154.3

(C) Wet Particle Counts

Ave.Washed - Ave.Blank (C = B - A)

0.5 micron	121.3
1.0 micron	21.7
2.0 micron	7.0
5.0 micron	2.0

(D) Total Vol. for Washed Sample

Washed Volume (ml) 1000 ml

(E) Sampling size 5 ml

(F) Total Area of Plastic

Total Washed Area 8775 cm^2

(G) Particle counts per ml (G = C / E)

0.5 micron	24.267
1.0 micron	4.333
2.0 micron	1.400
5.0 micron	0.400

(H) Total Wet Part Cts / cm^2 (H = G X D / F)

0.5 micron	2.765
1.0 micron	0.494
2.0 micron	0.160
5.0 micron	0.046

Cts/cm2

Total Particle (≥0.5) : **3.464 (PASSED)** SPEC: ≥ 0.5u ≤100 COUNTS/CM^2

Tested By : SUHAIDA
Date : 06.08.2021

Verified By : HAIAR
Date : 06.08.2021

1. IDENTIFICATION

Product Name: ***HALYARD* PUREZERO* HG3 Nitrile Gloves***

Product Number: Various

Date Prepared:	6/24/2021
Manufacturer:	O&M Halyard, Inc. 1 Edison Dr. Alpharetta, Georgia 30005
Telephone: MEDICAL EMERGENCY: TRANSPORTATION EMERGENCY: INFORMATION:	 Call 911 or your local Emergency Room or Poison Control Services Chemtrec 1-800-424-9300 or 1-703-527-3887 (collect calls accepted) 1-844-HALYARD

Product Use: Protective gloves.

2. HAZARDS IDENTIFICATION

GHS Classification: Not Hazardous. These products are manufactured articles or articles as this term is defined in the OSHA Hazard Communication Standard (20CFR 1910.1200), EU REACH, Canadian WHMIS, Australia WHS and the GHS. These products are out of the scope of the GHS and no SDS or labeling are required.

GHS Labeling: No GHS labeling required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No./ EINECS-No	*%*	***GHS Classification:***
Non-Hazardous Ingredients	Mixture	100	Not Hazardous

4. FIRST AID MEASURES

Inhalation: No first aid needed.

Skin contact: No first aid needed. These products are intended to be used in contact with the skin.

Eye contact: No first aid needed.

Ingestion: Not a relevant route of exposure.

Most Important symptoms and effects, both acute and delayed: No adverse effects.

Indication of any immediate medical attention and special treatment needed: None required.

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) Extinguishing Media: Use media suitable for surrounding materials.

Specific Hazards Arising from the Chemical: These products can melt in a fire. Molten material may flow or drip and spread the fire.

Hazardous Combustion Products: Combustion may produce toxic and irritating gases and vapors.

Special Protective Equipment and Precautions for Fire-fighters: None required.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures: None required.

Environmental Precautions: None required.

Methods and Materials for Containment and Cleaning Up: No special precautions required. Pick up and dispose of in an appropriate container.

7. HANDLING AND STORAGE

Precautions for Safe Handling: No special handling is required.

Conditions for Safe Storage, including any Incompatibilities: Store away from heat and flames.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limit(s)

Chemical Name	Exposure limit(s)
Non-Hazardous Ingredients	None established

Appropriate Engineering Controls: None required.

Individual Protection Measures, such as Personal Protective Equipment:

Respiratory Protection: None required.

Protective Gloves: None required.

Eye Protection: None required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor	Solid Gloves, blue or white
Odor Threshold:	Not applicable
Boiling point/range	Not applicable
Melting point/range	Not determined
Relative Density (water=1)	Not determined
Vapor pressure	Not applicable
Vapor density (air=1)	Not applicable
Solubility	Insoluble
pH	Not applicable
Partition coefficient (n-octanol/water):	Not applicable
Evaporation Rate (Butyl acetate=1)	Not applicable
Viscosity:	Not applicable
Volatile Organic Carbon Compounds (VOC) (g/L)	Not applicable
Flashpoint:	None.
Flammable Limits in Air % by Volume:	LEL (Lower):Not applicable UEL (Upper): Not applicable
Autoignition temperature:	Not determined.
Decomposition temperature:	Not determined
Flammability (solid, gas):	Not a flammable solid

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical Stability: Stable at ambient temperature and pressure.

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: Avoid heat and flames.

Incompatible Materials: None known.

Hazardous Decomposition Products: Thermal decomposition may produce carbon and nitrogen oxides and unidentified hydrocarbon fragments.

11. TOXICOLOGICAL INFORMATION

Symptoms/Effects of Overexposure: These gloves are manufactured articles. Their use will not result in exposure to any hazardous materials.

Inhalation: Not applicable.

Skin contact: None. Intended for skin contact. These products contain no natural latex.

Eye contact: None expected.

Ingestion: Not applicable.

Chronic toxicity: None expected.

Carcinogenicity Data: None of the components of this product is listed as a carcinogen by IARC, NTP, US OSHA or the EU CLP Annex VI.

Reproductive Toxicity: None known.

Numerical Measures of Toxicity:
Not acutely toxic.

12. ECOLOGICAL INFORMATION

Ecotoxicity: These gloves are manufactured articles. Their use will not result in adverse environmental effects.

Persistence and Degradability: Not degradable.

Bioaccumulative Potential: Not bioaccumulative.

Mobility in Soil: Not mobile.

Other Adverse Effects: None currently known.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all state, local and federal regulations. If unused, the product may be disposed of as a non-hazardous material.

14. TRANSPORT INFORMATION

US DOT Shipping Description: Not regulated

IATA Shipping Description (Air): Not regulated

IMDG Shipping Description (Vessel): Not regulated

15. REGULATORY INFORMATION

US Regulations

EPA Toxic Substances Control Act (TSCA): These gloves are articles and exempt from the TSCA regulations.

SARA 302 Listed Chemicals: None.

SARA 311/312 Hazard Categories: Not applicable to articles

SARA 313 This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under the SARA Section 313 (40 CFR 372): Not applicable to articles.

16. OTHER INFORMATION

Date Prepared: 6/24/2021

HMIS Rating: Health 0 Fire 1 Physical Hazard 0

The information contained herein is true and correct to the best of O&M Halyard, Inc's knowledge. However, no warranty, expressed or implied, is made. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. Final determination of the suitability of the material is the sole responsibility of the user.

June 24, 2021

Dear Customer,

O&M Halyard supplies the following items that meet the definition of an *article* under both OSHA and WHMIS. A Safety Data Sheet (SDS), therefore, is not required for them.

HALYARD* PURE**ZERO* **SMOOTH HG3 WHITE NITRILE GLOVES
HALYARD* PURE**ZERO* **HG3 WHITE NITRILE GLOVES
HALYARD* PURE**ZERO* **HG3 LIGHT BLUE NITRILE GLOVES
HALYARD* PURE**ZERO* **HG3 LIGHT BLUE STERILE NITRILE GLOVES
HALYARD* PURE**ZERO* **HG3 WHITE STERILE NITRILE GLOVES

Under the Occupational Safety and Health Administration (OSHA) 1910.1200, the Hazard Communication Standard Safety Data Sheets (SDS) are required for all hazardous chemicals with certain exceptions. One exception is for manufactured articles. An *article*, as defined in section (c), is "a manufactured item: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which, under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical or health risk to employees."

The Canadian WHMIS Regulation contains a similar exclusion for manufactured articles. While the EU Regulations do not specifically contain an exemption for manufactured articles, it is our opinion that those products sold by O&M Halyard that are considered articles in the U.S. and Canada would not be considered dangerous substances or preparations in the EU and would not require a Safety Data Sheet.

Since certain O&M Halyard products may be used to absorb bodily fluids or other potentially hazardous materials that may require special disposal, the user must determine the local, state, and federal regulations that apply to the disposal of the used products and ensure proper disposal.

Please feel free to contact us if you require any further information

William Swanger
Global Leader, Environment, Health, & Safety
William.swanger@hyh.com

*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2021. All rights reserved.

July 11, 2023

RE: HALYARD* PUREZERO* HG3 and HG5 Cleanroom Nitrile Gloves

O&M Halyard, Inc. confirms that our Halyard PUREZERO* HG3 and Halyard PUREZERO HG5 Nitrile Cleanroom Glove families are fully compliant with the related requirements of the European Union Regulation (EC) 1907/2006 concerning Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH).

O&M Halyard, Inc. hereby confirms that our Halyard PUREZERO* HG3 and Halyard PUREZERO HG5 Nitrile Cleanroom Gloves either do not contain the presence of greater than 0.1% of substances identified on the SVHC Candidate list according to Article 33 of the REACH Regulation and/or do not contain any of the listed substances.

Thank you for your interest in Halyard products. If you have any questions or need additional information, please do not hesitate to contact us at PIQ@hyh.com or call us directly at (844) 425-9273.

Sincerely,

Caitlin Senter
Director
Global Regulatory Affairs
O&M Halyard, Inc. . . . . .

*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2023. All rights reserved. COPY-04686

ISO 9001:2015

bsi.

By Royal Charter

Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 9001:2015

This is to certify that:

Safeskin Medical & Scientific
(Thailand) Ltd.
200 Moo 8, Kanchanavanich Road,
Tambol Prik, Amphur Sadao,
Songkhla
90120
Thailand

Holds Certificate Number: **FM 697757**

and operates a Quality Management System which complies with the requirements of ISO 9001:2015 for the following scope:

Design and Development, Production and Distribution of Industrial Gloves-Sterile and Non-Sterile Examination Gloves.

For and on behalf of BSI:

Michael Lam - Managing Director Assurance, APAC

Original Registration Date: 2018-08-12

Latest Revision Date: 2022-09-01

Effective Date: 2022-09-01

Expiry Date: 2025-08-31

...making excellence a habit.™

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsi-global.com/ClientDirectory or telephone +66(2) 2944889-92.
Further clarifications regarding the scope of this certificate and the applicability of ISO 9001:2015 requirements may be obtained by consulting the organization.
This certificate is valid only if provided original copies are in complete set.

ISO 9001:2015 (continued)

Certificate No: **FM 697757**

Location	Registered Activities
Safeskin Medical & Scientific (Thailand) Ltd. 200 Moo 8, Kanchanavanich Road, Tambol Prik, Amphur Sadao, Songkhla 90120 Thailand	Design and Development, Production and Distribution of Industrial Gloves-Sterile and Non-Sterile Examination Gloves. Including the following support function: Owens & Minor Halyard Incorporation. 5405 Windward Parkway, Alpharetta, GA, USA : Design and Development of Industrial Gloves-Sterile and Non-Sterile Examination Gloves.

Original Registration Date: 2018-08-12

Latest Revision Date: 2022-09-01

Effective Date: 2022-09-01

Expiry Date: 2025-08-31

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsi-global.com/ClientDirectory or telephone +66(2) 2944889-92.
Further clarifications regarding the scope of this certificate and the applicability of ISO 9001:2015 requirements may be obtained by consulting the organization. This certificate is valid only if provided original copies are in complete set.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

ISO 13485:2016

bsi.

By Royal Charter

Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 13485:2016

This is to certify that:

O & M Halyard, Inc.
9120 Lockwood Blvd
Mechanicsville
Virginia
23116
USA

Holds Certificate Number: FM 697013

and operates a Quality Management System which complies with the requirements of ISO 13485:2016 for the following scope:

The design and development, manufacture and distribution of surgical gowns, protective garments, face masks, surgical drapes, orthopedic soft goods, patient care products, cold therapy products, C-Section packs, OB Packs, orthopedic packs, sterile and non-sterile medical examination gloves, Temperature management systems for the areas of general surgery and general medical use and sterilization wrap and non-woven materials for medical devices.

For and on behalf of BSI:

Graeme Tunbridge, Senior Vice President Medical Devices

Original Registration Date: 2014-12-09
Latest Revision Date: 2023-01-07

Effective Date: 2023-01-09
Expiry Date: 2026-01-08

Page: 1 of 3

...making excellence a habit.™

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsigroup.com/ClientDirectory

Issuing Body: BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
BSI Group The Netherlands B.V. is registered in The Netherlands under number 33264284 | A Member of the BSI Group Holdings B.V.
Contact Office: 12950 Worldgate Drive, Suite 800, Herndon, VA 20170-6007 USA.

ISO 13485:2016 (continued)

Certificate No: FM 697013

Location	Registered Activities
O & M Halyard, Inc. 9120 Lockwood Blvd Mechanicsville Virginia 23116 USA	Headquarter management activities.
O & M Halyard, Inc. 1 Edison Drive Alpharetta Georgia 30005 USA	The design and development of surgical gowns, protective garments, face masks, surgical drapes, orthopedic soft goods, patient care products, cold therapy products, C-Section packs, OB Packs, orthopedic packs, sterile and non-sterile medical examination gloves, Temperature management systems for the areas of general surgery and general medical use and sterilization wrap and non-woven materials for medical devices.
Halyard North Carolina, LLC 389 Clyde Fitzgerald Rd. Linwood North Carolina 27299 USA	The manufacture of nonwoven materials for medical devices, Sterilization wrap, non-sterile face masks (respirators), and infection control products including disposable gowns and linens.
La Ada de Acuna 14 Finegan Road Del Rio Texas 78840 USA	Receiving and Incoming Inspection, Warehouse and Distribution. The manufacture of non-sterile face masks and respirators.
O&M Halyard Honduras S.A. de C.V. Carretera Tegucigalpa Villanueva Cortes Honduras	The manufacture and distribution of disposable sterile and non-sterile surgical gowns.
La Ada de Acuna Avenida Hidalgo #16 Parque Industrial San Carlos Nogales Sonora 84092 Mexico	Receiving and incoming inspection. Manufacturer/Conversion of nonwoven materials.

Original Registration Date: 2014-12-09

Latest Revision Date: 2023-01-07

Effective Date: 2023-01-09

Expiry Date: 2026-01-08

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsigroup.com/ClientDirectory

Issuing Body: BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
BSI Group The Netherlands B.V. is registered in The Netherlands under number 33264284 | A Member of the BSI Group Holdings B.V.
Contact Office: 12950 Worldgate Drive, Suite 800, Herndon, VA 20170-6007 USA.

ISO 13485:2016 (continued)

Certificate No: FM 697013

Location	Registered Activities
La Ada de Acuna Km. 4.5 Carretera Presa La Amistad Ciudad De Acuna Coahuila 26220 Mexico	The manufacture of non-sterile face masks (surgical isolation, industrial and respirator), non-surgical gowns, cold therapy products, and sterilization wrap.
La Ada de Acuna S.De. R.L. De C.V AV. Hidalgo #6 Esq., Blvd., Luis Donaldo Colosio, Col. Educativa Nogales Sonora Sonora 84093 Mexico	The manufacture of disposable products including sterile and non sterile surgical packs, gowns and components. The manufacture of temperature management systems for areas of general surgery.
Safeskin Medical & Scientific (Thailand) Ltd. 200 Moo 8, Kanchanavanich Road, Tambol Prik, Amphur Sadao, Songkhla 90120 Thailand	The design and development, production and distribution of industrial gloves, sterile and non-sterile medical examination gloves.
La Ada de Acuna II Lote #8 del parque Industrial la Paz II Carretera Santa Eulalia #810 Cd. Acuña Coahuila C.P.26238 Mexico	Warehouse space for the storage of raw materials, components, and spare parts.
O&M Halyard Honduras S.A. de C.V. Carreterra Tegucigalpa Villanueva Building #7 Cortes Honduras	The manufacture and distribution of disposable non-sterile apparel and surgical gowns.

Original Registration Date: 2014-12-09

Latest Revision Date: 2023-01-07

Effective Date: 2023-01-09

Expiry Date: 2026-01-08

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsigroup.com/ClientDirectory

Issuing Body: BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
BSI Group The Netherlands B.V. is registered in The Netherlands under number 33264284 | A Member of the BSI Group Holdings B.V.
Contact Office: 12950 Worldgate Drive, Suite 800, Herndon, VA 20170-6007 USA.

ISO 14001:2015

bsi.

By Royal Charter

Certificate of Registration

ENVIRONMENTAL MANAGEMENT SYSTEM - ISO 14001:2015

This is to certify that:

Safeskin Medical & Scientific
(Thailand) Ltd.
200 Moo 8, Kanchanavanich Road,
Tambol Prik, Amphur Sadao,
Songkhla
90120
Thailand

Holds Certificate Number: **EMS 772160**

and operates an Environmental Management System which complies with the requirements of ISO 14001:2015 for the following scope:

The Manufacturing of Medical and Scientific Gloves.

For and on behalf of BSI:

Michael Lam - Managing Director Assurance, APAC

Original Registration Date: 2022-10-27
Latest Revision Date: 2022-10-27

Effective Date: 2022-10-27
Expiry Date: 2025-10-26

Page: 1 of 1

...making excellence a habit.™

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.
An electronic certificate can be authenticated online.
Printed copies can be validated at www.bsi-global.com/ClientDirectory or telephone +66(2) 2944889-92.
Further clarifications regarding the scope of this certificate and the applicability of ISO 14001:2015 requirements may be obtained by consulting the organization.
This certificate is valid only if provided original copies are in complete set.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.

May 4, 2023

RE: HALYARD* PUREZERO* HG3 and HG5 Nitrile Gloves

Dear Valued Customer,

This letter is in response to your recent accelerator-free inquiry for the HALYARD* PUREZERO* HG3 and HG5 Nitrile Gloves.

The following gloves are accelerator-free and are not formulated with the following vulcanizing chemicals and accelerators: Sulfur, Thiurams, Thiaxoles, Guanidines, Carbamates.†

HALYARD* PUREZERO* HG3 White Nitrile Gloves
HALYARD* PUREZERO* HG3 Light Blue Nitrile Gloves
HALYARD* PUREZERO* HG3 White SGX* Nitrile Gloves
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves
HALYARD* PUREZERO* HG3 Light Blue Sterile Nitrile Gloves

HALYARD* PUREZERO* HG5 White Nitrile Gloves
HALYARD* PUREZERO* HG5 Blue SGX* Nitrile Gloves

Thank you for your interest in Halyard products. If you have any questions or need additional information, please do not hesitate to contact us at PIQ@hyh.com or call us directly at (844) 425-9273.

Sincerely,

Shannon Smith

Shannon Smith
Associate Product Manager
O&M Halyard, Inc.

† The chemicals and accelerators shown is not a comprehensive list.

*Registered Trademark or Trademark of O&M Halyard or its affiliates.

COPY-04632

1 Edison Drive, Alpharetta, GA 30005 | 844.425.9273
owens-minor.com | halyardhealth.com | byramhealthcare.com

PUREZERO*

HG3 Nitrile Cleanroom Gloves

ADDED PROTECTION FROM THE RISK OF CHEMICAL EXPOSURE

It's critical to protect staff from exposure to potentially hazardous chemicals and chemotherapy drugs. In addition to providing a barrier to chemical splash, microorganisms and viruses, **PURE**ZERO* HG3 Cleanroom Gloves are **now tested against 29 chemicals, 14 chemotherapy drugs and Fentanyl.**

Meets USP <800> Guidelines.

Tested against Fentanyl.

CHEMOTHERAPY DRUG RESISTANCE GUIDE[4]

Chemotherapy Agent (Concentration in mg/ml)	HALYARD* **PURE**ZERO* HG3 Light Blue Nitrile Gloves	
	Minimum Breakthrough Detection Time (minutes)	Average Steady State Perm. Rate (µg/cm²/min)
Carmustine (BCNU) (3.3)	24.7	0.66
Cisplatin (1.0)	>240	N/A
Cyclophasphamide (20.0)	>240	N/A
Dacarbazine (10.0)	>240	N/A
Doxorubicin HCL (2.0)	>240	N/A
Etoposide (20.0)	>240	N/A
Fluorouracil (50.0)	>240	N/A
Ifosfamide (50.0)	>240	N/A
Methotrexate (25.0)	>240	N/A
Mitomycin C (0.5)	>240	N/A
Mitoxantrone (2.0)	>240	N/A
Paclitaxel (6.0)	>240	N/A
Thiotepa (10.0)	27.4	0.60
Vincristine (1.0)	>240	N/A
Additional Tests		
Fentanyl Citrate Injection, 100 mcg/2mL	>240	N/A

Use the rating system below to determine the chemotherapy compatibility for exposure:

<10	Not recommended for use - breakthrough can occur in less than 10 minutes.
11 - 239	Use with caution - breakthrough can occur between 11 and 239 minutes.
>240	Recommended for protection - no breakthrough up to 240 minutes.
N/A	The chemotherapy drug did not reach the minimum permeation rate (0.01 µg/cm²/min) as defined within ASTM D6978.

CAUTION: It's the user's responsibility to determine the applicability of these gloves for their intended use with chemotherapy drugs.

Contact your Sales Representative for additional chemical and chemotherapy drug testing information.

DEFINITION OF TERMS

Breakthrough time: The time required for the test chemical to be detected on the inside of the glove. Essentially, this is the amount of time that the glove can resist a chemical when the glove is fully immersed in the chemical.

Permeation: The process where chemicals, such as liquids, gases and vapors can pass through a glove film (or other PPE interfaces) without penetrating directly through a pinhole, tear or other visible opening.

Permeation rate: The flowrate of the chemical after the chemical breaks through the inside of the glove. It is measured in amount per surface area of the glove per time (µg/cm²/min).

PUREZERO*

HG3 Nitrile Cleanroom Gloves

CHEMICAL RESISTANCE GUIDE[5]

	HALYARD* **PURE**ZERO HG3 Light Blue Nitrile Gloves	
Chemical (Concentration %)	Minimum Breakthrough Detection Time (minutes)	Average Steady State Perm. Rate (µg/cm²/min)
1-Butanol (99)	23.9	1.6E+01
Acetic Acid (30)	269.2	0.3
Acrylamide (40)	>480	<1.0
Benzalkonium Chloride (1)	>480	<1.0
Chloroform (70)	0	–
Citric Acid (30)	>480	N/A
Citric Acid (70)	>480	<1.0
Cyclohexane (99)	44.9	7.0E+01
Didecyldimethylammonium Chloride (0.04)	>480	<1.0
Dimethylformamide (99)	0.2	–
Dimethyl Sulfoxide (99)	5.1	9.0
Ethanol (70)	30.6	7.6
Ethanol (99)	7.1	N/A
Ethidium Bromide (1)	>480	<1.0
Glycolic Acid (10)	>480	<1.0
Glutaraldehyde (50)	>480	<1.0
Hydrazine Monohydrate (55)	>480	<1.0
Hydrochloric Acid (30)	>480	<1.0
Isopropyl Alcohol (70)	33.0	1.1E+01
Isopropyl Alcohol (99)	16.6	1.6E+01
Methanol (99)	0	N/A
Nitric Acid (65)	6.5	1.3E+04
Peracetic Acid (5)	>480	<1.0
Phosphoric Acid (70)	>480	<1.0
Sodium Hydroxide (50)	>480	<1.0
Sodium Hypochlorite (10-13)	>480	<1.0
Spor-Klenz (N/A)	>480	<1.0
Sulfuric Acid (50)	>480	<1.0
Sulfuric Acid (99)	10.0	N/A

Use the rating system below to determine the chemical compatibility for exposure:

<10	Not recommended for use - breakthrough can occur in less than 10 minutes.
11 - 479	Use with caution - breakthrough can occur between 11 and 479 minutes.
>480	Permeation breakthrough is excellent. Permeation does not occur during the test (8 hours).
N/A	The chemical did not reach the minimum permeation rate (1 µg/cm²/min) as defined within EN 16523-1. There is a possibility for trace amounts of the chemical to permeate through the glove.
–	The permeation rate was beyond the range of the detection instruments. The permeation of the chemical through the glove film may be too high for the detector to reach a steady-state reading.

CAUTION: It's the user's responsibility to determine the applicability of these gloves for their intended use.

November 13th, 2023

RE: **ESD Testing for HALYARD* PURE**ZERO*** Nitrile Gloves**

Dear Valued Customer,

This letter is in response to your recent inquiry regarding ESD testing of **HALYARD* PURE**ZERO*** Nitrile Gloves.**

The following **HALYARD* PURE**ZERO*** Nitrile Glove** families have been tested against ANSI/ESD STM15.1:2019 "In-Use Resistance Testing of Gloves and Finger Cots":

HALYARD* PUREZERO* **HG3 Cleanroom Nitrile Gloves**

HALYARD* **PURE**ZERO* HG3 White Nitrile Gloves	CLN3031XS
HALYARD* **PURE**ZERO* HG3 White Nitrile Gloves	CLN3031SM
HALYARD* **PURE**ZERO* HG3 White Nitrile Gloves	CLN3031MD
HALYARD* **PURE**ZERO* HG3 White Nitrile Gloves	CLN3031LG
HALYARD* **PURE**ZERO* HG3 White Nitrile Gloves	CLN3031XL
HALYARD* **PURE**ZERO* HG3 Blue Nitrile Gloves	CLN9031XS
HALYARD* **PURE**ZERO* HG3 Blue Nitrile Gloves	CLN9031SM
HALYARD* **PURE**ZERO* HG3 Blue Nitrile Gloves	CLN9031MD
HALYARD* **PURE**ZERO* HG3 Blue Nitrile Gloves	CLN9031LG
HALYARD* **PURE**ZERO* HG3 Blue Nitrile Gloves	CLN9031XL
HALYARD* **PURE**ZERO* HG3 White SGX* Nitrile Gloves	CLN3231XS
HALYARD* **PURE**ZERO* HG3 White SGX* Nitrile Gloves	CLN3231SM
HALYARD* **PURE**ZERO* HG3 White SGX* Nitrile Gloves	CLN3231MD
HALYARD* **PURE**ZERO* HG3 White SGX* Nitrile Gloves	CLN3231LG
HALYARD* **PURE**ZERO* HG3 White SGX* Nitrile Gloves	CLN3231XL
HALYARD* **PURE**ZERO* HG3 White Sterile Nitrile Gloves	CLN323260
HALYARD* **PURE**ZERO* HG3 White Sterile Nitrile Gloves	CLN323265
HALYARD* **PURE**ZERO* HG3 White Sterile Nitrile Gloves	CLN323270
HALYARD* **PURE**ZERO* HG3 White Sterile Nitrile Gloves	CLN323275
HALYARD* **PURE**ZERO* HG3 White Sterile Nitrile Gloves	CLN323280
HALYARD* **PURE**ZERO* HG3 White Sterile Nitrile Gloves	CLN323285
HALYARD* **PURE**ZERO* HG3 White Sterile Nitrile Gloves	CLN323290
HALYARD* **PURE**ZERO* HG3 White Sterile Nitrile Gloves	CLN323210

1 Edison Drive, Alpharetta, GA 30005 | 844.425.9273
owens-minor.com | halyardhealth.com | byramhealthcare.com

HALYARD* **PURE**ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923260
HALYARD* **PURE**ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923265
HALYARD* **PURE**ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923270
HALYARD* **PURE**ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923275
HALYARD* **PURE**ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923280
HALYARD* **PURE**ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923285
HALYARD* **PURE**ZERO* HG3 Blue Sterile Nitrile Gloves	CLN923290
HALYARD* PUREZERO* HG3 Blue Sterile Nitrile Gloves	CLN923210

HALYARD* PUREZERO* **HG5 Cleanroom Nitrile Gloves**

HALYARD* **PURE**ZERO* HG5 White Nitrile Gloves	CLN30512XS
HALYARD* **PURE**ZERO* HG5 White Nitrile Gloves	CLN30512SM
HALYARD* **PURE**ZERO* HG5 White Nitrile Gloves	CLN30512MD
HALYARD* **PURE**ZERO* HG5 White Nitrile Gloves	CLN30512LG
HALYARD* **PURE**ZERO* HG5 White Nitrile Gloves	CLN30512XL
HALYARD* **PURE**ZERO* HG5 Blue SGX* Nitrile Gloves	CLN92512XS
HALYARD* **PURE**ZERO* HG5 Blue SGX* Nitrile Gloves	CLN92512SM
HALYARD* **PURE**ZERO* HG5 Blue SGX* Nitrile Gloves	CLN92512MD
HALYARD* **PURE**ZERO* HG5 Blue SGX* Nitrile Gloves	CLN92512LG
HALYARD* **PURE**ZERO* HG5 Blue SGX* Nitrile Gloves	CLN92512XL

HALYARD* PUREZERO* **Nitrile Exam Gloves**

HALYARD* **PURE**ZERO* MARIN* Nitrile Exam Gloves	LFS111XS
HALYARD* **PURE**ZERO* MARIN* Nitrile Exam Gloves	LFS111SM
HALYARD* **PURE**ZERO* MARIN* Nitrile Exam Gloves	LFS111MD
HALYARD* **PURE**ZERO* MARIN* Nitrile Exam Gloves	LFS111LG
HALYARD* **PURE**ZERO* MARIN* Nitrile Exam Gloves	LFS111XL
HALYARD* **PURE**ZERO* MARIN-XTRA* Nitrile Exam Gloves	LFS121XS
HALYARD* **PURE**ZERO* MARIN-XTRA* Nitrile Exam Gloves	LFS121SM
HALYARD* **PURE**ZERO* MARIN-XTRA* Nitrile Exam Gloves	LFS121MD
HALYARD* **PURE**ZERO* MARIN-XTRA* Nitrile Exam Gloves	LFS121LG
HALYARD* **PURE**ZERO* MARIN-XTRA* Nitrile Exam Gloves	LFS121XL
HALYARD* **PURE**ZERO* LIMON* Nitrile Exam Gloves	LFS311XS
HALYARD* **PURE**ZERO* LIMON* Nitrile Exam Gloves	LFS311SM
HALYARD* **PURE**ZERO* LIMON* Nitrile Exam Gloves	LFS311MD

HALYARD* **PURE**ZERO* LIMON* Nitrile Exam Gloves	LFS311LG
HALYARD* **PURE**ZERO* LIMON* Nitrile Exam Gloves	LFS311XL
HALYARD* **PURE**ZERO* LIMON-XTRA* Nitrile Exam Gloves	LFS321XS
HALYARD* **PURE**ZERO* LIMON-XTRA* Nitrile Exam Gloves	LFS321SM
HALYARD* **PURE**ZERO* LIMON-XTRA* Nitrile Exam Gloves	LFS321MD
HALYARD* **PURE**ZERO* LIMON-XTRA* Nitrile Exam Gloves	LFS321LG
HALYARD* **PURE**ZERO* LIMON-XTRA* Nitrile Exam Gloves	LFS321XL
HALYARD* **PURE**ZERO* ULTRA VIOLET* Nitrile Exam Gloves	LFS511XS
HALYARD* **PURE**ZERO* ULTRA VIOLET* Nitrile Exam Gloves	LFS511SM
HALYARD* **PURE**ZERO* ULTRA VIOLET* Nitrile Exam Gloves	LFS511MD
HALYARD* **PURE**ZERO* ULTRA VIOLET* Nitrile Exam Gloves	LFS511LG
HALYARD* **PURE**ZERO* ULTRA VIOLET* Nitrile Exam Gloves	LFS511XL

HALYARD* PUREZERO* **Nitrile Gloves**

HALYARD* **PURE**ZERO* MARIN* Nitrile Gloves	LFS1117XS
HALYARD* **PURE**ZERO* MARIN* Nitrile Gloves	LFS1117SM
HALYARD* **PURE**ZERO* MARIN* Nitrile Gloves	LFS1117MD
HALYARD* **PURE**ZERO* MARIN* Nitrile Gloves	LFS1117LG
HALYARD* **PURE**ZERO* MARIN* Nitrile Gloves	LFS1117XL
HALYARD* **PURE**ZERO* LIMON* Nitrile Gloves	LFS3117XS
HALYARD* **PURE**ZERO* LIMON* Nitrile Gloves	LFS3117SM
HALYARD* **PURE**ZERO* LIMON* Nitrile Gloves	LFS3117MD
HALYARD* **PURE**ZERO* LIMON* Nitrile Gloves	LFS3117LG
HALYARD* **PURE**ZERO* LIMON* Nitrile Gloves	LFS3117XL
HALYARD* **PURE**ZERO* ULTRA VIOLET* Nitrile Gloves	LFS5117XS
HALYARD* **PURE**ZERO* ULTRA VIOLET* Nitrile Gloves	LFS5117SM
HALYARD* **PURE**ZERO* ULTRA VIOLET* Nitrile Gloves	LFS5117MD
HALYARD* **PURE**ZERO* ULTRA VIOLET* Nitrile Gloves	LFS5117LG
HALYARD* **PURE**ZERO* ULTRA VIOLET* Nitrile Gloves	LFS5117XL

Based on the ANSI/ESD STM15.1:2019 test results from an external laboratory at conditions of 12% RH and 23°C, all **HALYARD* PURE**ZERO* **Nitrile Glove** product families listed above are within the dissipative classification range (Resistance = 10^4 to 10^{11} ohms) as defined by ANSI/ESD standards.

Therefore, **HALYARD* PURE**ZERO* **Nitrile Gloves** are considered to be static dissipative in-use.
Please note that this is based on a standardized test method in a laboratory environment, and the resistance test results and classification do not fully characterize the glove for all electrostatic properties. Other electrostatic properties, such as charge accumulation, and specific process conditions may need to be assessed based on your particular application prior to use.

Thank you for your interest in Halyard products. If you have any questions or need additional information, please do not hesitate to contact us at PIQ@hyh.com or call us directly at (844) 425-9273.

Sincerely,

Caitlin Senter
Director
Global Regulatory Affairs
O&M Halyard, Inc.

Ryan Solan
Manager
Global Research and Development
O&M Halyard, Inc.

*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2023. All rights reserved.

COPY-04825

1 Edison Drive, Alpharetta, GA 30005 | 844.425.9273
owens-minor.com | halyardhealth.com | byramhealthcare.com

RE: Compliance statement – HALYARD* **PURE**ZERO* Nitrile Gloves

Please be advised that to the best of O&M Halyard knowledge, the **PURE**ZERO* HG3 Nitrile Gloves and HALYARD* **PURE**ZERO* HG5 Nitrile Gloves are produced entirely from materials of synthetic origin and therefore are free from human or any other animal derived materials including bovine products (Bovine Spongiform Encephalopathy (BSE) and Transmissible Spongiform Encephalopathy (TSE)).

- *Under various environmental protection and product safety regulations, directives, standards, and initiatives "intentionally introduced" means "deliberately utilized during the manufacture of the components and/or for the formulation of a material or component where its continued presence is desired in the final product to provide a specific property, appearance or quality."*

This information is based on O&M Halyard, Inc.'s knowledge of these products at the time of publication.

If you have any questions or need additional information, please do not hesitate to contact us at PIQ@hyh.com or call us directly at (844) 425-9273.

–This statement is valid unsigned –

*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2020, 2022. All rights reserved.

March 14th, 2023

RE: HALYARD* PUREZERO* Nitrile Gloves

Dear Valued Customer,

This letter is in response to your recent inquiry regarding storage conditions of HALYARD* PUREZERO* Nitrile Gloves.

As displayed by the indications on the packaging labeling, HALYARD* PUREZERO* Nitrile Gloves shall be stored in conditions where the product is kept dry (away from moisture), away from direct sunlight, away from sources of heat, and away from radioactive sources. To reduce the potential of accelerated aging, it is recommended to store the product at standard room temperature conditions, when possible.

Thank you for your interest in HALYARD* products. If you have any questions or need additional information, please do not hesitate to contact us at PIQ@hyh.com or call us directly at (844) 425-9273.

Sincerely,

Ryan Solan

Ryan Solan
R&D Senior Engineer
Global Research and Development
O&M Halyard, Inc.

Theresa McCoy

Theresa McCoy
Global Product Manager
Global Strategic Marketing
O&M Halyard, Inc.

*Registered Trademark or Trademark of O&M Halyard or its affiliates.

COPY-04606

September 24, 2023

RE: HALYARD* PUREZERO* HG3 and HG5 Nitrile Gloves

Dear Valued Customer,

This letter is in response to your recent inquiry regarding the presence of silicone for the PUREZERO* HG3 White Nitrile Gloves, PUREZERO* HG3 White SGX* Nitrile Gloves, PUREZERO* HG3 Light Blue Nitrile Gloves, PUREZERO* HG3 Sterile Light Blue Nitrile Gloves, PUREZERO* HG3 Sterile White Nitrile Gloves, HALYARD* PUREZERO* HG5 White Nitrile Gloves, and HALYARD* PUREZERO* HG5 Blue SGX* Nitrile Gloves.

According to ASTM E1252 Standard Practice for General Techniques for Obtaining Spectra for Qualitative Analysis, the results below reflect the detectable limits of silicone covering the spectral range from 4000cm$_1$ to 50cm^{-1}- via FT-IR (Fourier Transform Infrared Anaysis). The results below indicate that the HALYARD* PUREZERO* HG3 NITRILE GLOVES and HALYARD* PUREZERO* HG5 NITRILE GLOVES have no silicone detectable on the outside surface and inside surface of either gloves sampled per 3rd party testing.

The following product codes are applicable: PUREZERO* HG3 White Nitrile Gloves: CLN92512XS, CLN92512SM, CLN92512MD, CLN92512LG, CLN92512XL; PUREZERO* HG3 Light Blue Nitrile Gloves: CLN90511XS, CLN90511SM, CLN90511MD, CLN90511LG, CLN90511XL; PUREZERO* HG3 White SGX* Nitrile Gloves: CLN3031XS, CLN3031SM, CLN3031MD, CLN3031LG, CLN3031XL; PUREZERO* HG3 Sterile White Nitrile Gloves: CLN323260, CLN323265, CLN323270, CLN323275, CLN323280, CLN323290, CLN323210; PUREZERO* HG3 Sterile Light Blue Nitrile Gloves: CLN923260, CLN923265, CLN923270, CLN923275, CLN923280, CLN923285, CLN923290, CLN923210; HALYARD* PUREZERO* HG5 White Nitrile Gloves: CLN30512XS, CLN30512SM, CLN30512MD, CLN30512LG, and CLN30512XL; HALYARD* PUREZERO* HG5 Blue SGX* Nitrile Gloves: CLN92512XS, CLN92512SM, CLN92512MD, CLN92512LG, and CLN92512XL.

Fourier Transform Per ASTM Infrared Anaysis (FT-IR) E1252-98(21)	
Gloves	Results
PUREZERO* HG3 and HG5 Nitrile Gloves	No silicon detected

Thank you for your interest in Halyard products. If you have any questions or need additional information, please do not hesitate to contact us at PIQ@hyh.com or call us directly at (844) 425-9273.

Sincerely

*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2023. All rights reserved.

COPY-04662

Caitlin Senter
Director
Global Regulatory Affairs
O&M Halyard, Inc.

Nimia Maya
R&D Engineer II
Global Research and Development
O&M Halyard, Inc.

*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2023. All rights reserved.

COPY-04662

October 2023

TITLE: HALYARD* **PURE**ZERO***** HG3 & HG5 Nitrile Gloves Packaging

UPDATE: Alternate packaging supplier for HALYARD* **PURE**ZERO***** HG3 and HG5 Nitrile Gloves

WHAT YOU NEED TO KNOW:

There will be an alternate supplier for the packaging (poly bag, poly pouch and poly wallet) used for **HALYARD* PURE**ZERO*** HG3 and HG5 Nitrile Gloves**

WHAT YOU CAN EXPECT:

There is an alternate supplier being qualified to supply the poly bag, poly pouch and poly wallet used to package **HALYARD* PURE**ZERO*** HG3 and HG5 Nitrile Gloves.** The alternate supplier, TAKO Astatic Technology SDN BHD, will supply the same packaging as our current supplier, Tip Corporation SDN BHD. All specifications for the packaging, including the material, composition, dimensions, thickness, and ink, will be identical to the current packaging. There will be no change to the appearance of the packaging or printing. There will be no change to the sterilization process or the sterility assurance level of the products. Additionally, there will be no changes to the product codes or product labeling.

TIMING OF CHANGE: There will be a rolling change for the alternate supplier's packaging that will enter our inventory as early as December 2023. Both packaging vendors could be used based on supply chain availability.

PRODUCTS IMPACTED BY THIS CHANGE:

PUREZERO* HG3 White Nitrile Gloves
CODE
CLN3031XS
CLN3031SM
CLN3031MD
CLN3031LG
CLN3031XL
PUREZERO* HG3 Light Blue Nitrile Gloves
CODE
CLN9031XS
CLN9031SM
CLN9031MD
CLN9031LG
CLN9031MD
PUREZERO* HG3 White SGX* Nitrile Gloves
CODE
CLN3231XS
CLN3231SM
CLN3231MD
CLN3231LG
CLN3231XL
PUREZERO* HG3 White Sterile Nitrile Gloves
CODE
CLN323260
CLN323265
CLN323270
CLN323275
CLN323280
CLN323285
CLN323290
CLN323210
PUREZERO* HG3 Light Blue Sterile Nitrile Gloves
CODE
CLN923260
CLN923265
CLN923270
CLN923275
CLN923280
CLN923285
CLN923290
CLN923210

PUREZERO* HG5 White Nitrile Gloves
CODE
CLN30512XS
CLN30512SM
CLN30512MD
CLN30512LG
CLN30512XL
PUREZERO* HG5 Blue SGX* Nitrile Gloves
CODE
CLN92512XS
CLN92512SM
CLN92512MD
CLN92512LG
CLN92512XL

Thank you for your interest in HALYARD* products. If you have any questions or need additional information including example certifications, please do not hesitate to contact us at PIQ@hyh.com, call us directly at 1-844-425-9273 or reach out to your O&M Halyard commercial representative or distributor.

Sincerely,

Gustavo Fiallos
Director Global Quality Operations, Owens & Minor

*Registered Trademark or Trademark of O&M Halyard. © 2023. All rights reserved. COPY-04748

1 Edison Drive, Alpharetta, GA 30005 | 844.425.9273
owens-minor.com | halyardhealth.com | byramhealthcare.com

PUREZERO*
Cleanroom Nitrile Gloves

HALYARD*

GUIDE TO DONNING AND DOFFING OF NON-STERILE CLEANROOM GLOVES

DONNING GLOVES

Grasp the beaded cuff of one glove and carefully pull over the opposite hand.

Gently ease the glove up over the hand and wrist.

Grasp the second glove at the edge of the beaded cuff.

Gently ease the glove up over the hand and wrist.

You are now ready to perform your task.

DOFFING GLOVES

Grasp the exterior of one glove with your other gloved hand.

Carefully pull the glove off your hand, turning it inside-out.

Ball the glove up and hold in your other gloved hand.

Slide your ungloved fingers into the opening of the other glove.

Carefully pull the glove off your hand, turning it inside-out and wrapping it around the doffed glove in your palm.

Discard appropriately.

For more information, contact your HALYARD* representative or distributor, or visit **www.purezerogloves.com**

*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2022. All rights reserved.
008439 COPY-04280