Überschuhe Polyethylen Light CELOS

pure11-Nr.: 1103601, Marke: CELOS

Eigenschaften

- Marke: CELOS
- Materialzusammensetzung: Reinmaterial
- Material: Polyethylen
- Anzahl in kleinster Unterverpackung: 100
- Ausführung: niedrig
- Gebrauch: Einweg
- Länge in cm: 41 cm
- Materialstärke in mm: 0,04 mm
- Polyethylen: 100 %
- Schuhart: Überschuhe
- Verschluss: Gummizug

Empfohlene Reinraumklassen

ISO 6 | 7 | 8 | 9

GMP C | D

we care

pure11 GmbH |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

Material

- Polyethylen

Verpackung

- 2000STK

Produktvarianten

pure[11]-Nr.: 1103601BLUNI, Überschuhe Polyethylen Light CELOS

Farbe: Blau; Ausführung: Niedrig / VE: 2000STK

pure[11]-Nr.: 1103601GNUNI, Überschuhe Polyethylen Light CELOS

Farbe: Grün; Ausführung: Niedrig / VE: 2000STK

pure[11]-Nr.: 1103601RDUNI, Überschuhe Polyethylen Light CELOS

Farbe: Rot; Ausführung: Niedrig / VE: 2000STK

pure[11]-Nr.: 1103601WHUNI, Überschuhe Polyethylen Light CELOS

Farbe: Weiß; Ausführung: Niedrig / VE: 2000STK

CELOS®
a pure[11] brand

CELOS® Shoecover Light

Product information:

Material	Polyethylene
Process	Made from a very tear-resistant CPE, handmade
Properties	With extra robust elastic band, perforated surface
Basic weight	4.5 g
Thickness	Approx. 0.04 mm
Color	White, blue, green, red

Product:

Part number	*Variant*	*Style*	*Color*	*Size*	*Inner packaging*	*Outer packaging*	*Quantity per case*
1103601	WHUNI	Non-sterile	White	15 x 41 cm	100 pcs/IB	1 IB/OB	20 OB/case
	BLUNI		Blue				
	GNUNI		Green				
	RDUNI		Red				

IB=Inner Bag; OB=Outer Bag

Characteristics:

- Robust design that withstands heavy loads
- Easy to open and to put on
- Significantly higher quality than other overshoes
- Waterproof
- Slip-resistant

Size:

Item	*Size*	*Tolerance*	*Remarks*
A	41 cm	+/- 2 cm	
B	15 cm	+/- 2 cm	
C	8 cm	+/- 2 cm	



pure[11] has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure[11] does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.

pure11 GmbH | Sitz: Grünwald
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

we care