

CELOS



CELOS®  
a pure<sup>11</sup> brand

## Überschuhe ESD Non-Skid CELOS

pure<sup>11</sup>-Nr.: 1103624, Marke: CELOS

### Eigenschaften

- Marke: CELOS
- Materialzusammensetzung: Reinmaterial
- ESD-Eigenschaften
- Material: Polypropylen (PP)
- Rutschhemmende Sohle
- Anzahl in kleinster Unterverpackung: 100
- Ausführung: niedrig
- Gebrauch: Einweg
- Länge in cm: 39 cm
- Polypropylen: 100 %
- Schuhart: Überschuhe
- Verschluss: Gummizug

### Empfohlene Reinraumklassen

ISO 6 | 7 | 8 | 9

GMP C | D



### Material

- Polypropylen (PP)

### Verpackung

- 300STK

## Produktvarianten

---

**pure<sup>11</sup>-Nr.: 1103624BLUNI, Überschuhe ESD Non-Skid CELOS**

Farbe: Blau; Ausführung: Niedrig / VE: 300STK

---

## Shoe-Cover ESD Non-Skid CELOS®

### Product information:

|                     |                                                                                  |
|---------------------|----------------------------------------------------------------------------------|
| <i>Material</i>     | Polypropylene, polyester and carbon                                              |
| <i>Process</i>      | Shoe cover made of 100 % polypropylene with attached polyester and carbon ribbon |
| <i>Properties</i>   | ESD compliant, polyester ribbon with carbon                                      |
| <i>Basic weight</i> | 40 g/m <sup>2</sup> (+/- 2 g)                                                    |
| <i>Color</i>        | Blue                                                                             |


### Product:

| Part number    | Style       | Size       | Inner packaging | Quantity per case |
|----------------|-------------|------------|-----------------|-------------------|
| <b>1103624</b> | Non-sterile | 17 x 39 cm | 100 pcs/IB      | 3 IB/case         |

IB=Inner Bag

### Characteristics:

- Robust design that withstands heavy loads
- Non-slip coating
- The ESD strap is placed over the entire sole ensuring permanent contact
- Produced and packed in a controlled environment
- Traceability with every batch



| Item | Size     | Tolerance |
|------|----------|-----------|
| A    | 41 cm    | +/- 2 cm  |
| B    | 17 cm    | +/- 2 cm  |
| C    | 12/30 cm | +/- 2 cm  |
| D    | 75 cm    | +/- 2 cm  |

pure<sup>11</sup> has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure<sup>11</sup> does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.