



Tuch CELOS Wiper 1.10

pure¹¹-Nr.: 1106039, Marke: CELOS

Eigenschaften

- Marke: CELOS
- Flächengewicht in g/m²: 60 g/m²
- Struktur: Vliesstoff
- Material: Polyester/Zellulose
- Lieferform in Verpackung: gelegt
- Verpackungsform: Beutel
- Anzahl in kleinster Unterverpackung: 300
- Kantenverarbeitung: Kalt geschnitten
- Chemikalienbeständigkeit
- Gebrauch: Einweg
- Hydroverfestigt
- Polyester/PES: 50 %
- Zellulose: 50 %
- Flächengewicht in g/m²: 60 g/m²

Empfohlene Reinraumklassen

ISO 5|6|7|8|9

GMP C|D

Material

- Polyester/Zellulose

Verpackung

- 150STK

Produktvarianten

pure¹¹-Nr.: 11060393131WH, Tuch CELOS Wiper 1.10

Größe: 31 x 31 cm (12 x 12"); Farbe: Weiß / VE: 150STK

pure¹¹-Nr.: 11060391010WH, Tuch CELOS Wiper 1.10

Größe: 10 x 10 cm (4 x 4"); Farbe: Weiß / VE: 1200STK

pure¹¹-Nr.: 11060391515WH, Tuch CELOS Wiper 1.10

Größe: 15 x 15 cm (6 x 6"); Farbe: Weiß / VE: 600STK

pure¹¹-Nr.: 11060392323WH, Tuch CELOS Wiper 1.10

Größe: 23 x 23 cm (9 x 9"); Farbe: Weiß / VE: 300STK

pure¹¹-Nr.: 11060393740WH, Tuch CELOS Wiper 1.10

Größe: 37 x 40 cm (14,57 x 15,75"); Farbe: Weiß / VE: 75STK

CELOS® Wiper 1.10

Product information:

<i>Material</i>	Cellulose/Polyester
<i>Process</i>	Non-woven fabric wiper - 50 % virgin cellulose and 50 % polyester
<i>Application</i>	Cleanroom wiper for wet and dry applications, ideal for cleaning, wiping and as soft support
<i>Cutting process</i>	Individual cut
<i>Basic weight</i>	60 g/m ² (+/- 5 g)
<i>Thickness</i>	0.23 mm (+/- 0.05 mm)
<i>Color</i>	White

Product:

Part number	Variant	Style	Size	Inner packaging	Outer packaging	Quantity per case
1106039	WH1010	Non-sterile	10 x 10 cm (4 x 4")	300 pcs/IB	1200 pcs/OB	6 OB/case
	WH1515		15 x 15 cm (6 x 6")	300 pcs/IB	600 pcs/OB	8 OB/case
	WH2323		23 x 23 cm (9 x 9")		300 pcs/OB	6 OB/case
	WH3131		31 x 31 cm (12 x 12")		150 pcs/OB	10 OB/case
	WH3740		37 x 40 cm (14.5 x 15.7")		75 pcs/OB	7 OB/case

IB=Inner Bag; OB=Outer Bag

Characteristics:

- Mixing process without chemical adhesion reduces chemical impurities
- High bidirectional strength of material due to hydroentanglement
- Suitable for soft surfaces and sensitive components
- Inspection of every wiper
- Individual cutting of every piece
- Double packaging
- Production and packaging in a controlled environment

Performance parameter:

	Specification	Unit
Sorbency capacity	> 250	ml/m ²
Sorbency (IPA)	< 1	seconds
LPC (≥ 0.5 µm)	< 8,000	counts/cm ²
APC (≥ 0.5 µm)	< 2,800	counts/pcs
NVR (IPA)	< 0.50	mg/g
Cl ⁻	< 30.0	ppm
SO ₄ ²⁻	< 40.0	ppm

pure¹¹ has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure¹¹ does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.