

Tuch CELOS Wiper 2.40

pure11-Nr.: 1106209, Marke: CELOS

Eigenschaften

- Steril
- Marke: CELOS
- Flächengewicht in g/m²: 160 g/m²
- Struktur: Gestrick
- Material: Nylon/Polyester
- Lieferform in Verpackung: gelegt
- Verpackungsform: Beutel
- Anzahl in kleinster Unterverpackung: 10
- Kantenverarbeitung: lasergeschnitten
- Gebrauch: Einweg
- Sterilisation validiert
- Vorgewaschen
- Flächengewicht in g/m²: 160 g/m²

Empfohlene Reinraumklassen

ISO 4 | 5 | 6 | 7 | 8 | 9

GMP A/B | C | D

we care

pure11 GmbH |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

Material

- Nylon/Polyester

Verpackung

- 150STK

Produktvarianten

pure[11]-Nr.: 11062092323WH, Tuch CELOS Wiper 2.40

Steril; Größe: 23 x 23 cm (9 x 9"); Farbe: Weiß / VE: 150STK

pure[11]-Nr.: 11062093131WH, Tuch CELOS Wiper 2.40

Steril; Größe: 31 x 31 cm (12 x 12"); Farbe: Weiß / VE: 150STK

STERILE

CELOS®
a pure11 brand

CELOS® Wiper 2.40

Product information:

Material	Polyester/Nylon
Process	100 % continous-filament, single-knit polyester/nylon fiber
Properties	High absorption capacity, high cleanliness and high chemical durability. Ideal for wiping in highly critical areas, GMP A/B.
Cutting process	Laser cut
Basic weight	160 g/m² (+/- 12 g)
Thickness	0.40 mm (+/- 0.04 mm)
Color	White

Product:

Part number	*Variant*	*Style*	*Size*	*Inner packaging*	*Outer packaging*	*Quantity per case*
1106209	WH2323	Sterile	23 x 23 cm (9 x 9")	10 pcs/IB	15 IB/OB	8 OB/case
	WH3131		31 x 31 cm (12 x 12")	10 pcs/IB	15 IB/OB	8 OB/case

IB=Inner Bag; OB=Outer Bag

Parallel part number 06209	*Please note: The packaging may show either of the parallel valid part numbers during the changeover period.*

Characteristics:

- Very high absorption and cleanliness in one wiper
- Soft surfaces and thus suitable for sensitive components
- Several washing cycles during production process
- Lowest particles and extractable ions
- Cleanroom production and packaging
- Inspection of every wiper
- Traceability with every batch
- Irradiated by gamma

Performance parameter:

	Specification	*Unit*
Sorbency capacity	> 300	ml/m²
Sorbency (IPA)	< 1	seconds
APC (≥ 0.5 µm)	< 200	counts/pcs
LPC (≥ 0.5 µm)	< 3,000	counts/cm²
Extractables NVR (IPA)	< 0.80	mg/g
Cl^-	< 2	ppm
SO_4^{2-}	< 2	ppm

pure11 has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure11 does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.

we care

pure11 GmbH | Sitz: Grünwald
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de