



Empfohlene
Reinraumklassen
ISO 4|5|6|7|8|9
GMP C|D

Klebefolienmatte L30-8 CELOS "made in Europe"

pure¹¹-Nr.: 1130267, Marke: CELOS

Eigenschaften

- Marke: CELOS
- Breite in cm: 60 cm
- Länge in cm: 115 cm
- Anzahl Lagen: 30
- Antistatisch
- Abnehmende Indexnummerierung
- Klebestärke: stark
- Farbe: Weiß
- Farbe der einzelnen Klebefolien: Weiß
- antimikrobiell ausgerüstet

Material

-

Verpackung

- 8STK

Produktvarianten

pure¹¹-Nr.: 1130267, Klebefolienmatte L30-8 CELOS "made in Europe"

Farbe: Weiß; Größe: 60 x 115 cm / VE: 8STK

Sticky Mat L30-8 CELOS[®] „Made in Europe“

Product information:

Material	Low density polyethylene; active substance: biomaster
Properties	high bond strength and protected with an antimicrobial, inhibit the growth of bacteria on the surface
Thickness	Top cover sheet: 0.040 mm; numbered layers: 0.045 mm; double-sided base: 0.060 mm
Color	White

Product:

Part number	Style	Size	Inner packaging	Quantity per case
1130267	Non-sterile	60 x 115 cm	30 layers/mat	8 mats/case

Characteristics:

- The sheets are protected with antimicrobial technology, which is incorporated within the glue
- Special water-based glue (8 g/mq + 1 g)
- Mat can be placed anywhere without leaving any residue
- Frames are not required - due to adhesive base
- Tested to ISO 21702:2019 (SARS-CoV-2) & ISO 22196:2011 (MRSA, E. coli, Acinetobacter baumannii, Pseudomonas aeruginosa, Listeria monocytogenes, Klebsiella pneumoniae and Enterococcus faecium)
- Practicality and easy of use on carpet
- Good high temperature strength
- Good UV and ageing resistance
- Electrostatic charge: on the floor with a new mat: form - 80 to -120 V/inch
- Class 1 on - invasive device
- Numbered tear sheets from 30 to 1

Performance parameter:

	Specification	Unit
Adhesiveness	255 (+/- 51)	cN/25 mm
Adhesiveness	1.02 (+/- 0.2)	N/cm
Bottom adhesive strength	700 (+/- 30)	g/mm
Heat resistance	70	°C
Cold resistance	- 20	°C

Based on research and testing, pure¹¹ can recommend the usage of the sticky mat in cleanrooms up to ISO 4, according to ISO 14644-1.

pure¹¹ has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure¹¹ does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.