Contec



Tupfer Constix #SP-3

pure[11]-Nr.: 1130854, Marke: Contec

Eigenschaften

- Marke: Contec
- Kopfform: rechteckig
- Material Tupferkopf: Polyester-Gestrick
- Material Schaft: Polypropylen
- Grifflänge in mm: 127 mm
- Kopflänge in mm: 25,4 mm
- Kopfbreite in mm: 10,2 mm
- Anzahl in kleinster Unterverpackung: 50
- Ausprägung Kopf: einseitig
- Farbe Griff: Weiß

Empfohlene Reinraumklassen

ISO 3 | 4 | 5 | 6 | 7 | 8 | 9

GMP A/B | C | D

we care

pure[11] GmbH |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

Material

-

Verpackung

- 50STK

Produktvarianten

pure[11]-Nr.: 1130854, Tupfer Constix #SP-3

Material: Polyester / VE: 50STK

pure[11] GmbH |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de


CONSTIX® Sealed Polyester Swab
SP-3

Rectangular sealed knitted polyester swab

The CONSTIX SP-3 is a sealed polyester swab consisting of 100% knitted polyester fabric thermally bonded to a polypropylene handle. The SP-3 contains no adhesives or binders. The swab tip is made from cleanroom laundered polyester fabric. These swabs are the best option to use with harsh solvents such as acetone, trichloroethane, and nitric and sulfuric acids. SP-3 swabs are durable, absorbent, and extremely low in low particulate and residue levels.

Features	Benefits
Sealed polyester fabric	• Provides the lowest contamination risk of any other type of swabs
Polypropylene handle	• Provides excellent resistance to most common solvents, acids, and bases

Part No.	Description	Size	Packaging
SP-3	CONSTIX Sealed polyester swab	Head dimension: 0.40” x 1.00” (10.2 x 25.4 mm) Handle diameter: 0.12” (3.0 mm) Total length: 6.0” (152.4 mm)	50/case



Copyright © 2024 Contec, Inc. All rights reserved.

Contec, Inc.
Spartanburg, SC 29303 USA
tel: +1-864-503-8333
cleanroom.contecinc.com

Customer Service
tel: 1-866-855-4682
cs_cleanroom@contecinc.com

Product Information	
Head material	• 100% knitted polyester
Handle material	• 100% virgin polypropylene
Construction	• Ultrasonically sealed
Packaging materials	• Outer bags (OB1): low density polyethylene (LDPE) Case (CS): corrugated fiberboard (PAP)
Environment	• ISO 3-8 Grade A/B

Recycle Symbols

PET HDPE LDPE PP PAP



Packaging	EA/OB1	OB1/OB2	OB2/CS	EA/CS
SP-3	50	1	1	50

EA = each; OB1 = outer bag 1; OB2 = outerbag 2; CS = case

Copyright © 2024 Contec, Inc. All rights reserved.

Contec, Inc.
Spartanburg, SC 29303 USA
tel: +1-864-503-8333
cleanroom.contecinc.com

Customer Service
tel: 1-866-855-4682
cs_cleanroom@contecinc.com