

# Empfohlene Reinraumklassen

ISO 7|8|9
GMP C|D

# Tuch InSpec IPA 70/30 (WFI) aus Polyester/Zellulose #NSIPAWFIPCH15

pure<sup>11</sup>-Nr.: 1131184, Marke:

## Eigenschaften

• Material: Polyester/Zellulose

• Länge in cm: 23 cm

• Breite in cm: 23 cm

Tränkung

• Anzahl in kleinster Unterverpackung: 15

Gebrauch: Einweg

• Polyester/PES: 45 %

• Tränkung IPA: 70 %

WFI-Wasser: 30 %

• Zellulose: 55 %

### Material

Polyester/Zellulose

## Verpackung

• 375STK

## **Produktvarianten**

pure<sup>11</sup>-Nr.: 1131184, Tuch InSpec IPA 70/30 (WFI) aus Polyester/Zellulose #NSIPAWFIPCH15

Unsteril; Farbe: Weiß; Größe: 23x23 cm (9x9") / VE: 375STK



## **Safety Data Sheet**

According to Regulation (EC) No 1907/2006, amended by Regulation (EU) 2020/878

### InSpec IPA

Revision Date: 2023-06-22 Revision No. 7.1

## SECTION 1: Identification of the substance / mixture and of the company / undertaking

#### 1.1 Product Identifier

Trade Names: InSpec IPA

InSpec IPA Wipes InSpec IPA Mops

Product Number:

**UFI:** 1200-U0CW-500U-Q09P

### 1.2 Relevant identified uses of the substance or mixture and used advised against

**Identified Uses:** Alcohol Disinfectant for professional use only.

AISE-P314 – Surface disinfectant (manual process).

AISE-P315 – Surface disinfectant (spray and rinse manual process).

**Uses advises against:** Uses other than those identified are not recommended.

#### 1.3 Details of the supplier of the safety data sheet

Redditch Medical (a division of Entaco Ltd), Unit 90 Heming Rd, Washford, Redditch, B98 0EA, United Kingdom.

#### **Contact Details**

Redditch Medical (a division of Entaco Ltd), Discovery 2, 2 William Armstrong Way, NETPark, Sedgefield, Co Durham, TS21 3FD, UK.

Telephone number: +44 (0) 1527 830940 Email: products@redditchmedical.com

EU Representative: Enviresearch Portugal Limitada

Address: Edifício Amoreiras Square, Rua Carlos Alberto da Mota Pinto, 17, 3º A, 1070 - 313 LISBOA

Portugal

#### 1.4 Emergency telephone number

For medical or environmental emergency only:

Call + 44 (0) 1527 830940 (office hours, UK)

+ 44 (0) 7377 544472 (out-of-office hours, UK)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled in accordance with Regulation (EC) No 1272/2008.

Physical hazards: Flam. Liq. 2 (H225)
Health hazards: Eye Irrit. 2 (H319)

STOT SE 3 (H336)

Environmental hazards: Not classified.

#### 2.2 Label elements



Signal Word: Danger

#### Contains propan-2-ol (isopropyl alcohol)

#### **Hazard Statements:**

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

### **Precautionary Statements:**

- P210 Keep away from heat / sparks / open flames / hot surfaces. No smoking.
- P261 Avoid breathing fume / mist / vapour / spray.
- P280 Wear eye protection/face protection.
- P312 Call a POISON CENTRE/ doctor if you feel unwell
- P337+P313 If eye irritation persists: Get medical advice/attention

#### 2.3 Other hazards

No other hazards known. The product does not contain components which are known to meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

## **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances

The product is a mixture (see sub-section 3.2 of this Safety Data Sheet).

#### 3.2 Mixtures

| Ingredient(s) | EC number | CAS     | REACH number      | Classification according           | Notes | Content |
|---------------|-----------|---------|-------------------|------------------------------------|-------|---------|
|               |           | number  |                   | Regulation (EU) No 1272/2008 (CLP) |       | (% w/w) |
| Propan-2-ol   | 200-661-7 | 67-63-0 | 01-2119457558-25- | Flam. Liq. 2 (H225)                | -     | 50-75   |
|               |           |         | XXXX              | Eye Irrit. 2 (H319)                |       |         |
|               |           |         |                   | STOT SE 3 (H336)                   |       |         |

#### Additional information:

For full text of Hazard (H) statements see Section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**Inhalation:** Remove affected person to fresh air and keep at rest in position comfortable for breathing. Call a POISON

CENTRE or doctor / physician if affected person feels unwell.

**Skin contact:** Wash hands and exposed skin before meals and after use. Repeated exposure may cause skin dryness or

cracking.

Eye contact: If in eyes immediately rinse cautiously with lukewarm water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice / attention.

Ingestion: Rinse mouth out with water. Give plenty of water to drink. Get medical advice / attention if affected

person feels unwell.

Self-protection of

Consider personal protective equipment as indicated in sub-section 8.2 of this Safety Data Sheet.

first-aider:

#### 4.2 Most important symptoms and effects, both acute and delayed

**Inhalation:** May cause drowsiness or dizziness.

**Skin contact:** No known effects or symptoms in normal use.

**Eye contact:** Causes severe irritation.

**Ingestion:** No known effects or symptoms in normal use.

**General Information:** No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11 of this Safety Data Sheet.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing material: Carbon dioxide, dry powder, water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

### 5.3 Advice for firefighters

As in the event of any fire, wear self-contained breathing apparatus and suitable personal protective equipment including gloves and eye / face protection.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Turn off all sources of ignition. Take precautionary measures against static discharge. Ventilate the area.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

#### 6.3 Methods and material for containment and cleaning up

Collect with non-combustible absorbent material (e.g. sand, diatomaceous earth, universal binders, sawdust, vermiculite) and place in a suitable container for disposal according to local / national regulations.

#### 6.4 Reference to other sections

For personal protective equipment see sub-section 8.2 of this Safety Data Sheet. For disposal considerations on see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

**Measures to prevent fire and explosions:** Keep away from heat, flames, hot surfaces, and sparks. Take precautionary measures against static discharge. Do not smoke.

Measures to protect the environment: For environmental exposure controls see sub-section 8.2 of this Safety Data Sheet.

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink, and animal feeding stuffs. Do not mix with other products unless advised by Redditch Medical. Wash hands before breaks and at the end of the work day. Wash face, hands, and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Store used personal protective equipment separately. Use personal protective equipment as required. Use only with adequate ventilation.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Keep container tightly closed and store in cool, well-ventilated place. Store locked up. For conditions to avoid see sub-section 10.4 of this Safety Data Sheet. For incompatible materials see sub-section 10.5.

#### 7.3 Specific end use(s)

No additional information.

## **SECTION 8: Exposure controls / personal protection**

#### 8.1 Control parameters

#### Workplace exposure limits:

Air limit values, if available:

| Ingredient(s) / Country | Long term exposure limit<br>(8 hour TWA) | Short term exposure limits (STEL) | Reference / Legal Basis             |
|-------------------------|--|-----------------------------------|-------------------------------------|
| Propan-2-ol             | ( /                                      | (- /                              |                                     |
| United Kingdom          | 400 ppm                                  | 500 ppm                           | UK EH40 WEL – Workplace             |
|                         | (999 mg/m³)                              | (1250 mg/m <sup>3</sup> )         | Exposure Limits                     |
| Austria                 | 200 ppm                                  | 500 ppm                           | MAK / TRK; Austrian OEL             |
|                         | (500 mg/m <sup>3</sup> )                 | (1230 mg/m <sup>3</sup> )         | Regulation                          |
| Belgium                 | 200 ppm                                  | 400 ppm                           | VLEP / GWBB                         |
|                         | (500 mg/m³)                              | (1000 mg/m <sup>3</sup> )         |                                     |
| Denmark                 | 200 ppm                                  | 400 ppm                           | Arbejdstilsynet; Executive Order    |
|                         | (490 mg/m³)                              | (980 mg/m³)                       | on Limit Values for Substances      |
|                         |  |                                   | and Materials (Denmark)             |
| Finland                 | 200 ppm                                  | 250 ppm                           | HTO-arvot 2016, Ministry of         |
|                         | (500 mg/m³)                              | (620 mg/m <sup>3</sup> )*         | Social Affairs and Health (Finland) |
| France                  | n/a                                      | 400 ppm                           | Restrictive statutory limit values; |
|                         |  | (980 mg/m <sup>3</sup> )          | French Labour code / French         |
|                         |  |                                   | Labour Ministry                     |
| Germany                 | 200 ppm – AGS                            | 400 ppm – AGS                     | DFG; Commission for the             |
|                         | (500 mg/m <sup>3</sup> - AGS) /          | (1000 mg/m <sup>3</sup> – AGS)* / | Investigation of Health Hazards of  |
|                         | 200 ppm – DFG                            | 400 ppm – DFG                     | Chemical Compounds in the           |
|                         | (500 mg/m <sup>3</sup> – DFG)            | (1000 mg/m <sup>3</sup> – DFG)    | Work Area                           |
|                         |  |                                   | AGS; German Committee on            |
|                         |  |                                   | Hazardous Substances                |
| Hungary                 | 500 mg/m <sup>3</sup>                    | 2000 mg/m <sup>3</sup>            | Hungarian decree No. 25/2000        |

|             |             |                           | (IX.30)                           |
|-------------|-------------|---------------------------|-----------------------------------|
| Ireland     | 200 ppm     | 400 ppm*                  | Health and Safety Authority –     |
|             |             |                           | Code of Practice for the Chemical |
|             |             |                           | Agents Regulation (Ireland)       |
| Spain       | 200 ppm     | 400 ppm                   | Limit Values Spain, Royal Decree  |
|             | (500 mg/m³) | (1000 mg/m <sup>3</sup> ) | 374/2001                          |
| Switzerland | 200 ppm     | 400 ppm                   | National Institute for            |
|             | (500 mg/m³) | (1000 mg/m <sup>3</sup> ) | Occupational Safety and Health    |

<sup>\*15-</sup>minute average value / reference period

### **DNEL and PNEC Values**

### **Human Exposure**

DNEL oral exposure – Consumer (mg/kg bw)

| Ingredients | Short term – Local effects | Short term – Systemic effects | Long term – Local<br>effects | Long term – Systemic effects |
|-------------|----------------------------|-------------------------------|------------------------------|------------------------------|
| Propan-2-ol | No data available          | No data available             | No data available            | 26                           |

### DNEL dermal exposure – Worker (mg/kg bw)

| Ingredients | Short term – Local | Short term – Systemic | Long term – Local | Long term – Systemic |
|-------------|--------------------|-----------------------|-------------------|----------------------|
|             | effects            | effects               | effects           | effects              |
| Propan-2-ol | No data available  | No data available     | No data available | 888                  |

### DNEL dermal exposure - Consumer (mg/kg bw)

| Ingredients | Short term – Local<br>effects | Short term – Systemic effects | Long term – Local<br>effects | Long term – Systemic effects |
|-------------|-------------------------------|-------------------------------|------------------------------|------------------------------|
| Propan-2-ol | No data available             | No data available             | No data available            | 319                          |

### DNEL inhalation exposure – Worker (mg/m³)

| Ingredients | Short term – Local<br>effects | Short term – Systemic effects | Long term – Local<br>effects | Long term – Systemic<br>effects |
|-------------|-------------------------------|-------------------------------|------------------------------|---------------------------------|
|             | eriects                       | enects                        | enects                       | enects                          |
| Propan-2-ol | No data available             | No data available             | No data available            | 500                             |

### DNEL inhalation exposure – Consumer (mg/m³)

| Ingredients | Short term – Local | Short term – Systemic | Long term – Local | Long term – Systemic |
|-------------|--------------------|-----------------------|-------------------|----------------------|
|             | effects            | effects               | effects           | effects              |
| Propan-2-ol | No data available  | No data available     | No data available | 89                   |

### **Environmental Exposure**

Environmental exposure - PNEC

| Ingredients | Surface water, fresh | Surface water, marine | Intermittent (mg/l) | Sewage treatment |
|-------------|----------------------|-----------------------|---------------------|------------------|
|             | (mg/l)               | (mg/l)                |                     | plant (mg/l)     |
| Propan-2-ol | 140.9                | 140.9                 | 140.9               | 2251             |

### Environmental exposure – PNEC, continued

| Ingredients | Sediment, freshwater | Sediment, marine | Soil (mg/kg) | Air (mg/m³)       |
|-------------|----------------------|------------------|--------------|-------------------|
|             | (mg/kg)              | (mg/kg)          |              |                   |
| Propan-2-ol | 552                  | 552              | 28           | No data available |

Biological limits, if available: Not available.

Recommended monitoring procedures, if available: Not available.

Additional exposure limits under the conditions of use, if available: Not available.

#### 8.2 Exposure controls

The following information applies for the uses indicated in sub-section 1.2 of this Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the *undiluted* product:

Engineering measures: Use only outdoors or in well-ventilated areas. Application of technical/engineering controls to

remove airborne residues is mandatory (e.g. room ventilation or LEV) before operatives are permitted to enter into treated areas after large surface disinfection. Where necessary, setting a waiting restriction of sufficient duration to allow time for the removal of airborne residues.

For use during disinfection of large surfaces (e.g. floors) in cleanrooms/controlled

environments, application of technical/engineering controls to remove airborne residue is

mandatory (e.g. room ventilation or LEV).

Avoid direct contact and / or splashes where possible. Train personnel.

**Personal Protective Equipment** 

**Eye/face protection:** Eye protection/face protection is required.

**Respiratory protection:** Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided.

**Hand protection:** Wash hands thoroughly after handling. For prolonged contact, protection for the skin may be

necessary.

Other skin and body protection: For use during large surface disinfection by spraying or mopping where considerable

contamination may occur, gloves and coveralls is recommended.

**Hygiene measures:** Do not smoke in work area. Wash hands before work breaks, immediately after handling the

product, and before eating, smoking and using the toilet. Avoid contact with skin, eyes, and clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-

use. When using, do not eat, drink, or smoke.

**Environmental Exposure Controls** 

General advice: Should not reach sewage water or drainage ditch undiluted or unneutralised

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Information in this section refers to the mixture.

### Method / remark

Physical State:Liquid.-Colour:Clear, colourless.-Odour:Product specific.-pH:ca. 7Neat.Melting point /freezing point:Not available.-Initial boiling point and boiling range:> 70 °C-

**Flash point:** ca. 19 °C Closed cup.

**Evaporation rate:** Not available. -

Flammability (solid, gas):

Upper/lower flammability or explosive limits:

Not available.

Vapour pressure:

Not available.

Vapour density:

Not available.

Relative density:

Not available.

**Density:** 0.88 g/cm<sup>3</sup> @ 20 °C.

Solubility(ies)Fully miscible with water.-Partition coefficient: n-octanol/water:Not available.-Auto-ignition temperature:Not available.-Decomposition temperature:Not available.-Viscosity:Not available.-

**Explosive properties:** Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising. -

The following substance data is provided for ingredients in the mixture / product:

| Propan-2-ol                                   |                          | Method / remark |
|---|--------------------------|-----------------|
| Initial boiling point and boiling range:      | 82 °C                    | @ 1013 hPa      |
| Upper/lower flammability or explosive limits: | Lower limit: 2 % volume. | -               |
|   | Upper limit: 13% volume. |                 |
| Vapour pressure                               | 4200 Pa                  | @ 20 °C         |
| Solubility(ies)                               | Soluble in water.        | -               |

#### **9.2 Other information** No additional information.

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

Take precautionary measures against static discharge. Keep in a cool place. Keep container in a well-ventilated place.

### 10.5 Incompatible materials

None known under normal use conditions.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

No data is available on the mixture / product.

The following substance data is provided for ingredients in the mixture / product:

### Propan-2-ol

| LD50 (Oral):  | 3570 mg/kg  | Method – not available.  |
|---|---|--|
|   |   | Test species – rat.  |
|   |   | Exposure time – not available.   |
| LD50 (Dermal):  | > 2000 mg/kg  | Method – not available.  |
|   |   | Test species – rabbit.   |
|   |   | Exposure time – not available.   |
| LD50 (Inhalation):  | > 25 mg/l   | Method – OECD Test Guideline 403 (EU B.2).   |
|   | (vapour)  | Test species – rat.  |
|   |   | Exposure time – 6 hours.   |
| Not irritant.   |   | Method – OECD Test Guideline 404 (EU B.4).   |
|   |   | Test species – rabbit.   |
| Irritant.   |   | Method – OECD Test Guideline 405 (EU B.5).   |
|   |   | Test species – rabbit.   |
| Skin contact:   | Not sensitising.  | Method – OECD Test Guideline 406 (EU B.6)  |
|   |   | (Buehler test).  |
|   |   | Test species – guinea pig.   |
| Negative – no evide   | ence for  | Method – OECD Test Guideline 471 (EU B.12 / 13).   |
| mutagenicity.   |   |  |
| No information ava  | ilable.   |  |
| No information available.   |   |  |
| No information available.   |   |  |
| No information available.   |   |  |
| The classifications of substances in the mixture / product are detailed in Section 3 of this Safety |   |  |
| Data Sheet. No sub  | stances in the mixt   | ure / product are classified as an aspiration hazard (H304).   |
|   | LD50 (Dermal):  LD50 (Inhalation):  Not irritant.  Irritant.  Skin contact:  Negative – no evide mutagenicity.  No information ava No information ava No information ava The classifications of | LD50 (Dermal): > 2000 mg/kg  LD50 (Inhalation): > 25 mg/l (vapour)  Not irritant.  Irritant.  Skin contact: Not sensitising.  Negative — no evidence for mutagenicity.  No information available.  No information available.  No information available.  No information available.  The classifications of substances in the |

### 11.2 Information on Other Hazards

### 11.2.1 Information on Endocrine Disrupting Properties

Mixture/product not classified for endocrine disruption, in accordance with Regulations ((EC) No 1907/2006, (EU) 2017/2100, (EU) 2018/605)

### 11.2.2 Information on Other Hazards

No further information

## **SECTION 12: Ecological information**

### 12.1 Toxicity

No information is available on the product / mixture.

The following substance data is provided for ingredients in the mixture / product:

| Propan-2-ol                         |       |            |                                      |  |
|-------------------------------------|-------|------------|--------------------------------------|--|
| Aquatic acute (short-term) toxicity |       |            |                                      |  |
| Aquatic acute (short-term)          | LC50: | > 100 mg/l | Method – not available.              |  |
| toxicity – fish:                    |       |            | Test species – Pimephales promelas.  |  |
|                                     |       |            | Exposure time – 48 hours.            |  |
| Aquatic acute (short-term)          | EC50: | > 100 mg/l | Method – not available.              |  |
| toxicity – crustacea:               |       |            | Test species – Daphnia magna Straus. |  |

|                                   |                           |               | Exposure time – 48 hours.               |
|-----------------------------------|---------------------------|---------------|---|
| Aquatic acute (short-term)        | EC50:                     | > 100 mg/l    | Method – not available.                 |
| toxicity – algae:                 |                           |               | Test species – Scenedesmus quadricauda. |
|                                   |                           |               | Exposure time – 72 hours.               |
| Aquatic acute (short-term)        | No information available. |               |   |
| toxicity – marine species:        |                           |               |   |
| Toxicity to bacteria:             | EC50:                     | > 1000 mg/l   | Method – not available.                 |
|                                   |                           |               | Test species – Activated sludge.        |
|                                   |                           |               | Exposure time – not available.          |
| Aquatic chronic (long-term) toxic | city                      |               | •                                       |
| Aquatic chronic (long-term)       | No information            | on available. |   |
| toxicity – fish:                  |                           |               |   |
| Aquatic chronic (long-term)       | No information            | on available. |   |
| toxicity – crustacea:             |                           |               |   |

### 12.2 Persistence and degradability

No information is available on the product / mixture.

The following substance data is provided for ingredients in the mixture / product:

| Propan-2-ol  |  |                          |                              |  |
|--|--|--------------------------|------------------------------|--|
| Ready biodegradability – aerobic conditions: DT50: |  | 95% in 21 days – readily | Method – OECD Test Guideline |  |
|  |  | biodegradable.           | 301 E.                       |  |

### 12.3 Bioaccumulative potential

No information is available on the product / mixture.

The following substance data is provided for ingredients in the mixture / product:

| Propan-2-ol   |                           |                                      |                          |  |
|---|---------------------------|--------------------------------------|--------------------------|--|
| Partition coefficient: n-octanol / water (Log kow): |                           | 0.05 – no bio-accumulation expected. | OECD Test Guideline 107. |  |
| Bioconcentration Factor (BCF):                      | No information available. |                                      |                          |  |

### 12.4 Mobility in soil

No information is available on the product / mixture.

The following substance data is provided for ingredients in the mixture / product:

| Propan-2-ol                     |   |
|---------------------------------|---|
| Adsorption / Desorption to soil | Potential for mobility in soil; soluble in water. |
| or sediment:                    |   |

### 12.5 Results of PBT and vPvB assessment

The mixture contains no components that are known to be Persistent, Bioaccumulative and Toxic (PBT), or very Persistent and very Bioaccumulative (vPvB).

### 12.6 Endocrine Disrupting Properties – Environment

Mixture/product not classified for endocrine disruption, in accordance with Regulations ((EC) No 1907/2006, (EU) 2017/2100, (EU) 2018/605)

#### 12.7 Other adverse effects

No other adverse effects known.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste from residues / unused

product:

Dispose of contents according to national / location regulations. The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site

permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for

energy recovery or recycling in line with local legislation.

European waste catalogue: Empty packaging 16 03 05\* - organic wastes containing dangerous substances. Dispose of container according to national / local regulations.

recommendation:

Suitable cleaning agents:

Water, if necessary, with cleaning agent.

### **SECTION 14: Transport Information**

|      |                               | ADR/RID:  | IMDG:               | ICAO/IATA:          | ADN:                |  |  |
|------|-------------------------------|---|---------------------|---------------------|---------------------|--|--|
| 14.1 | UN number:                    | 1219  | 1219                | 1219                | 1219                |  |  |
| 14.2 | UN proper shipping name:      | ISOPROPANOL   | ISOPROPANOL         | ISOPROPANOL         | ISOPROPANOL         |  |  |
|      |                               | (ISOPROPYL  | (ISOPROPYL          | (ISOPROPYL          | (ISOPROPYL          |  |  |
|      |                               | ALCOHOL) (solution)   | ALCOHOL) (solution) | ALCOHOL) (solution) | ALCOHOL) (solution) |  |  |
| 14.3 | Transport hazard class(es):   | 3   | 3                   | 3                   | 3                   |  |  |
|      | Label(s):                     | 3   | 3                   | 3                   | 3                   |  |  |
|      | Classification code:          | F1  | -                   | -                   | -                   |  |  |
|      | Tunnel restriction code:      | D/E   | -                   | -                   | -                   |  |  |
|      | Hazard identification number: | 33  | -                   | -                   | -                   |  |  |
|      | EmS:                          | -   | F-E, S-D            | -                   | -                   |  |  |
| 14.4 | Packing group:                | II  | II                  | II                  | II                  |  |  |
| 14.5 | <b>Environmental hazards</b>  |   |                     |                     |                     |  |  |
|      | Environmentally hazardous:    | No  |                     |                     |                     |  |  |
|      | Marine pollutant:             | No  |                     |                     |                     |  |  |
| 14.6 | Special precautions for user: | None known  |                     |                     |                     |  |  |
| 14.7 | Maritime transport in bulk    | Not applicable – the product is not transported in bulk containers. |                     |                     |                     |  |  |
|      | according to IMO              |   |                     |                     |                     |  |  |
|      | instruments:                  |   |                     |                     |                     |  |  |

## **SECTION 15: Regulatory information**

This Safety Data Sheet is compiled in accordance with the requirements of Regulation (EC) No 1907/2006 (REACH), amended by Regulation (EU) 2020/878.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2 Chemical safety assessment

Not available for this product / mixture.

### **SECTION 16: Other information**

The information is given in good faith and is based upon current available data. The user must determine if the product is correct for any particular application; the information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This document is not a warranty or specification. This document does not constitute a guarantee for any specific product features and does not establish a legally binding contract.

Version: 7.1 Revision Date: 2023-06-22

Revision Note: -

The following updates have been made in this revision of the Safety Data Sheet: Section 1, updated.

#### Key literature references and sources for data

Safety Data Sheet (Ver 7.0), the ECHA classification and labelling Inventory, the Health and Safety Executive's (UK) EH40/2005 Workplace exposure limits, GESTIS Substance Database (Occupational Exposure Limits).

#### Full text of the H and EUH phrases mentioned in section 3:

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

#### Abbreviations and acronyms:

- AISE The international association for soaps, detergents and maintenance products.
- DNEL Derived no effect level.
- PBT Persistent, Bioaccumulative and Toxic.
- REACH number REACH registration number, without supplier specific part.
- vPvB very Persistent and very Bioaccumulative.
- STOT specific target organ toxicity.
- TWA Time weighted average.
- STEL Short term exposure limit.
- ADR / RID European Agreement concerning the International Carriage of Dangerous Goods by Road / Regulation concerning the International Carriage of Dangerous Goods by Rail.
- IMDG International Maritime Dangerous Goods Code.
- ICAO / IATA International Civil Aviation Organization / International Air Transport Association.
- ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
- MARPOL International Convention for the Prevention of Pollution from Ships.

**End of Safety Data Sheet**