

pure11-Nr.: 1103601, Marke:

Eigenschaften

Empfohlene Reinraumklassen

ISO

GMP

pure11 GmbH |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

we care

Material

-

Verpackung

- Box

Produktvarianten

pure[11]-Nr.: 1103601,

pure[11]-Nr.: 1103601BLUNI, Überschuhe Polyethylen Light CELOS

Farbe: Blau; Ausführung: Niedrig / VE: 2000STK

pure[11]-Nr.: 1103601GNUNI, Überschuhe Polyethylen Light CELOS

Farbe: Grün; Ausführung: Niedrig / VE: 2000STK

pure[11]-Nr.: 1103601RDUNI, Überschuhe Polyethylen Light CELOS

Farbe: Rot; Ausführung: Niedrig / VE: 2000STK

pure[11]-Nr.: 1103601WHUNI, Überschuhe Polyethylen Light CELOS

Farbe: Weiß; Ausführung: Niedrig / VE: 2000STK



Überschuhe Polyethylen Light CELOS

pure11-Nr.: 03601, Hersteller: CELOS

Zusammenfassung

- Neue pure11-Artikelnummer (ab 01.07.2023): 1103601
- Material: Polyethylen
- Gewicht: 4,5 g
- Stärke: ca. 0,04 mm
- Maße: 15 x 41 cm
- Hergestellt aus einem besonders reißfesten CPE
- Manuell bzw. Handgefertigt
- Mit robustem Gummizug
- Deutlich hochwertiger als andere Überschuhe
- Leicht perforierte Oberfläche
- Doppelt umverpackt

Empfohlene Reinraumklassen

ISO	3	4	5	**6**	**7**	**8**	**9**
GMP					**C**	**D**	

Produktvarianten

pure11-Nr.: 03601B
Farbe: Blau / Herst.-Nr.: 03601B / VE: 2.000 Stück

pure11-Nr.: 03601G
Farbe: Grün / Herst.-Nr.: 03601G / VE: 2.000 Stück

pure11-Nr.: 03601R
Farbe: Rot / Herst.-Nr.: 03601R / VE: 2.000 Stück

pure11-Nr.: 03601W
Farbe: Weiß / Herst.-Nr.: 03601W / VE: 2.000 Stück

Quelle: https://www.pure11.de/ueberschuhe-polyethylen-light-celos

pure11 GmbH
Bavariafilmplatz 7 | D-82031 Grünwald
Geschäftsführer: Gitte Hansen, Julian Kropp
AG München HRB 171307

T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

CELOS®
a pure[11] brand

CELOS® Shoecover light

Product information:

Material	Polyethylene
Process	Made from a very tear-resistant CPE, handmade
Properties	With extra robust elastic band, perforated surface
Basic weight	4.5 g
Thickness	Approx. 0.04 mm
Color	White, blue, green, red

Product:

Part number	*Variant*	*Style*	*Color*	*Size*	*Inner packing*	*Outer packing*	*Quantity per case*
1103601	WHUNI	Unsterile	White	15 x 41 cm	100 pcs/IB	1 IB/OB	20 OB/case
	BLUNI	Unsterile	Blue				
	GNUNI	Unsterile	Green				
	RDUNI	Unsterile	Red				


IB=Inner Bag; OB=Outer Bag

Characteristics:

- Robust design that withstands heavy loads
- Easy to open and to put on
- Significantly higher quality than other overshoes
- Waterproof
- Slip-resistant

Size:

Item	*Size*	*Tolerance*	*Remarks*
A	41 cm	+/- 2 cm	
B	15 cm	+/- 2 cm	
C	8 cm	+/- 2 cm	



pure[11] has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure[11] does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.

pure11 GmbH | HQ: Gruenwald
Bavariafilmplatz 7 | D-82031 Gruenwald
Managing Director: Julian Kropp

District of Munich | AG Muenchen HRB 171307
VAT ID no. DE258091785

T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

we care

CELOS®
a pure[11] brand

CELOS® Shoecover Light

Product information:

Material	Polyethylene
Process	Made from a very tear-resistant CPE, handmade
Properties	With extra robust elastic band, perforated surface
Basic weight	4.5 g
Thickness	Approx. 0.04 mm
Color	White, blue, green, red

Product:

Part number	*Variant*	*Style*	*Color*	*Size*	*Inner packaging*	*Outer packaging*	*Quantity per case*
1103601	WHUNI	Non-sterile	White	15 x 41 cm	100 pcs/IB	1 IB/OB	20 OB/case
	BLUNI		Blue				
	GNUNI		Green				
	RDUNI		Red				


IB=Inner Bag; OB=Outer Bag

Characteristics:

- Robust design that withstands heavy loads
- Easy to open and to put on
- Significantly higher quality than other overshoes
- Waterproof
- Slip-resistant

Size:

Item	*Size*	*Tolerance*	*Remarks*
A	41 cm	+/- 2 cm	
B	15 cm	+/- 2 cm	
C	8 cm	+/- 2 cm	



pure[11] has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure[11] does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.

pure11 GmbH | Sitz: Grünwald
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

we care