

pure[11]-Nr.: 1113301, Marke:

## Eigenschaften

## Empfohlene Reinraumklassen

**ISO**

**GMP**

## Material

-

## Verpackung

- Box

## Produktvarianten

**pure[11]-Nr.: 1113301,**

**pure[11]-Nr.: 1113301MINI, Bodenständer Longopac Mini Classic #31400**

Mini / VE: STK

**pure[11] GmbH** |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

ENGLISH

# Longopac® Stand

– simply smarter



A bag system for efficient handling of waste products

- Hygienic
- Efficient
- Environmentally friendly

# For a smarter waste management

### HYGIENIC

- No contact with waste at any time.
- Spillage around the opening follows into the next bag.
- Easy cleaning.



### EFFICIENT

- Always new bag in place.
- Faster bag changes - under 30 sec.
- Less cleaning.
- Flexible changes. You decide when the bag is full, no matter the volume of waste.

### ECO-FRIENDLY

- 50% recycled material in all cassettes *(except Food & Pharma).*
- 80% lower $CO_2$ emissions compared to traditional waste bags.
- 100% filling degree.
- Longopac is manufactured in 3-layer polyethylene, which provides low raw material consumption in combination with high strength.
- Lower weight and compact packaging mean less storage and transport costs.

**Standard colours**

| | | | |
|---|---|---|---|
| 0 | | 5 | |
| 1 | | 6 | |
| 2 | | 7 | |
| 4 | | 8PU | |

*Other colours available when ordering full pallets*



# Less emission of greenhouse gases


Global emissions of greenhouse gases have steadily increased, and it is now crucial that the emissions begin to decline at a rapid pace. One step is to switch to Longopac, as compared to a traditional waste bag, you reduce your $CO_2$ emissions by 80% and plastic consumption by 70%.

Compared to 1980, we have halved the thickness of our already extremely thin, yet strong film and tests show that it has become the world's strongest PE film (in relation to thickness).
Our products have always been environmentally friendly (green) and our production becomes greener and more sustainable every year.




**Calculate your environmental savings with Paxxo's CO2-calculator on the website!**

## THIS IS HOW IT WORKS



**Step 1:**
The bag cassette is sealed at one end with a cable tie. When the bag starts to fill or you simply want to change it, you pull the bag down to feed new material out of the cassette.

*The whole process takes less than* **30** seconds!

**Step 2:**
To seal the bag, use a cable tie at the top of the waste.

**Step 3:**
Attach another cable tie approximately 5cm above the first cable tie and cut the bag material between them.

# Longopac® Stand CLASSIC



Classic Mini / Mini Food



Classic Midi / Midi Food



Classic Maxi / Maxi Food

| Type | Version | Item. No. | Measures | Weight | Sign Holder |
|---|---|---|---|---|---|
| Classic | Mini | 31400 | H x W x D: ..... 850 x 430 x 400 mm<br>I: ..... Ø 305 mm | 2,9 kg | 30451 A4P<br>30452 A5L |
| Classic | Mini Food | 31436 | H x W x D: ..... 850 x 430 x 400 mm<br>I: ..... Ø 305 mm | 3,9 kg | 30451 A4P<br>30452 A5L |
| Classic | Mini Inox | 31430 | H x W x D: ..... 850 x 430 x 400 mm<br>I: ..... Ø 305 mm | 3,9 kg | 30451 A4P<br>30452 A5L |
| Classic | Midi | 30500 | H x W x D: ..... 470 x 440 x 875 mm<br>I: ..... Ø 335 x 335 mm | 4,5 kg | 30453 A4P<br>30454 A5L |
| Classic | Midi Food | 30516 | H x W x D: ..... 470 x 440 x 875 mm<br>I: ..... Ø 335 x 335 mm | 5,5 kg | 30453 A4P<br>30454 A5L |
| Classic | Midi Inox | 30510 | H x W x D: ..... 1055 x 650 x 595 mm<br>I: ..... Ø 425 mm | 5,5 kg | 30453 A4P<br>30454 A5L |
| Classic | Maxi | 30070 | H x W x D: ..... 1055 x 650 x 595 mm<br>I: ..... Ø 425 mm | 5,0 kg | 30453 A4P<br>30454 A5L |
| Classic | Maxi Food | 30116 | H x W x D: ..... 1055 x 650 x 595 mm<br>I: ..... Ø 425 mm | 6,0 kg | 30453 A4P<br>30454 A5L |
| Classic | Maxi Inox | 30110 | H x W x D: ..... 1055 x 650 x 595 mm<br>I: ..... Ø 425 mm | 5,4 kg | 30453 A4P<br>30454 A5L |
| Classic | Maxi Recycling | 30090 | H x W x D: ..... 1200 x 580 x 595 mm<br>I: ..... Ø 425 mm | 5,4 kg | 30453 A4P<br>30454 A5L |

*H = Height, W = Width, D = Depth  I = Inlet*







Longopac® Stand CLASSIC

# Focus on environment, hygiene and efficiency

The Classic family is divided into several groups; **Classic, Classic Inox** and **Classic Food**, these in turn are divided into the three sizes **Mini**, **Midi** and **Maxi**.

Classic Food is of course intended for the food industry and therefore the base plate and cassette holder are designed in PP plastic with blue metal detectable material. The legs and wheels are created in stainless steel, which together provide a stand with a durable design that meets the hygiene requirements set in this industry.

The Classic Mini is slightly different from Midi and Maxi as it is equipped with a base plate in ABS/PC and a cassette holder in PP plastic. Classic Midi, Maxi and Reycling are equipped with a base plate and cassette holder in PP plastic, but in all versions the legs are aluminium and the wheels are galvanized steel.

Classic Inox is just like our standard Classic equipped with a base plate in ABS/PC and cassette holder in PP plastic, but instead the legs and the nylon-covered wheels are in stainless steel to withstand regular cleaning.



**Classic Midi**

The latest addition to the family is the Classic Midi, where the bottom plate and cassette holder has a new shape, and the legs are in a new position at the back of the stand.

This new square profile with slightly rounded corners means that the stand now fits better along a wall and thus takes up less space. The new cassette holder has also been redesigned to facilitate its cleaning. The legs have been placed further back on the base plate to give more space when changing the bag, but also to prevent the bag from getting stuck between the legs.

The choice of material (PP) in all the plastic parts is another well-thought-out detail to make it easier to sort and recycle the stand when it is time to replace it.



**Classic Recycling**

The Stand family also includes Classic Recycling, which is primarily intended for the handling of plastic, paper or other material of larger volumes that are then intended to be compressed for recycling.

This stand is only available in the Maxi version and for this the Longopac Ultra Lean cassette is advantageously used, which is available in standard or perforated design, which removes air during compression.

To prevent the recycling material from crawling out of the bag, there is a specially designed adaptor disk to place in the opening that prevents this.

You can find the adaptor disk in our accessories.







# Longopac® Stand DYNAMIC

## The system for tough and demanding environments



Dynamic Mini / Mini Pedal



Dynamic Midi / Midi Pedal



Dynamic Maxi / Maxi Pedal

The **Dynamic** stands are designed to withstand lots of stress and very tough environments which often requires high hygiene and therefore regularly must be sanitised.
The stands are designed to give the user a more open work surface to facilitate bag change and cleaning. Dynamic are equipped with brakes on the front wheels, which are also larger than on traditional garbage stands.
You choose which side of the cassette holder you want to mount the supplied cable tie holder and the pais of scissors on.

**Dynamic Pedal** stands have the same characteristics as the regular Dynamic, but are also equipped with a pedal and lid. The lid has been equipped with a damper to give it a softer closing. When the pedal is pressed, the lid is raised to an 85 degree opening for easier handling of waste or packaging.
The lid on the Dynamic Pedal can also be set completely open at a 100 degree angle to facilitate a faster loading of a new cassette. All plastic parts are made out of a metal-detectable material and the stand is loaded with any of our *Longopac Mini, Midi or Maxi cassette*.

| Type | Version | Item. No | Measures | Weight | Sign holder |
|---|---|---|---|---|---|
| Dynamic | Mini | 34650 Fzb<br>34660 Inox | H x W x D: ..... 955 x 395 x 405 mm<br>I: ..... Ø 230 x 230 mm | 6,8 kg | 34651 A4P<br>34652 A5L |
| Dynamic | Mini Pedal | 34670 Fzb<br>34680 Inox | H x W x D: ..... 970 x 395 x 485 mm<br>I: ..... Ø 230 x 230 mm | 7,7 kg | 34651 A4P<br>34652 A5L |
| Dynamic | Midi | 34600 Fzb<br>34620 Inox | H x W x D: ..... 955 x 495 x 555 mm<br>I: ..... Ø 320 x 280 mm | 8,7 kg | 34653 A4P<br>34654 A5L |
| Dynamic | Midi Pedal | 34640 Fzb<br>34630 Inox | H x W x D: ..... 970 x 495 x 590 mm<br>I: ..... Ø 320 x 280 mm | 9,6 kg | 34653 A4P<br>34654 A5L |
| Dynamic | Maxi | 34700 Fzb<br>34710 Inox | H x W x D: ..... 950 x 560 x 575 mm<br>I: ..... Ø 360 x 360 mm | 9,7 kg | 34655 A4P<br>34656 A5L |
| Dynamic | Maxi Pedal | 34720 Fzb<br>34730 Inox | H x W x D: ..... 970 x 560 x 655 mm<br>I: ..... Ø 360 x 360 mm | 11 kg | 34655 A4P<br>34656 A5L |
| Dynamic | Midi UBS | 34500 | H x W x D: ..... 650 x 280 x 560 mm<br>I: ..... Ø 430 x 165 mm | 6,4 kg | 34653 A4P<br>34654 A5L |

*H = Height, W = Width, D = Depth  I = Inlet*

***Fzb is galvanised steel. Inox is stainless steel.***

Longopac® Stand DYNAMIC

# With focus on hygiene and ease of use



Dynamic Midi UBS

Our stands in the Dynamic family fit perfectly into spaces that are demanding and place very high demands on cleanliness and hygiene.
Our **Dynamic UBS** *(Under Bench Solution)* has been specially designed for these environments where there is also a limited space. Dynamic UBS is a flexible stand for restaurant kitchens, showrooms and catering.

Unlike Dynamic Mini, Midi and Maxi, which stands firmly on the floor, we have designed Dynamic UBS to fit perfectly under already existing work tops. Dynamic UBS has the same dimensions as the rectangular plastic containers that are otherwise common on the market, and which in many cases are already used under the work tops at various café chains and restaurants.

Unlike the rectangular plastic containers, we have equipped the UBS stand with wheels to make it easier for the staff to roll the stand out when changing the bag. To make this stand even more easy to use, we have further simplified changing the bag by designing the side so it folds down with a simple grip of the hand, which then gives full access to the bag. After the bag is replaced, the side folds up again with a click and the stand is rolled back into its place. *It can not be simpler than that!*

Dynamic UBS is made of powder-coated steel and is easily loaded with any of our *Longopac Midi cassette*.





Longopac® Stand DYNAMIC

# Best solution for demanding cleaning requirements



Dynamic Wire Base Mini



Dynamic Wire Base Maxi

The idea we had when we developed the **Dynamic Wire Base** was a product for our food segment that would withstand tougher cleaning agents and could be foamed with advantage.
In addition, you do not need to lay down the rack when it is drying, as the grid at the bottom enables drainage and faster drying. It can of course be used in all environments and segments where these benefits are necessary.

Like the other stands in the Dynamic series, they are designed to provide a freer work surface that facilitates two aspects; bag changes and cleaning.
The Dynamic Wire Base is also equipped with larger front wheels than on traditional garbage stands and we have added with brakes to them.
You choose yourself which side of the cassette holder you want to mount the supplied cable tie holder and scissors on.





| Type | Version | Item. No | Measures | Weight | Sign holder |
|---|---|---|---|---|---|
| Dynamic | Mini Wire Base | 34665 Inox | H x W x D: ..... 970 x 395 x 485 mm<br>I: ..... Ø 230 x 230 mm | 6,7 kg | 34651 A4P<br>34652 A5L |
| Dynamic | Maxi Wire Base | 34715 Inox | H x W x D: ..... 951 x 560 x 574 mm<br>I: ..... Ø 358 x 358 mm | 8 kg | 34655 A4P<br>34656 A5L |

*H = Height, W = Width, D = Depth I = Inlet*

Longopac®
WALL SOLUTIONS

# Not enough space? Put the holder on the wall

Our wall-hung models are designed to be mounted where the space is limited and narrow and limited surfaces. They are also better where there are greater demands on floor hygiene than regular floor stands, as the placement on the wall facilitates all cleaning around the stand.
This makes this series excellent for spaces such as bathrooms and toilets.

**Classic Wall Mini** and **Wall Maxi** have cassette holders made out of polypropylene with an aluminium wall bracket. These are also available with lids.



Classic Wall Mini



Classic Wall Maxi

**Dynamic Wall Mini** is made out of white powder-coated steel, while Dynamic Wall Mini with lid and Wall Midi are made out of silver-coloured powder-coated steel.

| Type | Version | Item. No | Measures | Weight | Sign holder |
|---|---|---|---|---|---|
| Classic | Maxi | 30080 | H x W x D: ..... 460 x 580 x 660 mm<br>I: Ø 425 mm | 2,4 kg | 30453 A4P<br>30454 A5L |
| Classic | Mini | 31420 | H x W x D: ..... 365 x 390 x 450 mm<br>I: ..... Ø 305 mm | 1,7 kg | 30451 A4P<br>30452 A5L |
| Dynamic | Mini | 34310 | H x W x D: ..... 140 x 375 x 255 mm<br>I: ..... Ø 285 x 165 mm | 0,9 kg | n/a |
| Dynamic | Mini + lid | 34330 | H x W x D: ..... 275 x 385 x 390 mm<br>I: ..... Ø 230 x 230 mm | 2,3 kg | 34651 A4P<br>34652 A5L |
| Dynamic | Midi | 34335 | H x W x D: ..... 260 x 490 x 400 mm<br>I: ..... Ø 320 x 280 mm | 2,5 kg | 34653 A4P<br>34654 A5L |

*H = Height, W = Width, D = Depth  I = Inlet*



Dynamic Wall Mini



Dynamic Wall Mini + lid



Dynamic Wall Midi

# Use the sign system for a smooth and easier sorting







**Signs and sign holders for Classic & Dynamic**
See product charts in folder for specific item numbers.

To further improve garbage and waste management, Paxxo has designed a smart and flexible sign system for both Classic and Dynamic stands.

You mount the signs in an easy and smart way to increase the understanding of how the waste should be sorted at e.g. a sorting station.
These signs fit all Classic, Dynamic and Wall solutions except Dynamic Wall Mini.

We have two types of signs available; A4-Portrait and A5-Landscape and these can be found in a Nordic or an International version.

In the tables of the various stands, it is clearly visible which holder fits which stand.
The signs come in an editable PDF file where you can adapt the text to your needs and language, then you easily print them on your laser printer.






# Accessories



**Cable Tie Holder Classic**

*Standard - grey .....Item no. 30470*
*Metal detectable - blue .....Item no. 30476*
Cable tie holder with integrated holder for Scissors suitable for Mini, Midi and Maxi.



**Cable tie holder for Dynamic**

*(holder only)*
*Standard - grey ..... Item no. 30420*
*Metal detectable - blue ..... Item no. 30426*
The cable tie holder for the entire Dynamic series.



**Rubber band**

*.....Item no. 3102*
The rubber band can be used together with all Longopac cassette holders. Effectively locks the cassette in place and prevents it from unravelling.



**Scissors kit for Dynamic**

*Metal detectable - blue ..... Item no. 34609*
Kit with metal detectable scissors, scissor holder and stainless steel wire.



**Safety knife - Cutter kit**

*Blue ..... Item no. 30440*
Kit with cutter in metal detectable PP. Wire in stainless steel and cable ties in metal detectable PA.



**Adjustable plate for Classic Mini**

*.....Item no. 31480*
Reduces the consumption of bag material and the size of the bag. Primarily intended for use with heavy waste.



**Lid for Classic Mini & Maxi**

*Mini ..... Item no. 31140*
*Maxi .....Item no. 30140*



**Adapter disc for Classic Maxi**

*.....Item no. 30170*
Reduces the aperture for easier compression of e.g. recycled plastic.



**Connector for all Classic**

*..... Item no. 33750*
Connects two or more stand products simply and securely. It is also possible to connect Maxi with Mini.



**Frame for Classic Maxi**

*..... Item no. 33900*
The frame holds the bag in place.



**Frame for Classic Mini**

*..... Item no. 33890*
The frame holds the bag in place.



**Dynamic ESD Kit Wheels**

*.....Item no. 34616*
Contains four castor wheels, two of them with brakes. Replaces the original wheels on stands used in ESD restricted areas.

Longopac® Stand
– simply smarter

www.longopac.com

The manufacturer Paxxo AB is certified according to ISO 9001 & 14001

PAXXO

**Paxxo AB** • Bjurögatan 35, SE-211 24 Malmö
www.paxxo.com • Tel: +46 40 - 18 60 25

© All rights in and to this material are the sole property of Paxxo AB. Copying, scanning, alterations or modifications are expressly forbidden without the prior written consent of Paxxo AB.
Rights reserved for changes without prior notice.

S.4304.10 EN