

Einweg-Mopp Mini Mikrofaser CELOS

pure[11]-Nr.: 1110240, Marke: CELOS

Eigenschaften

- Steril
- Marke: CELOS
- Breite in cm: 20 cm
- Art des Moppwischbezugs: Flachmopp
- Gewicht in g: 10 g
- Gebrauch: Einweg
- Material: Mikrofaser
- Wandreinigung
- Anzahl in kleinster Unterverpackung: 4
- Mikrofaser (Reinigungsfläche)

Empfohlene Reinraumklassen

ISO 4 | 5 | 6 | 7 | 8 | 9

GMP A/B | C | D

pure[11] GmbH |
Bavariafilmplatz 7 | D-82031 Grünwald

T +49 89 5589434 0
F +49 89 5589434 77

www.pure11.de
info@pure11.de

we care

Material

- Mikrofaser

Verpackung

- 100STK

Produktvarianten

pure[11]-Nr.: 1110240, Einweg-Mopp Mini Mikrofaser CELOS

Steril; Passend für Artikel 10342/10343 / VE: 100STK

STERILE

CELOS®
a pure[11] brand

Disposable Microfiber Mini-Mop Head CELOS®

Product information:

Material	Inside: 100 % polyester, nonwoven Outside: cleanroom grade microfiber for improved particle adhesion, woven polyester
Process	Disposable mop cover for enhanced removal of contamination from small and difficult to reach surfaces Pretreated for cleanrooms, processed and packed in a controlled environment
Properties	Ideal for daily cleaning and disinfection of cleanrooms and controlled environments, GMP A/B
Basic weight	16 g (+/- 2 g)
Color	White with grey edges

Product:

Part number	*Style*	*Size*	*Inner packaging*	*Quantity per case*
1110240	Sterile	19.5 x 8 cm	4 pcs/double bag	25 bags/case
Parallel part number 10240	*Please note: The packaging may show either of the parallel valid part numbers during the changeover period.*			

Characteristics:

- Disposable
- Traceability with every batch
- Easy usage on all surfaces, especially glas
- Superior results for the removal of (disinfectant) residues
- Works with a specially designed mini mop holder (1110342) and stick (1110342)
- Ideal for saturation
- Suitable for small surfaces, isolators, RABS and difficult to reach areas
- Cleanroom production and packaging
- Gamma irradiated

Performance parameter:

	Specification	*Unit*
Sorbency capacity	> 80	ml/m²
Sorbency	< 1	seconds
Surface coverage	> 6	m²
APC (≥ 0.5µm)	< 15,000	counts/pcs
NVR (DIW)	< 0.24	mg/g
NVR (IPA	< 0.32	mg/g

Based on research and testing, pure[11] can recommend the usage of the cleanroom mop 1110240 in cleanrooms up to ISO 5 and GMP A/B, according to ISO 14644-1.

pure[11] has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure[11] does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.

we care

pure11 GmbH | Sitz: Grünwald
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de