Einweghose Polypropylen CELOS

pure11-Nr.: 1103720, Marke: CELOS

Eigenschaften

- Antistatisch
- Beinabschluss: Gummizug
- Flächengewicht in g/m²: 45 g/m²
- Gebrauch: Einweg
- Geschlechterspezifische Passform: unisex
- Hosenbund: Gummizug
- Material: Polypropylen (PP)
- Materialzusammensetzung: Reinmaterial
- Polypropylen: 100 %
- Marke: CELOS
- Flächengewicht in g/m²: 45 g/m²

Empfohlene Reinraumklassen

ISO 6 | 7 | 8 | 9

GMP D

we care

pure11 GmbH |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

Material

- Polypropylen (PP)

Verpackung

- 50STK

Produktvarianten

pure[11]-Nr.: 1103720WHM, Einweghose Polypropylen CELOS

Farbe: Weiß; Größe: M / VE: 50STK

pure[11]-Nr.: 1103720WH3XL, Einweghose Polypropylen CELOS

Farbe: Weiß; Größe: 3XL / VE: 50STK

pure[11]-Nr.: 1103720WHL, Einweghose Polypropylen CELOS

Farbe: Weiß; Größe: L / VE: 50STK

pure[11]-Nr.: 1103720WHXL, Einweghose Polypropylen CELOS

Farbe: Weiß; Größe: XL / VE: 50STK

pure[11]-Nr.: 1103720WHXXL, Einweghose Polypropylen CELOS

Farbe: Weiß; Größe: XXL / VE: 50STK

CELOS®
a pure[11] brand

Polypropylene Trouser CELOS®

Product information:

Material	100 % pure Polypropylene
Application	Rubber band at the waistband and leg cuffs, inside seams
Basic weight	45 g/m²
Color	White

Product:

Part number	*Variant*	*Style*	*Size*	*Outer packaging*	*Quantity per case*
1103720	WHS	Non-sterile	S	1 pcs/bag	50 bags/case
	WHM		M		
	WHL		L		
	WHXL		XL		
	WHXXL		XXL		
	WH3XL		3XL		

IB=Inner Bag; OB=Outer Bag

Characteristics:

- Antistatic properties: Surface resistance: < 1x10^12 Ohm (EN 61340-5-1)
- Lightweight material
- Robust
- Protection against dirt and certain dry particles in non-hazardous environments
- Breathable
- Disposable
- Batch-controlled and tested
- Production and packaging in a controlled environment



Size	A	B	C	D
S	110	27.5	24	30
M	112	29	24	31
L	115	32	24	32
XL	118	34	26	33
XXL	121	35	27	35
3XL	125	37.5	27	35
Tolerance	+/- 2	+/- 2	+/- 1	+/- 2
Unit: cm				

pure[11] has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure[11] does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.

pure11 GmbH | Sitz: Grünwald
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

we care