



## Klebefolienmatte L30-8

pure[11]-Nr.: 1108018, Marke: Purus

### Eigenschaften

- Marke: Purus
- Breite in cm: 66 cm
- Länge in cm: 114 cm
- Dicke/Stärke der Matte (in mm): 1,5 mm
- Anzahl Lagen: 30
- Abnehmende Indexnummerierung
- Material: Polystyrene
- Klebestärke: mittel
- Farbe: Weiß
- Farbe der einzelnen Klebefolien: Weiß
- antimikrobiell ausgerüstet

### Empfohlene Reinraumklassen

**ISO** 4 | 5 | 6 | 7 | 8 | 9

**GMP** C | D

we care

**pure[11] GmbH** |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

## Material

- Polystyrene

## Verpackung

- 8STK

## Produktvarianten

**pure[11]-Nr.: 1108018, Klebefolienmatte L30-8**

Farbe: Weiß; Größe: 66 x 114 cm / VE: 8STK

**pure[11] GmbH** |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

# PURUS EnviroTack™ Mats

### A Revolutionary Step Forward

PURUS EnviroTack™ Mats are the first ever contamination control product containing renewable plant-based materials, providing an environmentally friendly alternative for socially responsible organizations.

### For Cleanroom, Hospital, and Industrial Use

PURUS EnviroTack™ Mats remove and contain dirt and mats are available in 30 or 60-layer versions. Each layer of the mat is fully coated with a particle grabbing adhesive and constructed of low-density polyethylene film. A low-profile numbered tab indicates the number of remaining layers and ensures one-layer-at-a-time removal.

**Earth Friendly***
Contains GMO free, renewable, plant based Cardia Biohybrid™ material that reduces C02 emissions.

**Strong and Effective**
Adhesive coated mats deliver the same reliable and high-end performance

**No Cost Impact**
Earth friendly without paying more.

**Image Enhancer**
Improves your corporate image by lowering your carbon footprint.

**Full-Service and Support**
Backed by Purus International's world-class service and customer support.

**Recyclable****
Can be recycled in conventional plastic recycling streams.





### Our Impact***

Based on Purus International's current annual production volume of approximately one million pounds, PURUS EnviroTack™ Mats will save 135 metric tons of C02 emissions, the equivalent of carbon sequestered by 160 acres of forests in one year.

* Life Cycle Assessment performed by the Centre for Design at RMIT University
** Recycling analysis performed by Smith RAPRA Technology
*** Environmental Ecosystem analysis performed by ExcelPlas

**Purus International, Inc.**
+353 61 496662 | sales@puruseurope.com | puruseurope.com

PURUS, EnviroTack™, ® or TM are owned by Purus International, Inc. © 2022 Purus International, Inc. All Rights Reserved.

SCAN HERE TO LEARN MORE


PURUS


EnviroTack™


## PURUS EnviroTack™ Specifications

| | Regular Tack | High Tack |
|---|---|---|
| **Film** | LDPE Bend | LDPE Bend |
| **Film Thickness** | 1.3 ±.2 mil / 33 µm | 1.3 ±.2 mil / 33 µm |
| **Adhesive** | Acrylic | Acrylic |
| **Adhesive Thickness** | 0.3 mil / 8 µm | 0.3 mil / 8 µm |
| **Peel Adhesion "top"** | 6.5 oz. / 190g/25mm ± 40 | 9.25 oz. / 250g/25mm ± 40 |
| **Heat Resistance** | 158°F / 70° C – 48 Hours | 158°F / 70° C – 48 Hours |

## Colours, Sizes, and Catalogue Numbers

| Colour | Size | Regular Tack | | | High Tack | | |
|---|---|---|---|---|---|---|---|
| | | 30 Layer-4/cs | 30 Layer-8/cs | 60 Layer-4/cs | 30 Layer-4/cs | 30 Layer-8/cs | 60 Layer-4/cs |
|  White | 457 X 914 | PS 1836 34 W | PS 1836 38 W | PS 1836 64 W | – | – | – |
| | 457 X 1143 | PS 1845 34 W | PS 1845 38 W | PS 1845 64 W | – | PS 1845 38 W-HT | – |
| | 610 X 762 | PS 2430 34 W | – | PS 2430 64 W | – | – | PS 2430 64 W-HT |
| | 610 X 914 | – | PS 2436 38 W | PS 2436 64 W | – | – | – |
| | 660 X 1143 | PS 2645 34 W | PS 2645 38 W | PS 2645 64 W | – | PS 2645 38 W-HT | PS 2645 64 W-HT |
| | 914 X 914 | – | PS 3636 38 W | PS 3636 64 W | – | – | – |
| | 914 X 1143 | PS 3645 34 W | PS 3645 38 W | PS 3645 64 W | – | – | PS 3645 64 W-HT |
| | 914 X 1524 | PM 3660 34 W | – | – | – | – | – |

| Colour | Size | 30 Layer-4/cs | 30 Layer-8/cs | 60 Layer-4/cs | 30 Layer-4/cs | 30 Layer-8/cs | 60 Layer-4/cs |
|---|---|---|---|---|---|---|---|
|  Blue | 457 X 914 | – | PS 1836 38 B | PS 1836 64 B | – | PS 1836 38 B-HT | – |
| | 457 X 1143 | PS 1845 34 B | PS 1845 38 B | PS 1845 64 B | – | PS 1845 38 B-HT | – |
| | 610 X 762 | PS 2430 34 B | – | PS 2430 64 B | – | – | – |
| | 610 X 914 | – | PS 2436 38 B | PS 2436 64 B | – | PS 2436 38 B-HT | – |
| | 660 X 1143 | PS 2645 34 B | PS 2645 38 B | PS 2645 64 B | – | PS 2645 38 B-HT | – |
| | 914 X 914 | – | PS 3636 38 B | PS 3636 64 B | – | – | – |
| | 914 X 1143 | PS 3645 34 B | PS 3645 38 B | PS 3645 64 B | – | – | – |
| | 914 X 1524 | PM 3660 34 B | – | – | – | – | – |

| Colour | Size | 30 Layer-4/cs | 30 Layer-8/cs | 60 Layer-4/cs | 30 Layer-4/cs | 30 Layer-8/cs | 60 Layer-4/cs |
|---|---|---|---|---|---|---|---|
|  Gray | 457 X 914 | PS 1836 34 G | PS 1836 38 G | PS 1836 64 G | – | – | – |
| | 457 X 1143 | PS 1845 34 G | PS 1845 38 G | PS 1845 64 G | – | – | – |
| | 610 X 762 | PS 2430 34 G | – | PS 2430 64 G | – | – | – |
| | 610 X 914 | – | PS 2436 38 G | PS 2436 64 G | – | – | – |
| | 660 X 1143 | PS 2645 34 G | PS 2645 38 G | PS 2645 64 G | – | – | – |
| | 914 X 914 | – | PS 3636 38 G | PS 3636 64 G | – | – | – |
| | 914 X 1143 | PS 3645 34 G | PS 3645 38 G | PS 3645 64 G | – | – | – |
| | 914 X 1524 | PM 3660 34 G | – | – | – | – | – |

**Manufactured in ISO 9001 certified facility**

Purus International, Inc.
+353 61 496662 | sales@puruseurope.com | puruseurope.com

PURUS, EnviroTack™, ® or TM are owned by Purus International, Inc. © 2022 Purus International, Inc. All Rights Reserved.

SCAN HERE TO LEARN MORE