


CELOS



Mundschutz CELOS Facemask

pure¹¹-Nr.: 1103450, Marke: CELOS

Eigenschaften

- Steril
- Marke: CELOS
- Art des Mundschutzes: Reinraum-Mundschutz
- Gebrauch: Einweg
- Fixierung: mit Bändern
- Anzahl Lagen: 3
- Passform: breit
- Farbe: Weiß
- Verpackungsform: einzeln verpackt
- Breite in cm: 23 cm
- Latexfrei
- Materialzusammensetzung: Mischmaterial
- Nasenbügel

Empfohlene Reinraumklassen

ISO 5|6|7|8|9

GMP A/B|C|D



pure¹¹ GmbH

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführung: Julian Kropp, Linda Vereycken, Lars Engeler

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

www.pure11.de

info@pure11.de

Material

-

Verpackung

- 200STK

Produktvarianten

pure¹¹-Nr.: 1103450, Mundschutz CELOS Facemask

Steril; Fixierung: zum Binden; Breite: 23 cm / VE: 200STK

pure¹¹ GmbH

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführung: Julian Kropp, Linda Vereycken, Lars Engeler

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

www.pure11.de

info@pure11.de



CELOS® Facemask sterile

Product information:

Material	Polyethylene / PTFE
Characteristics	3-layer sterile pleated facemask, with nose clip and ties, gamma-irradiated
Application	Wide facemask to cover nose and mouth for best product protection in cleanrooms
Bacterial filter capacity	≥ 92 %, 3.0 µm
Particle filter capacity	≥ 90 %, 0.1 µm
Color	White

Product:

Part number	Style	Size	Inner packing	Quantity per case
1103450	Sterile	9,5 cm x 23 cm	20 pcs/OB	10 OB/case
IB=Inner Bag; OB=Outer Bag				
Parallel part number 03450W	Please note: The packaging may show either of the parallel valid part numbers during the changeover period.			

Characteristics:

- Individually packaged
- Ultrasonic bonding of ties and mask - high robustness
- Fully enclosed and soft aluminium nosepiece
- Soft and skinfriendly ties
- Extra width of 23 cm
- 1,98 mmHx @8LPM Flowrate
- Sterility Assurance Level 10⁻⁶
- Light and comfortable to wear
- Protective inner fabric, outside is sealed with PE-film
- Good breathability coupled with good filtering properties

Performance parameter:

	Specification	Unit
Bacterial filtration efficiency	≥ 98	%
Particle filtration efficiency	≥ 98	%
Air exchange pressure	< 60	Pa/cm ²
Microbial cleanliness (Bioburden)	≤ 30	CFU/g
Splash resistance	16.0	kPa
Flammability	IBE - Ignited but extinguished	-

pure¹¹ has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure¹¹ does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.





CELOS® Facemask sterile

Product information:

Material	Polyethylene / PTFE
Characteristics	3-layer sterile pleated facemask, with nose clip and ties, gamma-irradiated
Application	Wide facemask to cover nose and mouth for best product protection in cleanrooms
Bacterial filter capacity	≥ 92 %, 3.0 µm
Particle filter capacity	≥ 90 %, 0.1 µm
Color	White

Product:

Part number	Style	Size	Inner packaging	Quantity per case
1103450	Sterile	9,5 cm x 23 cm	20 pcs/OB	10 OB/case
IB=Inner Bag; OB=Outer Bag				
Parallel part number 03450W	Please note: The packaging may show either of the parallel valid part numbers during the changeover period.			

Characteristics:

- Individually packed
- Ultrasonic bonding of ties and mask - high robustness
- Fully enclosed and soft aluminium nosepiece
- Soft and skinfriendly ties
- Extra width of 23 cm
- 1,98 mmHx @8LPM Flowrate
- Sterility Assurance Level 10⁻⁶
- Light and comfortable to wear
- Protective inner fabric, outside is sealed with PE-film
- Good breathability coupled with good filtering properties

Performance parameter:

	Specification	Unit
Bacterial filtration efficiency	≥ 98	%
Particle filtration efficiency	≥ 98	%
Air exchange pressure	< 60	Pa/cm ²
Microbial cleanliness (Bioburden)	≤ 30	CFU/g
Splash resistance	16.0	kPa
Flammability	IBE - Ignited but extinguished	-

pure¹¹ has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure¹¹ does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.