



## Empfohlene

## Reinraumklassen

ISO 3|4|5|6|7|8|9

GMP C|D



## Halyard Nitril-Handschuhe PUREZERO HG3 blau #CLN9031XS

pure<sup>11</sup>-Nr.: 1105010, Marke: Halyard

### Eigenschaften

- Marke: Halyard
- Handschuhtyp: Dünnsfilm
- Länge in cm: 30,5 cm
- Chemikalienbeständigkeit - Typ: Typ C
- Puderfrei
- Material: Nitril
- Texturierte Fingerspitzen
- Zytostatikageeignet
- Lebensmittelkonformität
- Silikonfrei
- Vulkanisationsbeschleunigerfrei
- Verpackungsform: Beutel
- Antistatisch
- AQL (Acceptable Quality Level)-Wert: 0,65
- Chemikalienbeständig gegen Isopropanol (70%): Level 1 (10-30min)
- Länge in Inches: 12 In
- Latexfrei
- Reißfestigkeit EN 455-2 ASTM in MPa: 20-30
- Schutz vor Blut und Körpersekreten ISO 16604:2004

- Passform Hand: beidhändig
- Viren-/Mikroorganismenschutz EN ISO 374-5:2016
- Wandstärke Mittelfinger in mm: 0,1 mm

### Material

- Nitril

### Verpackung

- 1500STK

## Produktvarianten

---

**pure<sup>11</sup>-Nr.: 1105010BLXS, Halyard Nitril-Handschuhe PUREZERO HG3 blau #CLN9031XS**

Farbe: Blau; Größe: XS / VE: 1500STK

---

**pure<sup>11</sup>-Nr.: 1105010BLL, Halyard Nitril-Handschuhe PUREZERO HG3 blau #CLN9031LG**

Farbe: Blau; Größe: L / VE: 1500STK

---

**pure<sup>11</sup>-Nr.: 1105010BLM, Halyard Nitril-Handschuhe PUREZERO HG3 blau #CLN9031MD**

Farbe: Blau; Größe: M / VE: 1500STK

---

**pure<sup>11</sup>-Nr.: 1105010BLS, Halyard Nitril-Handschuhe PUREZERO HG3 blau #CLN9031SM**

Farbe: Blau; Größe: S / VE: 1500STK

---

**pure<sup>11</sup>-Nr.: 1105010BLXL, Halyard Nitril-Handschuhe PUREZERO HG3 blau #CLN9031XL**

Farbe: Blau; Größe: XL / VE: 1500STK

---



# HALYARD\* **PUREZERO\*** LIGHT BLUE NON-STERILE CLEANROOM GLOVES

DATA PACK



For the Cleanroom Environment  
For Industrial Use Only

# HALYARD\* **PUREZERO\*** HG3 LIGHT BLUE NON-STERILE CLEANROOM GLOVES DATA PACK

All documents depicted here are FOR EXAMPLE ONLY. For specific documents related to lot numbers, please visit [www.halyardhealth.com/information](http://www.halyardhealth.com/information), or ask your Distributor or HALYARD\* Representative.

## TABLE OF CONTENTS

<b>Technical Data Sheet</b> .....	3
<b>Certificate of Analysis (COA)</b> .....	6
<b>Package Labels</b>	
Case Label.....	9
Bag Label.....	10
<b>Packaging Certificates</b>	
Bag–Certificate of Conformance (COC) .....	12
Bag 2–Certificate of Conformance (COC) .....	14
Case Liner–Certificate of Conformance (COC) .....	17
<b>Safety Data Sheet</b> .....	20
<b>REACH Regulation Letter</b> .....	27
<b>Certificate of Registration 9001:2015</b> .....	28
<b>Certificate of Registration ISO 13485:2016</b> .....	30
<b>Certificate of Registration ISO 14001:2015</b> .....	33
<b>Accelerator-Free Letter</b> .....	34
<b>Chemotherapy Drug Resistance Guide</b> .....	35
<b>Chemical Resistance Guide</b> .....	36
<b>ESD Testing Letter</b> .....	37
<b>BSE/TSE Letter</b> .....	41
<b>Storage Conditions Letter</b> .....	42
<b>Silicone-Free Letter</b> .....	43
<b>Packaging Supplier Notification Letter</b> .....	45

# TECHNICAL DATA SHEET

---



# TECHNICAL DATA SHEET

## Description

HALYARD\* **PUREZERO\*** HG3 Light Blue Nitrile Cleanroom Gloves are designed for semiconductor, pharmaceutical and medical device manufacturing applications. These gloves are clean processed (washed repeatedly in deionized water) to ensure consistent control of low particles and extractables and are recommended for use in ISO Class 3 or higher and Grade A/B/C/D cleanrooms. Because HALYARD\* **PUREZERO\*** Light Blue Nitrile Gloves have an **accelerator-free**<sup>1</sup> formulation, there is a reduced risk of allergies and skin irritation associated with accelerator chemicals in other nitrile gloves.



Manufactured at OUR OWN  
Safeskin Facility in Thailand.

## Cleanliness Properties

Max Particle Count (>0.5 µm)	<1200 Particles/cm <sup>2</sup>	IEST RP-CC005
<b>Ionic Content (Extractable ions)</b>	<b>Max Level (ug/g)</b>	IEST RP-CC005
Calcium	50	
Chloride	35	
Magnesium	5	
Nitrate	20	
Potassium	5	
Sodium	10	
Sulfate	10	
Zinc	7	
Ammonium	5	

## Physical Properties

AQL	0.65
Non-Sterile	✓
Ambidextrous	✓
Tacky Grip	✓
Textured Fingertips	✓
Accelerator-Free <sup>1</sup>	✓
Latex-Free	✓
Powder-Free	✓
Silicone-Free	✓
Static Dissipative in Use	✓
Tensile Strength <sup>2</sup>	35 MPa (Target)
Ultimate Elongation <sup>2</sup>	600%
Shelf Life	3 Years

## Glove Dimensions

	X-SMALL	SMALL	MEDIUM	LARGE	X-LARGE
<b>Glove Length (inch/cm)</b>	12"/30.5	12"/30.5	12"/30.5	12"/30.5	12"/30.5
<b>Middle Finger Length (mm)</b>	72	78.9	81.6	88.2	92.1
<b>Width of Palm (mm)</b>	70	80	95	110	120
<b>Finger Tip Thickness</b>	0.10 mm (3.9 mil)				
<b>Palm Thickness</b>	0.08 mm (3.1 mil)				
<b>Cuff Thickness</b>	0.07 mm (2.75 mil)				

# TECHNICAL DATA SHEET

## Packaging Data

Double bag, plus case liner  
 1500 gloves per case: 250 gloves per PE bag X 6 PE bags per lined carton  
 Packaged in ISO Class 5 Cleanroom

## Quality & Regulatory Standards

Compliant to these regulatory standards:

ISO 9001  
 ISO 13485  
 ISO 14001

Compliant to these food handling regulatory standards:

FDA 21 CFR 177-2600  
 FDA 21 CFR 180.22  
 Commission Regulation (EU) No 10/2011

PPE Cat III according to Regulation (EU) 2016/425 and as amended to apply in GB (UKCA)

EN 16523-1:2015+A1:2018  
 EN ISO 374-2:2019  
 EN ISO 374-4:2019  
 EN ISO 374-5:2016 Bacteria, Fungi, and Virus Protection  
 EN ISO 374-1:2016+A1:2018/ Type B  
 EN ISO 21420:2020 Dexterity Classification: Level 5  
 ISO16604:2004

Compliant with the REACH regulation

RoHS 2011/65/EU Annex II

Static Dissipative in Use

Tested per ANSI/ ESD SP 15.1

Meets USP <800> Guidelines

## Additional Glove Information

Recommended for use in ISO Class 3 or higher and Grade A/B/C/D cleanrooms.

Tested against 29 chemicals, 14 chemotherapy drugs and Fentanyl.

Made in Thailand

Declaration of Conformity (DoC) and Certificates of Analysis (COA) for every production lot available online at [halyardhealth.com/information](http://halyardhealth.com/information)


## Storage Instructions

HALYARD\* PUREZERO\* Nitrile Gloves shall be stored in conditions where the product is kept dry (away from moisture), away from direct sunlight, away from sources of heat, and away from radioactive sources.

## Ordering Information

**HALYARD\* PUREZERO\* HG3 LIGHT BLUE NITRILE GLOVES, NON-STERILE, AMBIDEXTROUS, TACKY**

Size	Code
XS	CLN9031XS
SM	CLN9031SM
MD	CLN9031MD
LG	CLN9031LG
XL	CLN9031XL



For additional information or samples, contact your local distributor or visit [www.purezerogloves.com](http://www.purezerogloves.com)

<sup>1</sup> Not formulated with these commonly used vulcanizing chemicals: Sulfur, Thiurams, Thioxoles, Guanidines and Carbamates.

<sup>2</sup> Tested per ASTM D412

This fact sheet has been created using the most recent information. In the interest of continuous improvement, the characteristics of the products may change without prior notice.

# CERTIFICATE OF ANALYSIS

---





Safeskin Medical & Scientific (Thailand) Ltd. 200 Moo 8 Kanchanavanich Road Tambol Prik, Amphur Sadao Songkhla 90120 Thailand

## CERTIFICATE OF ANALYSIS

Product Description : HALYARD\* PUREZERO\* HG3 Light Blue Nitrile Gloves

Catalog Numbers : CLN9031XS, CLN9031SM, CLN9031MD, CLN9031LG, CLN9031XL

OMH Code : 48162-80, 48163-80, 48164-80, 48165-80, 48166-80

Total Cases per Lot : 2,900

Date of Manufacture : Jul-22

Expiration Date : 2027-06-30

Batches : SM218227X to SM221227X

### Physical Test Data

	Watertight	Visual Defects		Dimensions	Tensile (MPa)	Elongation (%)	Median Force at Break (N)
		Minor	Negligible		Pre Aging	Pre Aging	Pre Aging
Sample Size :	2555	2555	2325	195	156	156	156
AQL Level :	1.0	2.5	4.0	4.0	4.0	4.0	4.0
Failures Allowed per AQL :	39	90	128	15	12	12	12
Failures :	0	0	0	0	0	0	0
Inspection Results :	Accept	Accept	Accept	Accept	Accept	Accept	Accept
Averages:					41.18	577	10.32

Test Methods : Water tight test ASTM D 5151, EN 455-1, Elongation and Tensile ASTM D 412, ASTM D 6319, Median Force at Break EN 455-2, Dimension ASTM D 6319, EN 455-2

### Particle Test Data

Particle	Min	Max	Average Particles/cm <sup>2</sup>	Inspection Result
#/cm <sup>2</sup> :	532	947	822	Accept

Particulate Level (≥0.5 microns) #/cm<sup>2</sup>

Test Method : IEST-RP-CC005.4

### Extractable Ion Test Data

	Anions Results				Cations Results			
	Chloride	Nitrate	Sulfate	Sodium	Ammonium	Potassium	Magnesium	Calcium
Units :	Cl <sup>-</sup>	NO <sub>3</sub> <sup>-</sup>	SO <sub>4</sub> <sup>-2</sup>	Na <sup>+</sup>	NH <sub>4</sub> <sup>+</sup>	K <sup>+</sup>	Mg <sup>+2</sup>	Ca <sup>+2</sup>
µg/g glove	28.292	11.808	3.383	3.344	1.766	2.173	1.655	39.816
Inspection Result :	Accept	Accept	Accept	Accept	Accept	Accept	Accept	Accept

### Trace Element Results

Units :	Zinc
	Zn
µg/g glove	2.83
Inspection Result :	Accept

Test Method : IEST-RP-CC005.4

Review By :

 15 Aug 2022  
( QA Sr. Manager )

FORM-28013/6

# PACKAGE LABELS

---



**PUREZERO\* HG3**  
LIGHT BLUE NITRILE GLOVES



- (FR) Gants en nitrile bleu clair HG3
- (DE) HG3 Nitrilhandschuhe, hellblau
- (BG) Светлосини нитрилни ръкавици HG3
- (ES) Guantes de nitrilo celestes HG3
- (CS) Světle modré nitrilové rukavice HG3
- (DA) Lyseblå nitrilhandsker
- (ET) HG3 helesinised nitrilkindad
- (EL) HG3 Γαλάζια γάντια νιτριλίου
- (IT) Guanti in nitrile azzurri HG3
- (LV) HG3 gaiši zili nitrila cimdi
- (LT) HG3 šviesiai mėlynos nitrilinės pirštinės
- (HR) HG3 svijetlo plave nitrilne rukavice
- (HU) HG3 világoskék nitrilkesztyű

<p>AOL 0.65 Level 3 GL</p> <p>ISO 374-5:2016 VIRUS</p>	<p>ISO 374-1/Type B KTP</p> <p>EN ISO 374-1:2016+A1:2018</p>
--	--

104816482 **CLN9031MD**



3 06 80651 48164 2


**PUREZERO\* HG3**  
LIGHT BLUE NITRILE GLOVES



- (MT) HG3 Ingwanti tan-Nitril Blu Ċari
- (NL) HG3 Lichtblauwe nitril handschoenen
- (NO) HG3 Lyseblå nitrilhansker
- (PL) HG3 Jasnoniebieskie rękawice nitrilowe
- (PT) Luvas de nitrilo azuis-darças HG3
- (RO) Mănuși din nitril albastre deschise HG3
- (RU) HG3 Голубые нитриловые перчатки
- (SK) Bledomodré nitrilové rukavice HG3
- (SL) HG3 Svetlo modre rokavice iz nitrila
- (FI) HG3, vaaleansiniset nitrilikäsineet
- (SV) HG3 Ljusblå nitrilhandskar
- (JA) HG3 リュウゼンブルーニトリルグローブ
- (KO) HG3 하늘색 니트릴 장갑
- (ZH) HG3 浅蓝色丁腈手套

<p>AOL 0.65 Level 3 GL</p> <p>ISO 374-5:2016 VIRUS</p>	<p>ISO 374-1/Type B KTP</p> <p>EN ISO 374-1:2016+A1:2018</p>
--	--

104816482 **CLN9031MD**



3 06 80651 48164 2

# BAG LABEL



## PUREZERO\* HG3 LIGHT BLUE NITRILE GLOVES

For the Cleanroom Environment

For Industrial Use Only

12 in. / 30.5 cm

- FR Gants en nitrile bleu clair HG3 • Pour l'environnement des salles blanches • Pour usage industriel uniquement • Sans accélérateur\* • Ambidextres
- DE HG3 Nitrilhandschuhe, hellblau • Für Reinraumumgebungen • Nur für den industriellen Gebrauch • Beschleunigerfrei\* • Beidhändig
- ES Guantes de nitrilo celestes HG3 • Para entornos de sala blanca • Solo para uso industrial • Sin aceleradores\* • Ambidiestro
- IT Guanti in nitrile azzurri HG3 • Per camera bianca • Solo per uso industriale • Privi di acceleranti\* • Ambidestri
- NL HG3 Lichtblauwe nitril handschoenen • Voor gebruik in kritieke schone ruimtes/cleanrooms • Alleen voor industrieel gebruik • Versnellervrij\* • Symmetrisch
- PT Luvas de nitrilo azuis-claras HG3 • Para ambiente de sala limpa • Exclusivamente para utilização industrial • Sem aceleradores\* • Ambidestras
- RU Голубые нитриловые перчатки HG3 • Для стерильных условий • Только для промышленного использования • Без химических присадок\* • Амбидекстральные
- JA ピュアゼロ HG3 ライトブルーニトリルグローブ • クリーンルーム環境対応 • 工業用途のみ • 加硫促進剤不使用\* • 左右兼用
- KO HG3 하늘색 니트릴 장갑 • 클린룸 환경용 • 산업용으로만 사용 • 촉진제 없음\* • 양손형
- ZH 浅蓝色丁腈手套 • 适用于洁净室环境 • 仅限工业使用 • 无催化剂\* • 左右手通用

Manufactured at our SAFESKIN® Facility

### ACCELERATOR FREE\*

XS (5.5) = CLN9031XS S (6.0 - 6.5) = CLN9031SM M (7.0 - 7.5) = CLN9031MD L (8.0 - 8.5) = CLN9031LG XL (9.0 - 10.0) = CLN9031XL	Ambidextrous						
	AQL 0.65 Level 3 GI			<a href="http://halyardhealth.com/information">halyardhealth.com/information</a>	CE 2797 IPPE Cat. III	UK CA 0086	250

\* Not formulated with the following vulcanizing chemicals and accelerators: Sulfur, Thiurams, Thiazoles, Guanidines, Carbamates

Product of Thailand

O&M Halyard, Inc., 9120 Lockwood Blvd., Mechanicsville, VA 23116 • In USA, please call 1-844-425-9273 • halyardhealth.com  
 ArcKoyal Unlimited Company, Virginia Road, Kells, Co Meath, Ireland  
 O&M Halyard Belgium BV, Berkenlaan 88, 1831 Machelen (Brab.), Belgium  
 Product certified to the Regulation (EU) 2016/425 by Notified Body 2797 BSI Group The Netherlands B.V.,  
 Say Building, John M. Keynesplein 9, 1065 EP Amsterdam, and to the Regulation (EU) 2016/425 on personal protective equipment,  
 as amended to apply in Great Britain by Approved Body BSI Assurance UK Ltd (0086) Kitemark Court, Davy Avenue, Milton Keynes, MK5 8PP.  
 UK RP • RLD Quality Limited Centenary House, Peninsula Park, Rydon Lane, Exeter, EX2 7XE, United Kingdom  
 Sponsored in Australia by O&M Halyard Australia Pty Ltd, Tenancy 1, Level 1, Trinitti 3, 39 Delhi Road, North Ryde NSW 2113  
 販売元: O&M Halyard Japan合同会社 東京都港区芝公園2-6-3 芝公園フロントタワー12階  
 \*Registered Trademark or Trademark of O&M Halyard, Inc., or its affiliates. ©2018. All rights reserved.  
 Patent and/or Pending Application. See [www.halyardhealth.com/patents](http://www.halyardhealth.com/patents). 06-HM-118-0-00

Place Label Here

# PACKAGING CERTIFICATES

---





## TIP CORPORATION SDN BHD

Lot 608, Jalan Sungai Sop, Batu 14,  
43100 Hulu Langat, Selangor, Malaysia.  
Tel: +603-9021 3985  
E-mail: sales@tipcorp.com Website: www.tipcorp.com



### CERTIFICATE OF CONFORMANCE

THIS IS TO CERTIFY THAT THE FOLLOWING PRODUCT CONFORM/PASS THE SPECIFICATION LISTED BELOW:-

CUSTOMER : SAFESKIN  
 DESCRIPTION : C/R EASY TEAR LDPE -PRT -355X405X0.05MM  
 QUANTITY : 10000 pcs  
 LOT NO : 61446  
 PART NO : 06-HM-038-0-00  
 P.O NO. & DATE : 4561163725  
 TEST DATE : 25.07.2021  
 OUR INVOICE NO: TPL16516  
 PALLET REFERENCE NUMBER (IF ANY):  
 PACKING LIST NUMBER :TPL16516  
 DATE OF MANUFACTURING :  
 DATE OF EXPIRED :

<b>Safeskin Thailand</b>	
D/O No.	: TPL 16516
IQA Batch	: P 2107249
Date	: 30-JUL-2021
Signature By	: <i>Chai P</i>

**SURFACE RESISTIVITY TEST – (Reference ASTM D257, ANSI / ESD S541 & ANSI / ESD STM 11.11)**

- DISSIPATIVE :  $\geq 1 \times 10^5$  AND  $< 1 \times 10^{12}$  OHMS/SQ
- CONDUCTIVE :  $< 1 \times 10^5$  OHMS/SQ
- VISUAL TEST
- DIMENSION CHECK (WIDTH, LENGTH & THICKNESS)
- WATER LEAK TEST
- LPC TEST
- SEAL/PEEL STRENGTH TEST
- PRINTING
- AMIDE & SILICON FREE
- CENTRE SEAL / WITH PERFORATION LINE
- NO CENTRE SEAL / WITHOUT PERFORATION

TESTED BY: *Rubayyat*  
 QC DEPARTMENT

VERIFIED BY: *[Signature]*  
 QA EXECUTIVE



TOP IN PERFORMANCE

# BAG COC



TIP CORPORATION SDN BHD

FORM : QC-01 REV 9  
 Date Implement : 05.04.2018  
 REF NO : QC-01  
 DATE : 25.07.2021

IN COMING QUALITY INSPECTION REPORT  
 CUSTOMER / SUPPLIER : SAFESKIN

LOT NO : 61446

OUT GOING QUALITY INSPECTION REPORT

SAMPLING PLAN 0.65 single Plan Normal Inspection S3

ITEM : C/R EASY TEAR LDPE -PRT -355X405X0.05MM

QUANTITY : 10000 pcs

Lot Qty : 55  
 501 to 3,200pcs : 13  
 3,201 to 35,000pcs : 20  
 35,001 to 500,000pcs : 32  
 500,001 pcs and over : 50  
 Accept / Reject :  
 Acc / Rej : 0/1  
 Acc / Rej : 0/1  
 Acc / Rej : 0/1  
 Acc / Rej : 0/1

PART NO : 06-HM-038-0-00

NO	DIMENSION / PHYSICAL INSPECTION										VISUAL	REMARKS	EASY TO OPEN	SEAL STRENGTH	PRT / GUSSET	SAMPLE NO			PROPERTIES OF MATERIAL
	DIMENSION CHECK															OHM/SQ			
	WIDTH	MAX	MIN	LENGTH	MAX	MIN	THICKNESS	MAX	MIN	OK/NG						NO	RIGHT	LEFT	
1	355			410			0.05				OK	OK	OK	OK	1	10	11	CONDUCTIVE <input type="checkbox"/>	
2	354			411			0.05				OK	OK	OK	OK	2	11	10	DISSIPATIVE <input type="checkbox"/>	
3	355			410			0.05				OK	OK	OK	OK	3	10	10	INSULATOR <input type="checkbox"/>	
4	353			410			0.05				OK	OK	OK	OK	4	11	11	TEST METHOD <input type="checkbox"/>	
5	353			411			0.05				OK	OK	OK	OK	5	11	11	(ASTM D 257) <input type="checkbox"/>	
6	353			411			0.05				OK	OK	OK	OK	6	10	10	OTHER <input type="checkbox"/>	
7	355			410			0.05				OK	OK	OK	OK	7	11	11	Remarks:	
8	354			410			0.05				OK	OK	OK	OK	8	10	10	2 side seal width 10mm	
9	354			411			0.05				OK	OK	OK	OK	9	10	11	min	
10	354	OK		410	OK		0.05	OK		OK	OK	OK	OK	OK	10	11	10	For Incoming visual :	
11	354			410			0.05				OK	OK	OK	OK	11	11	11	Bag no torn , damaged - Accept	
12	355			411			0.06				OK	OK	OK	OK	12	10	10	Reject for the bag is broken	
13	354			410			0.06				OK	OK	OK	OK	13	11	11	Equipment for Inspection : -	
14	353			410			0.05				OK	OK	OK	OK	14	11	10	Dimension - Measuring Tape	
15	354			410			0.05				OK	OK	OK	OK	15	10	11	Thickness - Thickness Checker	
16	353			410			0.05				OK	OK	OK	OK	16	11	10	Surface Resistivity - SRM	
17	354			410			0.05				OK	OK	OK	OK	17	11	11	SUMMARY OF OUTGOING QC	
18	354			410			0.05				OK	OK	OK	OK	18	10	11	INSPECTION RESULT :	
19	353			411			0.05				OK	OK	OK	OK	19	10	10	Visual : OK MVTR- N/A	
20	353			410			0.05				OK	OK	OK	OK	20	11	11	Sticky : NO Easy to open: OK	
21											OK	OK	OK	OK	21			LPC : OK Mixed: NO	
22											OK	OK	OK	OK	22			Seal Strength : OK Water Leak Test N/A	
23											OK	OK	OK	OK	23			Printing per spec: OK	
24											OK	OK	OK	OK	24			Surface Resistivity: N/A	
25											OK	OK	OK	OK	25				
26											OK	OK	OK	OK	26				
27											OK	OK	OK	OK	27			PACKING CONDITION INSPECTION	
28											OK	OK	OK	OK	28			SPEC ACTUAL	
29											OK	OK	OK	OK	29			Qty per bag	
30											OK	OK	OK	OK	30			Qty per carton	
31											OK	OK	OK	OK	31			Carton size	
32											OK	OK	OK	OK	32			PN vs Actual	
											OK	OK	OK	OK				Label In vs Out	

REMARKS : ACCEPT  REJECT

Prepared By :  
 Final disposition : OK  
 Accept / Reject : ACCEPT  
 Verified By :  
 Final Dispositior : OK  
 Accept / Reject : ACCEPT

FORM: QC-07 REV 10

Date Reviewed : 30.11.2017



## TIP CORPORATION SDN BHD (187530-A)

Lot 608, Jalan Sungai Sop, Batu 14,  
43100 Hulu Langat, Selangor, Malaysia.  
Tel: +603-9021 3985  
E-mail: sales@tipcorp.com Website: www.tipcorp.com



### CERTIFICATE OF CONFORMANCE

THIS IS TO CERTIFY THAT THE FOLLOWING PRODUCT CONFORM/PASS THE SPECIFICATION LISTED BELOW:-

CUSTOMER : SAFESKIN  
DESCRIPTION : C/R EASY TEAR LDPE BAG -355X405X0.045MM  
QUANTITY : 48,000 PCS  
LOT NO : 61448  
PART NO : 06-HM-041-0-00  
P.O NO. & DATE : 4561164448  
TEST DATE : 10.08.2021  
OUR INVOICE NO: TPL16679  
PALLET REFERENCE NUMBER (IF ANY):  
PACKING LIST NUMBER : TPL16679  
DATE OF MANUFACTURING :  
DATE OF EXPIRED :

<b>Safeskin Thailand</b>	
D/O No. :	TPL16679
IQA Batch :	P2108109
Date :	14-AUG-2021
Signature By :	(Handwritten Signature)

### SURFACE RESISTIVITY TEST – (Reference ASTM D257, ANSI / ESD S541 & ANSI / ESD STM 11.11)

- DISSIPATIVE :  $\geq 1 \times 10^5$  AND  $< 1 \times 10^{12}$  OHMS/SQ
- CONDUCTIVE :  $< 1 \times 10^5$  OHMS/SQ
- VISUAL TEST
- DIMENSION CHECK (WIDTH, LENGTH & THICKNESS)
- WATER LEAK TEST
- LPC TEST
- SEAL/PEEL STRENGTH TEST
- PRINTING
- AMIDE & SILICON FREE
- CENTRE SEAL / WITH PERFORATION LINE
- NO CENTRE SEAL / WITHOUT PERFORATION

TESTED BY: *Rubalyat*  
QC DEPARTMENT

VERIFIED BY: *(Handwritten Signature)* EXECUTIVE



## TOP IN PERFORMANCE

# BAG 2 COC



TIP CORPORATION SDN BHD

FORM : QC-01 REV 9  
 Date Implement : 05.04.2018  
 REF NO : QC-01  
 DATE : 10.08.2021

IN COMING QUALITY INSPECTION REPORT  
 CUSTOMER / SUPPLIER : SAFESKIN

LOT NO : 61448  OUT GOING QUALITY INSPECTION REPORT

SAMPLING PLAN 0.65 single Plan Normal Inspection S3

ITEM : C/R EASY TEAR LDPE BAG -35X405X0.045MM

QUANTITY : 48,000 pcs

Lot Qty : 501 to 3,200pcs : 13  
 3,201 to 35,000pcs : 20  
 35,001 to 500,000pcs : 32  
 500,001 pcs and over : 50  
 Accept / Reject :  
 Acc / Rej : 0/1  
 Acc / Rej : 0/1  
 Acc / Rej : 0/1  
 Acc / Rej : 0/1

PART NO : 06-HM-041-0-00

NO	DIMENSION / PHYSICAL INSPECTION									VISUAL OK/NG	REMARKS	EASY TO OPEN	SEAL STRENGTH	PRT / GUSSET	SAMPLE NO			PROPERTIES OF MATERIAL
	WIDTH	MAX	MIN	LENGTH	MAX	MIN	THICKNESS	MAX	MIN						OHM/SQ	RIGHT	LEFT	
1	355			410			0.047			OK	OK	OK	OK		1	11	10	Remarks :
2	354			409			0.047								2	10	10	2 side seal-seal width 10mm min
3	355			410			0.048								3	10	11	For Incoming visual :
4	354			410			0.047								4	11	10	Bag no torn , damaged - Accept
5	355			409			0.048								5	10	10	Reject for the bag is broken
6	354			410			0.047								6	11	11	Equipment for inspection : -
7	355			409			0.048								7	11	10	Dimension - Measuring Tape
8	354			410			0.047								8	10	11	Thickness - Thickness Checker
9	355			409			0.048								9	11	10	Surface Resistivity - SRM
10	354			410			0.047								10	11	11	SUMMARY OF OUTGOING QC
11	355			409			0.048								11	10	10	INSPECTION RESULT :
12	354			410			0.047								12	11	11	Visual : OK MVTR- N/A
13	355			409			0.048								13	10	10	Sticky : NO Easy to open: OK
14	354			410			0.047								14	11	11	LPC : OK Mixed: NO
15	355			409			0.048								15	10	11	Seal Strength : OK Water Leak Test N/A
16	355	OK		410	OK		0.047	OK		OK	OK	OK			16	11	10	Printing per spec: N/A
17	354			409			0.048								17	11	11	Surface Resistivity: N/A
18	355			410			0.047								18	10	10	PACKING CONDITION INSPECTION
19	354			409			0.048								19	11	11	SPEC ACTUAL
20	354			410			0.047								20	11	10	Qty per bag
21	355			409			0.047								21	10	11	Qty per carton
22	354			410			0.048								22	11	10	Carton size
23	355			409			0.047								23	10	11	PN vs Actual
24	354			410			0.048								24	11	10	Label In vs Out
25	355			410			0.047								25	10	11	
26	354			409			0.048								26	11	10	
27	355			410			0.047								27	10	11	
28	354			409			0.048								28	10	10	
29	354			410			0.047								29	11	11	
30	355			409			0.048								30	10	10	
31	354			410			0.047								31	10	11	
32	354			410			0.048								32	11	11	

REMARKS : ACCEPT  REJECT

Prepared By : *Ch*  
 Final disposition : OK  
 Accept / Reject : ACCEPT

Verified By : *DA*  
 Final Disposition : OK  
 Accept / Reject : ACCEPT

# BAG 2 COC



TIP Corporation Sdn. Bhd.  
 Lot 608, Jalan Sg Sop, Off Jalan Sg Tekali, Batu  
 14 Hulu Langat, 43100 Selangor, MY.

Tel : +603-90213985 / 6 / 7 Fax : +603-90213982/4 Email: sales@tipcorp.com

FORM QC-21

## LPC Test Report

Item : C/R EASY TEAR LDPE I Lot No : 61448  
 Testing Date : 10.8.2021 size : 355 X 405 X 0.05MM  
 Customer : SAFESKIN OUTGOING

Blank Particle Counts ( Cumulative )

	Blank Cts 1 Counts/ml	Blank Cts 2 Counts/ml	Blank Ct 3 Counts/ml	Average Blank ( A ) Counts/ml
0.5 micron	20.0	19.0	17.0	18.7
1.0 micron	3.0	4.0	2.0	3.0
1.5 micron	2.0	4.0	2.0	2.7
2.0 micron	1.0	2.0	4.0	2.3
				Total counts 26.666667

Wash Sample Particle Counts ( Cumulative )

	Washed Cts 1 Counts/ml	Washed Cts 2 Counts/ml	Washed Cts 3 Counts/ml	Average Washed ( B ) Counts/ml
0.5 micron	80.0	95.0	100.0	91.7
1.0 micron	13.0	14.0	17.0	14.7
1.5 micron	9.0	8.0	7.0	8.0
2.0 micron	5.0	7.0	9.0	7.0
				Total counts 121.33333


Wet Particle Counts ( C ) Total Vol. for Washed Sample ( D )  
 Ave. Washed - Ave. Blank ( C = B - A ) Washed Volume ( ml ) 400 ml

0.5 micron	73.0	
1.0 micron	11.7	
1.5 micron	5.3	<u>Total Area of Plastic</u> ( E )
2.0 micron	4.7	Total Area for wash 2947 cm <sup>2</sup>

Total Particle Counts in Washed Volume ( F ) Total Wet Part Cts / cm<sup>2</sup> ( G )

( F = C x D ) ( G = F / E )

0.5 micron	29200	0.5 micron	9.9083814
1.0 micron	4666.6667	1.0 micron	1.5835313
1.5 micron	2133.3333	1.5 micron	0.7239
2.0 micron	1866.6667	2.0 micron	0.6334125



Total Particle : 12.8492252

SPEC:  $\geq 0.5\mu \leq 100$  COUNTS/CM<sup>2</sup>

Tested By : **MARIAM**  
 Date : 10.8.2021

Verified By : *[Signature]*  
 Date : 10/8/2021

# CASE LINER

FORM: QC-07 REV 10

Date Reviewed : 30.11.2017



## TIP CORPORATION SDN BHD

Lot 2288, Jalan P4/8, Bandar Teknologi Kajang,  
Semenyih, 43500 Selangor, Malaysia.  
Tel: +603-8723 7889  
E-mail: sales@tipcorp.com Website: www.tipcorp.com  
SST No: W24-1808-21017734



### CERTIFICATE OF CONFORMANCE

THIS IS TO CERTIFY THAT THE FOLLOWING PRODUCT CONFORM/PASS THE SPECIFICATION LISTED BELOW:-

CUSTOMER : SAFESKIN  
 DESCRIPTION : CLEANROOM LDPE BAG WITH GUSSET 350 X 700 X 0.04mm + G150mm  
 QUANTITY : 20,000 PCS  
 LOT NO : K61449  
 PART NO : 06-HM-042-0-00  
 P.O NO. & DATE : 4561163570  
 TEST DATE : 06.08.2021  
 OUR INVOICE NO: TPL16653  
 PALLET REFERENCE NUMBER (IF ANY): -  
 PACKING LIST NUMBER : TPL16653  
 DATE OF MANUFACTURING : N/A  
 DATE OF EXPIRED : N/A

<b>Safeskin Thailand</b>	
D/O No.	: TPL16653
IQA Batch	: P8108087
Date	: 11-AUG-2021
Signature By	:

#### SURFACE RESISTIVITY TEST – (Reference ASTM D257, ANSI / ESD S541 & ANSI / ESD STM 11.11)

- DISSIPATIVE :  $\geq 1 \times 10^5$  AND  $< 1 \times 10^{12}$  OHMS/SQ
- CONDUCTIVE :  $< 1 \times 10^5$  OHMS/SQ
- VISUAL TEST
- DIMENSION CHECK (WIDTH, LENGTH & THICKNESS)
- WATER LEAK TEST
- LPC TEST
- SEAL/PEEL STRENGTH TEST
- PRINTING
- AMIDE & SILICON FREE
- CENTRE SEAL / WITH PERFORATION LINE
- NO CENTRE SEAL / WITHOUT PERFORATION

TESTED BY: G. S. P. Q. C.

VERIFIED BY: ENGINEER



TOP IN PERFORMANCE

# CASE LINER



TIP CORPORATION SDN BHD

FORM : QC-01 REV 9

Date Implement : 05.04.2018

REF NO : QC-01

DATE : 06.08.2021

IN COMING QUALITY INSPECTION REPORT

OUT GOING QUALITY INSPECTION REPORT

CUSTOMER / SUPPLIER : SAFESKIN MEDICAL

LOT NO : K61449

SAMPLING PLAN 0.65 single Plan Normal Inspection S3

Lot Qty 55 Accept / Reject  
 501 to 3,200pcs 13 Acc / Rej : 0/1  
 3,201 to 35,000pcs 20 Acc / Rej : 0/1  
 35,001 to 500,000pcs 32 Acc / Rej : 0/1  
 500,001 pcs and over 50 Acc / Rej : 0/1

ITEM : CLEANROOM LDPE BAG 350 X 700 X 0.04mm + G150mm

QUANTITY : 20,000 PCS

PART NO: 06-HM-042-0-00

NO	DIMENSION / PHYSICAL INSPECTION										SURFACE RESISTIVITY DATA (EQUIPMENT - SRM110)			PROPERTIES OF MATERIAL					
	DIMENSION CHECK										VISUAL OK/NG	REMARKS	EASY TO OPEN	SEAL STRENGTH	PRT / GUSSET	SAMPLE NO			CONDUCTIVE
	WIDTH	MAX	MIN	LENGTH	MAX	MIN	THICKNESS	MAX	MIN	OK/NG						NO	INSIDE	OUTSIDE	DISSIPATIVE
SPEC	350±5mm	355mm	345mm	700±10mm	710mm	690mm	0.04±0.01mm	0.05mm	0.03mm	OK				150mm±10MM				INSULATOR	
1	351			702			0.05							151	1			TEST METHOD (ASTM D 257)	
2	351			701			0.04							152	2			OTHER	
3	350			702			0.04							150	4				
4	350			702			0.05							152	5				
5	351			701			0.04							152	6				
6	350			702			0.04							152	7				
7	351			702			0.04							152	8				
8	351	↓	↓	701	↓	↓	0.04	↓	↓	↓				150	9				
9	350	OK	OK	702	OK	OK	0.05	OK	OK	OK				152	10				
10	350	↑	↑	702	↑	↑	0.04	↑	↑	↑				150	11				
11	351			701			0.04							152	12				
12	350			702			0.04							152	13				
13	351			702			0.05							152	14				
14	351			701			0.04							150	15				
15	350			702			0.05							152	16				
16	350			702			0.04							150	17				
17	351			701			0.04							152	18				
18	350			702			0.04							152	19				
19	351			702			0.05							151	20				
20	351			702			0.04							151	21				
21															22				
22															23				
23															24				
24															25				
25															26				
26															27				
27															28				
28															29				
29															30				
30															31				
31															32				
32																			



For incoming visual :  
 Bag no torn, damaged - Accept  
 Reject for the bag is broken

Equipment for inspection : -  
 Dimension - Measuring Tape  
 Thickness - Thickness Checker  
 Surface Resistivity - SRM

SUMMARY OF OUTGOING QC INSPECTION RESULT :  
 Visual : OK MVTR : -  
 Sticky : NO Easy to open : OK  
 LPC : OK Mixed : NO  
 Seal Strength : OK Water Leak Test : -  
 Printing per spec : -  
 Surface Resistivity : -

PACKING CONDITION INSPECTION  
 SPEC ACTUAL  
 Qty per bag 50PCS 50PCS  
 Qty per carton 500PCS 500PCS  
 Carton size T10 T10  
 PN vs Actual 06-HM-042-0-00 06-HM-042-0-00  
 Label In vs Out OK

REMARKS : ACCEPT  REJECT

Prepared By :  
 Final disposition :  
 Accept / Reject :



Verified By : HAJAR  
 Final Disposition : OK  
 Accept / Reject : Accept



# CASE LINER



## TIP CORPORATION SDN BHD

Lot 2288, Jalan P4/8, Bandar Teknologi Kajang,  
Semenyih, 43500 Selangor, Malaysia.  
Tel: +603-8723 7889  
E-mail: sales@tipcorp.com Website: www.tipcorp.com  
SST No: W24-1808-21017734



FORM QC-21

### LPC Test Report

Item: C/R LDPE BAG Lot No: K61449  
Testing Date: 06.08.2021 Size: 650X700X0.04MM  
Customer: SAFESKIN Method: BY SHAKER  
Machine: KCCS-6

#### Blank Particle Counts (Cumulative)

	Blank Cts 1 Counts	Blank Cts 2 Counts	Blank Ct 3 Counts	Average Blank (A) Counts	
0.5 micron	4.0	2.0	0.0	2.0	
1.0 micron	1.0	0.0	0.0	0.3	
2.0 micron	0.0	0.0	0.0	0.0	
5.0 micron	0.0	0.0	0.0	0.0	Total counts 2.3

#### Wash Sample Particle Counts (Cumulative)

	Washed Cts 1 Counts	Washed Cts 2 Counts	Washed Cts 3 Counts	Average Washed (B) Counts	
0.5 micron	124.0	134.0	112.0	123.3	
1.0 micron	21.0	26.0	19.0	22.0	
2.0 micron	8.0	5.0	8.0	7.0	
5.0 micron	2.0	2.0	2.0	2.0	Total counts 154.3

#### (C) Wet Particle Counts

Ave. Washed - Ave. Blank (C = B - A)

0.5 micron	121.3
1.0 micron	21.7
2.0 micron	7.0
5.0 micron	2.0

#### (D) Total Vol. for Washed Sample

Washed Volume (ml) 1000 ml

(E) Sampling size 5 ml

#### (F) Total Area of Plastic


Total Washed Area 8775 cm<sup>2</sup>

#### (G) Particle counts per ml (G = C / E)

0.5 micron	24.267
1.0 micron	4.333
2.0 micron	1.400
5.0 micron	0.400

#### (H) Total Wet Part Cts / cm<sup>2</sup> (H = G X D / F)

0.5 micron	2.765
1.0 micron	0.494
2.0 micron	0.160
5.0 micron	0.046



Cts/cm<sup>2</sup>

Total Particle (≥0.5): 3.464 (PASSED) SPEC: ≥ 0.5u < 100 COUNTS/CM<sup>2</sup>

Tested By: SUHAIDA  
Date: 06.08.2021

Verified By: [Signature]  
Date: 06.08.2021

# SAFETY DATA SHEET

---



**1. IDENTIFICATION**

Product Name: ***HALYARD\* PUREZERO\* HG3 Nitrile Gloves***

**Product Number:** Various

Date Prepared:	6/24/2021
Manufacturer:	O&M Halyard, Inc. 1 Edison Dr. Alpharetta, Georgia 30005
Telephone: MEDICAL EMERGENCY: TRANSPORTATION EMERGENCY: INFORMATION:	Call 911 or your local Emergency Room or Poison Control Services Chemtrec 1-800-424-9300 or 1-703-527-3887 (collect calls accepted) 1-844-HALYARD

**Product Use:** Protective gloves.

**2. HAZARDS IDENTIFICATION**

**GHS Classification:** Not Hazardous. These products are manufactured articles or articles as this term is defined in the OSHA Hazard Communication Standard (20CFR 1910.1200), EU REACH, Canadian WHMIS, Australia WHS and the GHS. These products are out of the scope of the GHS and no SDS or labeling are required.

**GHS Labeling:** No GHS labeling required.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

<i>Chemical Name</i>	<i>CAS-No./ EINECS-No</i>	<i>%</i>	<i>GHS Classification:</i>
Non-Hazardous Ingredients	Mixture	100	Not Hazardous

**4. FIRST AID MEASURES**

**Inhalation:** No first aid needed.

**Skin contact:** No first aid needed. These products are intended to be used in contact with the skin.

**Eye contact:** No first aid needed.

**Ingestion:** Not a relevant route of exposure.

**Most Important symptoms and effects, both acute and delayed:** No adverse effects.

**Indication of any immediate medical attention and special treatment needed:** None required.

**5. FIRE-FIGHTING MEASURES**

**Suitable (and unsuitable) Extinguishing Media:** Use media suitable for surrounding materials.

**Specific Hazards Arising from the Chemical:** These products can melt in a fire. Molten material may flow or drip and spread the fire.

**Hazardous Combustion Products:** Combustion may produce toxic and irritating gases and vapors.

**Special Protective Equipment and Precautions for Fire-fighters:** None required.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions, Protective Equipment, and Emergency Procedures:** None required.

**Environmental Precautions:** None required.

**Methods and Materials for Containment and Cleaning Up:** No special precautions required. Pick up and dispose of in an appropriate container.

**7. HANDLING AND STORAGE**

**Precautions for Safe Handling:** No special handling is required.

**Conditions for Safe Storage, including any Incompatibilities:** Store away from heat and flames.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Exposure limit(s)**

Chemical Name	Exposure limit(s)
Non-Hazardous Ingredients	None established

**Appropriate Engineering Controls:** None required.

**Individual Protection Measures, such as Personal Protective Equipment:**

**Respiratory Protection:** None required.

**Protective Gloves:** None required.

**Eye Protection:** None required.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance and Odor	Solid Gloves, blue or white
Odor Threshold:	Not applicable
Boiling point/range	Not applicable
Melting point/range	Not determined
Relative Density (water=1)	Not determined
Vapor pressure	Not applicable
Vapor density (air=1)	Not applicable
Solubility	Insoluble
pH	Not applicable
Partition coefficient (n-octanol/water):	Not applicable
Evaporation Rate (Butyl acetate=1)	Not applicable
Viscosity:	Not applicable
Volatile Organic Carbon Compounds (VOC) (g/L)	Not applicable
Flashpoint:	None.
Flammable Limits in Air % by Volume:	LEL (Lower):Not applicable UEL (Upper): Not applicable
Autoignition temperature:	Not determined.
Decomposition temperature:	Not determined
Flammability (solid, gas):	Not a flammable solid

**10. STABILITY AND REACTIVITY**

**Reactivity:** Not reactive.

**Chemical Stability:** Stable at ambient temperature and pressure.

**Possibility of Hazardous Reactions:** None known.

**Conditions to Avoid:** Avoid heat and flames.

**Incompatible Materials:** None known.

**Hazardous Decomposition Products:** Thermal decomposition may produce carbon and nitrogen oxides and unidentified hydrocarbon fragments.



---

## 11. TOXICOLOGICAL INFORMATION

**Symptoms/Effects of Overexposure:** These gloves are manufactured articles. Their use will not result in exposure to any hazardous materials.

**Inhalation:** Not applicable.

**Skin contact:** None. Intended for skin contact. These products contain no natural latex.

**Eye contact:** None expected.

**Ingestion:** Not applicable.

**Chronic toxicity:** None expected.

**Carcinogenicity Data:** None of the components of this product is listed as a carcinogen by IARC, NTP, US OSHA or the EU CLP Annex VI.

**Reproductive Toxicity:** None known.

**Numerical Measures of Toxicity:**  
Not acutely toxic.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** These gloves are manufactured articles. Their use will not result in adverse environmental effects.

**Persistence and Degradability:** Not degradable.

**Bioaccumulative Potential:** Not bioaccumulative.

**Mobility in Soil:** Not mobile.

**Other Adverse Effects:** None currently known.

## 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all state, local and federal regulations. If unused, the product may be disposed of as a non-hazardous material.

## 14. TRANSPORT INFORMATION

**US DOT Shipping Description:** Not regulated

**IATA Shipping Description (Air):** Not regulated

**IMDG Shipping Description (Vessel):** Not regulated

## 15. REGULATORY INFORMATION

### US Regulations

**EPA Toxic Substances Control Act (TSCA):** These gloves are articles and exempt from the TSCA regulations.

---

---

**SARA 302 Listed Chemicals:** None.

**SARA 311/312 Hazard Categories:** Not applicable to articles

**SARA 313 This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under the SARA Section 313 (40 CFR 372):** Not applicable to articles.

<b>16. OTHER INFORMATION</b>
------------------------------

**Date Prepared:** 6/24/2021

**HMIS Rating:** Health 0 Fire 1 Physical Hazard 0

The information contained herein is true and correct to the best of O&M Halyard, Inc's knowledge. However, no warranty, expressed or implied, is made. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. Final determination of the suitability of the material is the sole responsibility of the user.



June 24, 2021

Dear Customer,

O&M Halyard supplies the following items that meet the definition of an *article* under both OSHA and WHMIS. A Safety Data Sheet (SDS), therefore, is not required for them.

**HALYARD\* PUREZERO\* SMOOTH HG3 WHITE NITRILE GLOVES**  
**HALYARD\* PUREZERO\* HG3 WHITE NITRILE GLOVES**  
**HALYARD\* PUREZERO\* HG3 LIGHT BLUE NITRILE GLOVES**  
**HALYARD\* PUREZERO\* HG3 LIGHT BLUE STERILE NITRILE GLOVES**  
**HALYARD\* PUREZERO\* HG3 WHITE STERILE NITRILE GLOVES**

Under the Occupational Safety and Health Administration (OSHA) 1910.1200, the Hazard Communication Standard Safety Data Sheets (SDS) are required for all hazardous chemicals with certain exceptions. One exception is for manufactured articles. An *article*, as defined in section (c), is “a manufactured item: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which, under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical or health risk to employees.”

The Canadian WHMIS Regulation contains a similar exclusion for manufactured articles. While the EU Regulations do not specifically contain an exemption for manufactured articles, it is our opinion that those products sold by O&M Halyard that are considered articles in the U.S. and Canada would not be considered dangerous substances or preparations in the EU and would not require a Safety Data Sheet.

Since certain O&M Halyard products may be used to absorb bodily fluids or other potentially hazardous materials that may require special disposal, the user must determine the local, state, and federal regulations that apply to the disposal of the used products and ensure proper disposal.

Please feel free to contact us if you require any further information

William Swanger  
Global Leader, Environment, Health, & Safety  
[William.swanger@hyh.com](mailto:William.swanger@hyh.com)

\*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2021. All rights reserved.



July 11, 2023

RE: HALYARD\* PUREZERO\* HG3 and HG5 Cleanroom Nitrile Gloves

O&M Halyard, Inc. confirms that our Halyard PUREZERO\* HG3 and Halyard PUREZERO HG5 Nitrile Cleanroom Glove families are fully compliant with the related requirements of the European Union Regulation (EC) 1907/2006 concerning Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH).

O&M Halyard, Inc. hereby confirms that our Halyard PUREZERO\* HG3 and Halyard PUREZERO HG5 Nitrile Cleanroom Gloves either do not contain the presence of greater than 0.1% of substances identified on the SVHC Candidate list according to Article 33 of the REACH Regulation and/or do not contain any of the listed substances.

Thank you for your interest in Halyard products. If you have any questions or need additional information, please do not hesitate to contact us at [PIQ@hyh.com](mailto:PIQ@hyh.com) or call us directly at (844) 425-9273.

Sincerely,

Caitlin Senter  
Director  
Global Regulatory Affairs  
O&M Halyard, Inc. ....

\*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2023. All rights reserved. COPY-04686



## Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 9001:2015

This is to certify that:

Safeskin Medical & Scientific  
(Thailand) Ltd.  
200 Moo 8, Kanchanavanich Road,  
Tambol Prik, Amphur Sadao,  
Songkhla  
90120  
Thailand

Holds Certificate Number:

**FM 697757**

and operates a Quality Management System which complies with the requirements of ISO 9001:2015 for the following scope:

Design and Development, Production and Distribution of Industrial Gloves-Sterile and Non-Sterile Examination Gloves.

For and on behalf of BSI:

Michael Lam - Managing Director Assurance, APAC

Original Registration Date: 2018-08-12

Latest Revision Date: 2022-09-01

Effective Date: 2022-09-01

Expiry Date: 2025-08-31

Page: 1 of 2



...making excellence a habit.™

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.

An electronic certificate can be authenticated [online](#).

Printed copies can be validated at [www.bsi-global.com/ClientDirectory](http://www.bsi-global.com/ClientDirectory) or telephone +66(2) 2944889-92.

Further clarifications regarding the scope of this certificate and the applicability of ISO 9001:2015 requirements may be obtained by consulting the organization.

This certificate is valid only if provided original copies are in complete set.

# ISO 9001:2015 (continued)

Certificate No: **FM 697757**

**Location**

**Registered Activities**

Safeskin Medical & Scientific  
(Thailand) Ltd.  
200 Moo 8, Kanchanavanich Road,  
Tambol Prik, Amphur Sadao,  
Songkhla  
90120  
Thailand

Design and Development, Production and Distribution of  
Industrial Gloves-Sterile and Non-Sterile Examination Gloves.

Including the following support function:  
Owens & Minor Halyard Incorporation. 5405 Windward  
Parkway, Alpharetta, GA, USA : Design and Development of  
Industrial Gloves-Sterile and Non-Sterile Examination Gloves.



Original Registration Date: 2018-08-12

Effective Date: 2022-09-01

Latest Revision Date: 2022-09-01

Expiry Date: 2025-08-31

Page: 2 of 2

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.

An electronic certificate can be authenticated [online](#).

Printed copies can be validated at [www.bsi-global.com/ClientDirectory](http://www.bsi-global.com/ClientDirectory) or telephone +66(2) 2944889-92.

Further clarifications regarding the scope of this certificate and the applicability of ISO 9001:2015 requirements may be obtained by consulting the organization. This certificate is valid only if provided original copies are in complete set.



# Certificate of Registration

## QUALITY MANAGEMENT SYSTEM - ISO 13485:2016

This is to certify that:

**O & M Halyard, Inc.**  
9120 Lockwood Blvd  
Mechanicsville  
Virginia  
23116  
USA

Holds Certificate Number: FM 697013

and operates a Quality Management System which complies with the requirements of ISO 13485:2016 for the following scope:

The design and development, manufacture and distribution of surgical gowns, protective garments, face masks, surgical drapes, orthopedic soft goods, patient care products, cold therapy products, C-Section packs, OB Packs, orthopedic packs, sterile and non-sterile medical examination gloves, Temperature management systems for the areas of general surgery and general medical use and sterilization wrap and non-woven materials for medical devices.

For and on behalf of BSI:

Graeme Tunbridge, Senior Vice President Medical Devices

Original Registration Date: 2014-12-09

Latest Revision Date: 2023-01-07

Effective Date: 2023-01-09

Expiry Date: 2026-01-08

Page: 1 of 3



...making excellence a habit.™

# ISO 13485:2016 (continued)

Certificate No: FM 697013

Location	Registered Activities
O & M Halyard, Inc. 9120 Lockwood Blvd Mechanicsville Virginia 23116 USA	Headquarter management activities.
O & M Halyard, Inc. 1 Edison Drive Alpharetta Georgia 30005 USA	The design and development of surgical gowns, protective garments, face masks, surgical drapes, orthopedic soft goods, patient care products, cold therapy products, C-Section packs, OB Packs, orthopedic packs, sterile and non-sterile medical examination gloves, Temperature management systems for the areas of general surgery and general medical use and sterilization wrap and non-woven materials for medical devices.
Halyard North Carolina, LLC 389 Clyde Fitzgerald Rd. Linwood North Carolina 27299 USA	The manufacture of nonwoven materials for medical devices, Sterilization wrap, non-sterile face masks (respirators), and infection control products including disposable gowns and linens.
La Ada de Acuna 14 Finegan Road Del Rio Texas 78840 USA	Receiving and Incoming Inspection, Warehouse and Distribution. The manufacture of non-sterile face masks and respirators.
O&M Halyard Honduras S.A. de C.V. Carretera Tegucigalpa Villanueva Cortes Honduras	The manufacture and distribution of disposable sterile and non-sterile surgical gowns.
La Ada de Acuna Avenida Hidalgo #16 Parque Industrial San Carlos Nogales Sonora 84092 Mexico	Receiving and incoming inspection. Manufacturer/Conversion of nonwoven materials.

Original Registration Date: 2014-12-09

Effective Date: 2023-01-09

Latest Revision Date: 2023-01-07

Expiry Date: 2026-01-08

Page: 2 of 3

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.  
An electronic certificate can be authenticated [online](#).  
Printed copies can be validated at [www.bsigroup.com/ClientDirectory](http://www.bsigroup.com/ClientDirectory)

Issuing Body: BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
BSI Group The Netherlands B.V. is registered in The Netherlands under number 33264284 | A Member of the BSI Group Holdings B.V.  
Contact Office: 12950 Worldgate Drive, Suite 800, Herndon, VA 20170-6007 USA.

# ISO 13485:2016 (continued)

Certificate No: FM 697013

Location	Registered Activities
La Ada de Acuna Km. 4.5 Carretera Presa La Amistad Ciudad De Acuna Coahuila 26220 Mexico	The manufacture of non-sterile face masks (surgical isolation, industrial and respirator), non-surgical gowns, cold therapy products, and sterilization wrap.
La Ada de Acuna S.De. R.L. De C.V AV. Hidalgo #6 Esq., Blvd., Luis Donaldo Colosio, Col. Educativa Nogales Sonora Sonora 84093 Mexico	The manufacture of disposable products including sterile and non sterile surgical packs, gowns and components. The manufacture of temperature management systems for areas of general surgery.
Safeskin Medical & Scientific (Thailand) Ltd. 200 Moo 8, Kanchanavanich Road, Tambol Prik, Amphur Sadao, Songkhla 90120 Thailand	The design and development, production and distribution of industrial gloves, sterile and non-sterile medical examination gloves.
La Ada de Acuna II Lote #8 del parque Industrial la Paz II Carretera Santa Eulalia #810 Cd. Acuña Coahuila C.P.26238 Mexico	Warehouse space for the storage of raw materials, components, and spare parts.
O&M Halyard Honduras S.A. de C.V. Carreterra Tegucigalpa Villanueva Building #7 Cortes Honduras	The manufacture and distribution of disposable non-sterile apparel and surgical gowns.

Original Registration Date: 2014-12-09

Latest Revision Date: 2023-01-07

Effective Date: 2023-01-09

Expiry Date: 2026-01-08

Page: 3 of 3

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.  
An electronic certificate can be authenticated [online](#).  
Printed copies can be validated at [www.bsigroup.com/ClientDirectory](http://www.bsigroup.com/ClientDirectory)

Issuing Body: BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
BSI Group The Netherlands B.V. is registered in The Netherlands under number 33264284 | A Member of the BSI Group Holdings B.V.  
Contact Office: 12950 Worldgate Drive, Suite 800, Herndon, VA 20170-6007 USA.



# Certificate of Registration

ENVIRONMENTAL MANAGEMENT SYSTEM - ISO 14001:2015

This is to certify that:

Safeskin Medical & Scientific  
(Thailand) Ltd.  
200 Moo 8, Kanchanavanich Road,  
Tambol Prik, Amphur Sadao,  
Songkhla  
90120  
Thailand

Holds Certificate Number:

**EMS 772160**

and operates an Environmental Management System which complies with the requirements of ISO 14001:2015 for the following scope:

The Manufacturing of Medical and Scientific Gloves.

For and on behalf of BSI:

Michael Lam - Managing Director Assurance, APAC

Original Registration Date: 2022-10-27

Effective Date: 2022-10-27

Latest Revision Date: 2022-10-27

Expiry Date: 2025-10-26

Page: 1 of 1



...making excellence a habit.™

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract. An electronic certificate can be authenticated [online](#). Printed copies can be validated at [www.bsi-global.com/ClientDirectory](http://www.bsi-global.com/ClientDirectory) or telephone +66(2) 2944889-92. Further clarifications regarding the scope of this certificate and the applicability of ISO 14001:2015 requirements may be obtained by consulting the organization. This certificate is valid only if provided original copies are in complete set.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000  
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A Member of the BSI Group of Companies.



May 4, 2023

RE: HALYARD\* PUREZERO\* HG3 and HG5 Nitrile Gloves

Dear Valued Customer,

This letter is in response to your recent accelerator-free inquiry for the HALYARD\* PUREZERO\* HG3 and HG5 Nitrile Gloves.

The following gloves are accelerator-free and are not formulated with the following vulcanizing chemicals and accelerators: Sulfur, Thiurams, Thioxoles, Guanidines, Carbamates.†

HALYARD\* PUREZERO\* HG3 White Nitrile Gloves  
HALYARD\* PUREZERO\* HG3 Light Blue Nitrile Gloves  
HALYARD\* PUREZERO\* HG3 White SGX\* Nitrile Gloves  
HALYARD\* PUREZERO\* HG3 White Sterile Nitrile Gloves  
HALYARD\* PUREZERO\* HG3 Light Blue Sterile Nitrile Gloves

HALYARD\* PUREZERO\* HG5 White Nitrile Gloves  
HALYARD\* PUREZERO\* HG5 Blue SGX\* Nitrile Gloves

Thank you for your interest in Halyard products. If you have any questions or need additional information, please do not hesitate to contact us at [PIQ@hyh.com](mailto:PIQ@hyh.com) or call us directly at (844) 425-9273.

Sincerely,

*Shannon Smith*

Shannon Smith  
Associate Product Manager  
O&M Halyard, Inc.

† The chemicals and accelerators shown is not a comprehensive list.

\*Registered Trademark or Trademark of O&M Halyard or its affiliates.

COPY-04632

## HG3 Nitrile Cleanroom Gloves

### ADDED PROTECTION FROM THE RISK OF CHEMICAL EXPOSURE

It's critical to protect staff from exposure to potentially hazardous chemicals and chemotherapy drugs. In addition to providing a barrier to chemical splash, microorganisms and viruses, **PUREZERO\*** HG3 Cleanroom Gloves are **now tested against 29 chemicals, 14 chemotherapy drugs and Fentanyl.**



### CHEMOTHERAPY DRUG RESISTANCE GUIDE<sup>4</sup>

Chemotherapy Agent (Concentration in mg/ml)	HALYARD* PUREZERO* HG3 Light Blue Nitrile Gloves	
	Minimum Breakthrough Detection Time (minutes)	Average Steady State Perm. Rate ( $\mu\text{g}/\text{cm}^2/\text{min}$ )
Carmustine (BCNU) (3.3)	24.7	0.66
Cisplatin (1.0)	>240	N/A
Cyclophosphamide (20.0)	>240	N/A
Dacarbazine (10.0)	>240	N/A
Doxorubicin HCL (2.0)	>240	N/A
Etoposide (20.0)	>240	N/A
Fluorouracil (50.0)	>240	N/A
Ifosfamide (50.0)	>240	N/A
Methotrexate (25.0)	>240	N/A
Mitomycin C (0.5)	>240	N/A
Mitoxantrone (2.0)	>240	N/A
Paclitaxel (6.0)	>240	N/A
Thiotepa (10.0)	27.4	0.60
Vincristine (1.0)	>240	N/A
<b>Additional Tests</b>		
Fentanyl Citrate Injection, 100 mcg/2mL	>240	N/A

Use the rating system below to determine the chemotherapy compatibility for exposure:

<10	Not recommended for use - breakthrough can occur in less than 10 minutes.
11 - 239	Use with caution - breakthrough can occur between 11 and 239 minutes.
>240	Recommended for protection - no breakthrough up to 240 minutes.
N/A	The chemotherapy drug did not reach the minimum permeation rate (0.01 $\mu\text{g}/\text{cm}^2/\text{min}$ ) as defined within ASTM D6978.

**CAUTION:** It's the user's responsibility to determine the applicability of these gloves for their intended use with chemotherapy drugs.

#### DEFINITION OF TERMS

**Breakthrough time:** The time required for the test chemical to be detected on the inside of the glove. Essentially, this is the amount of time that the glove can resist a chemical when the glove is fully immersed in the chemical.

**Permeation:** The process where chemicals, such as liquids, gases and vapors can pass through a glove film (or other PPE interfaces) without penetrating directly through a pinhole, tear or other visible opening.

**Permeation rate:** The flowrate of the chemical after the chemical breaks through the inside of the glove. It is measured in amount per surface area of the glove per time ( $\mu\text{g}/\text{cm}^2/\text{min}$ ).

Contact your Sales Representative for additional chemical and chemotherapy drug testing information.

# HG3 Nitrile Cleanroom Gloves

## CHEMICAL RESISTANCE GUIDE<sup>5</sup>

Chemical (Concentration %)	HALYARD* PUREZERO HG3 Light Blue Nitrile Gloves	
	Minimum Breakthrough Detection Time (minutes)	Average Steady State Perm. Rate (µg/cm <sup>2</sup> /min)
1-Butanol (99)	23.9	1.6E+01
Acetic Acid (30)	269.2	0.3
Acrylamide (40)	>480	<1.0
Benzalkonium Chloride (1)	>480	<1.0
Chloroform (70)	0	–
Citric Acid (30)	>480	N/A
Citric Acid (70)	>480	<1.0
Cyclohexane (99)	44.9	7.0E+01
Didecyldimethylammonium Chloride (0.04)	>480	<1.0
Dimethylformamide (99)	0.2	–
Dimethyl Sulfoxide (99)	5.1	9.0
Ethanol (70)	30.6	7.6
Ethanol (99)	7.1	N/A
Ethidium Bromide (1)	>480	<1.0
Glycolic Acid (10)	>480	<1.0
Glutaraldehyde (50)	>480	<1.0
Hydrazine Monohydrate (55)	>480	<1.0
Hydrochloric Acid (30)	>480	<1.0
Isopropyl Alcohol (70)	33.0	1.1E+01
Isopropyl Alcohol (99)	16.6	1.6E+01
Methanol (99)	0	N/A
Nitric Acid (65)	6.5	1.3E+04
Peracetic Acid (5)	>480	<1.0
Phosphoric Acid (70)	>480	<1.0
Sodium Hydroxide (50)	>480	<1.0
Sodium Hypochlorite (10-13)	>480	<1.0
Spor-Klenz (N/A)	>480	<1.0
Sulfuric Acid (50)	>480	<1.0
Sulfuric Acid (99)	10.0	N/A

Use the rating system below to determine the chemical compatibility for exposure:

<10	Not recommended for use - breakthrough can occur in less than 10 minutes.
11 - 479	Use with caution - breakthrough can occur between 11 and 479 minutes.
>480	Permeation breakthrough is excellent. Permeation does not occur during the test (8 hours).
N/A	The chemical did not reach the minimum permeation rate (1 µg/cm <sup>2</sup> /min) as defined within EN 16523-1. There is a possibility for trace amounts of the chemical to permeate through the glove.
–	The permeation rate was beyond the range of the detection instruments. The permeation of the chemical through the glove film may be too high for the detector to reach a steady-state reading.

CAUTION: It's the user's responsibility to determine the applicability of these gloves for their intended use.



November 13<sup>th</sup>, 2023

RE: ESD Testing for HALYARD\* PUREZERO\* Nitrile Gloves

Dear Valued Customer,

This letter is in response to your recent inquiry regarding ESD testing of HALYARD\* PUREZERO\* Nitrile Gloves.

The following HALYARD\* PUREZERO\* Nitrile Glove families have been tested against ANSI/ESD STM15.1:2019 “In-Use Resistance Testing of Gloves and Finger Cots”:

**HALYARD\* PUREZERO\* HG3 Cleanroom Nitrile Gloves**

HALYARD* PUREZERO* HG3 White Nitrile Gloves	CLN3031XS
HALYARD* PUREZERO* HG3 White Nitrile Gloves	CLN3031SM
HALYARD* PUREZERO* HG3 White Nitrile Gloves	CLN3031MD
HALYARD* PUREZERO* HG3 White Nitrile Gloves	CLN3031LG
HALYARD* PUREZERO* HG3 White Nitrile Gloves	CLN3031XL
HALYARD* PUREZERO* HG3 Blue Nitrile Gloves	CLN9031XS
HALYARD* PUREZERO* HG3 Blue Nitrile Gloves	CLN9031SM
HALYARD* PUREZERO* HG3 Blue Nitrile Gloves	CLN9031MD
HALYARD* PUREZERO* HG3 Blue Nitrile Gloves	CLN9031LG
HALYARD* PUREZERO* HG3 Blue Nitrile Gloves	CLN9031XL
HALYARD* PUREZERO* HG3 White SGX* Nitrile Gloves	CLN3231XS
HALYARD* PUREZERO* HG3 White SGX* Nitrile Gloves	CLN3231SM
HALYARD* PUREZERO* HG3 White SGX* Nitrile Gloves	CLN3231MD
HALYARD* PUREZERO* HG3 White SGX* Nitrile Gloves	CLN3231LG
HALYARD* PUREZERO* HG3 White SGX* Nitrile Gloves	CLN3231XL
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323260
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323265
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323270
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323275
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323280
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323285
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323290
HALYARD* PUREZERO* HG3 White Sterile Nitrile Gloves	CLN323210



HALYARD* <b>PUREZERO*</b> HG3 Blue Sterile Nitrile Gloves	CLN923260
HALYARD* <b>PUREZERO*</b> HG3 Blue Sterile Nitrile Gloves	CLN923265
HALYARD* <b>PUREZERO*</b> HG3 Blue Sterile Nitrile Gloves	CLN923270
HALYARD* <b>PUREZERO*</b> HG3 Blue Sterile Nitrile Gloves	CLN923275
HALYARD* <b>PUREZERO*</b> HG3 Blue Sterile Nitrile Gloves	CLN923280
HALYARD* <b>PUREZERO*</b> HG3 Blue Sterile Nitrile Gloves	CLN923285
HALYARD* <b>PUREZERO*</b> HG3 Blue Sterile Nitrile Gloves	CLN923290
HALYARD* <b>PUREZERO*</b> HG3 Blue Sterile Nitrile Gloves	CLN923210

**HALYARD\* **PUREZERO\*** HG5 Cleanroom Nitrile Gloves**

HALYARD* <b>PUREZERO*</b> HG5 White Nitrile Gloves	CLN30512XS
HALYARD* <b>PUREZERO*</b> HG5 White Nitrile Gloves	CLN30512SM
HALYARD* <b>PUREZERO*</b> HG5 White Nitrile Gloves	CLN30512MD
HALYARD* <b>PUREZERO*</b> HG5 White Nitrile Gloves	CLN30512LG
HALYARD* <b>PUREZERO*</b> HG5 White Nitrile Gloves	CLN30512XL
HALYARD* <b>PUREZERO*</b> HG5 Blue SGX* Nitrile Gloves	CLN92512XS
HALYARD* <b>PUREZERO*</b> HG5 Blue SGX* Nitrile Gloves	CLN92512SM
HALYARD* <b>PUREZERO*</b> HG5 Blue SGX* Nitrile Gloves	CLN92512MD
HALYARD* <b>PUREZERO*</b> HG5 Blue SGX* Nitrile Gloves	CLN92512LG
HALYARD* <b>PUREZERO*</b> HG5 Blue SGX* Nitrile Gloves	CLN92512XL

**HALYARD\* **PUREZERO\*** Nitrile Exam Gloves**

HALYARD* <b>PUREZERO*</b> MARIN* Nitrile Exam Gloves	LFS111XS
HALYARD* <b>PUREZERO*</b> MARIN* Nitrile Exam Gloves	LFS111SM
HALYARD* <b>PUREZERO*</b> MARIN* Nitrile Exam Gloves	LFS111MD
HALYARD* <b>PUREZERO*</b> MARIN* Nitrile Exam Gloves	LFS111LG
HALYARD* <b>PUREZERO*</b> MARIN* Nitrile Exam Gloves	LFS111XL
HALYARD* <b>PUREZERO*</b> MARIN-XTRA* Nitrile Exam Gloves	LFS121XS
HALYARD* <b>PUREZERO*</b> MARIN-XTRA* Nitrile Exam Gloves	LFS121SM
HALYARD* <b>PUREZERO*</b> MARIN-XTRA* Nitrile Exam Gloves	LFS121MD
HALYARD* <b>PUREZERO*</b> MARIN-XTRA* Nitrile Exam Gloves	LFS121LG
HALYARD* <b>PUREZERO*</b> MARIN-XTRA* Nitrile Exam Gloves	LFS121XL
HALYARD* <b>PUREZERO*</b> LIMON* Nitrile Exam Gloves	LFS311XS
HALYARD* <b>PUREZERO*</b> LIMON* Nitrile Exam Gloves	LFS311SM
HALYARD* <b>PUREZERO*</b> LIMON* Nitrile Exam Gloves	LFS311MD



HALYARD* <b>PUREZERO*</b> LIMON* Nitrile Exam Gloves	LFS311LG
HALYARD* <b>PUREZERO*</b> LIMON* Nitrile Exam Gloves	LFS311XL
HALYARD* <b>PUREZERO*</b> LIMON-XTRA* Nitrile Exam Gloves	LFS321XS
HALYARD* <b>PUREZERO*</b> LIMON-XTRA* Nitrile Exam Gloves	LFS321SM
HALYARD* <b>PUREZERO*</b> LIMON-XTRA* Nitrile Exam Gloves	LFS321MD
HALYARD* <b>PUREZERO*</b> LIMON-XTRA* Nitrile Exam Gloves	LFS321LG
HALYARD* <b>PUREZERO*</b> LIMON-XTRA* Nitrile Exam Gloves	LFS321XL
HALYARD* <b>PUREZERO*</b> ULTRA VIOLET* Nitrile Exam Gloves	LFS511XS
HALYARD* <b>PUREZERO*</b> ULTRA VIOLET* Nitrile Exam Gloves	LFS511SM
HALYARD* <b>PUREZERO*</b> ULTRA VIOLET* Nitrile Exam Gloves	LFS511MD
HALYARD* <b>PUREZERO*</b> ULTRA VIOLET* Nitrile Exam Gloves	LFS511LG
HALYARD* <b>PUREZERO*</b> ULTRA VIOLET* Nitrile Exam Gloves	LFS511XL

**HALYARD\* **PUREZERO\*** Nitrile Gloves**

HALYARD* <b>PUREZERO*</b> MARIN* Nitrile Gloves	LFS1117XS
HALYARD* <b>PUREZERO*</b> MARIN* Nitrile Gloves	LFS1117SM
HALYARD* <b>PUREZERO*</b> MARIN* Nitrile Gloves	LFS1117MD
HALYARD* <b>PUREZERO*</b> MARIN* Nitrile Gloves	LFS1117LG
HALYARD* <b>PUREZERO*</b> MARIN* Nitrile Gloves	LFS1117XL
HALYARD* <b>PUREZERO*</b> LIMON* Nitrile Gloves	LFS3117XS
HALYARD* <b>PUREZERO*</b> LIMON* Nitrile Gloves	LFS3117SM
HALYARD* <b>PUREZERO*</b> LIMON* Nitrile Gloves	LFS3117MD
HALYARD* <b>PUREZERO*</b> LIMON* Nitrile Gloves	LFS3117LG
HALYARD* <b>PUREZERO*</b> LIMON* Nitrile Gloves	LFS3117XL
HALYARD* <b>PUREZERO*</b> ULTRA VIOLET* Nitrile Gloves	LFS5117XS
HALYARD* <b>PUREZERO*</b> ULTRA VIOLET* Nitrile Gloves	LFS5117SM
HALYARD* <b>PUREZERO*</b> ULTRA VIOLET* Nitrile Gloves	LFS5117MD
HALYARD* <b>PUREZERO*</b> ULTRA VIOLET* Nitrile Gloves	LFS5117LG
HALYARD* <b>PUREZERO*</b> ULTRA VIOLET* Nitrile Gloves	LFS5117XL

Based on the ANSI/ESD STM15.1:2019 test results from an external laboratory at conditions of 12% RH and 23°C, all **HALYARD\* **PUREZERO\*** Nitrile Glove** product families listed above are within the dissipative classification range (Resistance = 10<sup>4</sup> to 10<sup>11</sup> ohms) as defined by ANSI/ESD standards.

Therefore, **HALYARD\* **PUREZERO\*** Nitrile Gloves** are considered to be static dissipative in-use. Please note that this is based on a standardized test method in a laboratory environment, and the resistance test results and classification do not fully characterize the glove for all electrostatic properties. Other electrostatic properties, such as charge accumulation, and specific process conditions may need to be assessed based on your particular application prior to use.



Thank you for your interest in Halyard products. If you have any questions or need additional information, please do not hesitate to contact us at [PIQ@hyh.com](mailto:PIQ@hyh.com) or call us directly at (844) 425-9273.

Sincerely,

A handwritten signature in black ink that reads 'Caitlin Senter'.

**Caitlin Senter**  
Director  
Global Regulatory Affairs  
O&M Halyard, Inc.

A handwritten signature in black ink that reads 'Ryan Solan'.

**Ryan Solan**  
Manager  
Global Research and Development  
O&M Halyard, Inc.

\*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2023. All rights reserved.

COPY-04825



RE: Compliance statement – HALYARD\* **PUREZERO\*** Nitrile Gloves

Please be advised that to the best of O&M Halyard knowledge, the **PUREZERO\*** HG3 Nitrile Gloves and HALYARD\* **PUREZERO\*** HG5 Nitrile Gloves are produced entirely from materials of synthetic origin and therefore are free from human or any other animal derived materials including bovine products (Bovine Spongiform Encephalopathy (BSE) and Transmissible Spongiform Encephalopathy (TSE)).

- *Under various environmental protection and product safety regulations, directives, standards, and initiatives “intentionally introduced” means “deliberately utilized during the manufacture of the components and/or for the formulation of a material or component where its continued presence is desired in the final product to provide a specific property, appearance or quality.”*

This information is based on O&M Halyard, Inc.'s knowledge of these products at the time of publication.

If you have any questions or need additional information, please do not hesitate to contact us at [PIQ@hyh.com](mailto:PIQ@hyh.com) or call us directly at (844) 425-9273.

–This statement is valid unsigned –

\*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2020, 2022. All rights reserved.



March 14<sup>th</sup>, 2023

RE: HALYARD\* PUREZERO\* Nitrile Gloves

Dear Valued Customer,

This letter is in response to your recent inquiry regarding storage conditions of HALYARD\* PUREZERO\* Nitrile Gloves.

As displayed by the indications on the packaging labeling, HALYARD\* PUREZERO\* Nitrile Gloves shall be stored in conditions where the product is kept dry (away from moisture), away from direct sunlight, away from sources of heat, and away from radioactive sources. To reduce the potential of accelerated aging, it is recommended to store the product at standard room temperature conditions, when possible.

Thank you for your interest in HALYARD\* products. If you have any questions or need additional information, please do not hesitate to contact us at [PIQ@hyh.com](mailto:PIQ@hyh.com) or call us directly at (844) 425-9273.

Sincerely,

Ryan Solan  
R&D Senior Engineer  
Global Research and Development  
O&M Halyard, Inc.

Theresa McCoy  
Global Product Manager  
Global Strategic Marketing  
O&M Halyard, Inc.

\*Registered Trademark or Trademark of O&M Halyard or its affiliates.

COPY-04606



September 24, 2023

RE: HALYARD\* PUREZERO\* HG3 and HG5 Nitrile Gloves

Dear Valued Customer,

This letter is in response to your recent inquiry regarding the presence of silicone for the PUREZERO\* HG3 White Nitrile Gloves, PUREZERO\* HG3 White SGX\* Nitrile Gloves, PUREZERO\* HG3 Light Blue Nitrile Gloves, PUREZERO\* HG3 Sterile Light Blue Nitrile Gloves, PUREZERO\* HG3 Sterile White Nitrile Gloves, HALYARD\* PUREZERO\* HG5 White Nitrile Gloves, and HALYARD\* PUREZERO\* HG5 Blue SGX\* Nitrile Gloves.

According to ASTM E1252 Standard Practice for General Techniques for Obtaining Spectra for Qualitative Analysis, the results below reflect the detectable limits of silicone covering the spectral range from 4000cm<sup>-1</sup> to 50cm<sup>-1</sup> via FT-IR (Fourier Transform Infrared Anaysis). The results below indicate that the HALYARD\* PUREZERO\* HG3 NITRILE GLOVES and HALYARD\* PUREZERO\* HG5 NITRILE GLOVES have no silicone detectable on the outside surface and inside surface of either gloves sampled per 3<sup>rd</sup> party testing.

The following product codes are applicable: PUREZERO\* HG3 White Nitrile Gloves: CLN92512XS, CLN92512SM, CLN92512MD, CLN92512LG, CLN92512XL; PUREZERO\* HG3 Light Blue Nitrile Gloves: CLN90511XS, CLN90511SM, CLN90511MD, CLN90511LG, CLN90511XL; PUREZERO\* HG3 White SGX\* Nitrile Gloves: CLN3031XS, CLN3031SM, CLN3031MD, CLN3031LG, CLN3031XL; PUREZERO\* HG3 Sterile White Nitrile Gloves: CLN323260, CLN323265, CLN323270, CLN323275, CLN323280, CLN323290, CLN323210; PUREZERO\* HG3 Sterile Light Blue Nitrile Gloves: CLN923260, CLN923265, CLN923270, CLN923275, CLN923280, CLN923285, CLN923290, CLN923210; HALYARD\* PUREZERO\* HG5 White Nitrile Gloves: CLN30512XS, CLN30512SM, CLN30512MD, CLN30512LG, and CLN30512XL; HALYARD\* PUREZERO\* HG5 Blue SGX\* Nitrile Gloves: CLN92512XS, CLN92512SM, CLN92512MD, CLN92512LG, and CLN92512XL.

Fourier Transform Per ASTM Infrared Anaysis (FT-IR) E1252-98(21)	
Gloves	Results
PUREZERO* HG3 and HG5 Nitrile Gloves	No silicon detected

Thank you for your interest in Halyard products. If you have any questions or need additional information, please do not hesitate to contact us at [PIQ@hyh.com](mailto:PIQ@hyh.com) or call us directly at (844) 425-9273.

Sincerely

\*Registered Trademark or Trademark of O&M Halyard or its affiliates. ©2023. All rights reserved.

COPY-04662



A handwritten signature in black ink that reads 'Caitlin Senter'.

Caitlin Senter  
Director  
Global Regulatory Affairs  
O&M Halyard, Inc.

A handwritten signature in black ink that reads 'Nimia Maya'.

Nimia Maya  
R&D Engineer II  
Global Research and Development  
O&M Halyard, Inc.

**TITLE:** HALYARD\* PUREZERO\* HG3 & HG5 Nitrile Gloves Packaging

**UPDATE:** Alternate packaging supplier for HALYARD\* PUREZERO\* HG3 and HG5 Nitrile Gloves

**WHAT YOU NEED TO KNOW:**

There will be an alternate supplier for the packaging (poly bag, poly pouch and poly wallet) used for **HALYARD\* PUREZERO\* HG3 and HG5 Nitrile Gloves**

**WHAT YOU CAN EXPECT:**

There is an alternate supplier being qualified to supply the poly bag, poly pouch and poly wallet used to package **HALYARD\* PUREZERO\* HG3 and HG5 Nitrile Gloves**. The alternate supplier, TAKO Astatic Technology SDN BHD, will supply the same packaging as our current supplier, Tip Corporation SDN BHD. All specifications for the packaging, including the material, composition, dimensions, thickness, and ink, will be identical to the current packaging. There will be no change to the appearance of the packaging or printing. There will be no change to the sterilization process or the sterility assurance level of the products. Additionally, there will be no changes to the product codes or product labeling.

**TIMING OF CHANGE:** There will be a rolling change for the alternate supplier's packaging that will enter our inventory as early as December 2023. Both packaging vendors could be used based on supply chain availability.



**PRODUCTS IMPACTED BY THIS CHANGE:**

<b>PUREZERO* HG3 White Nitrile Gloves</b>
<b>CODE</b>
CLN3031XS
CLN3031SM
CLN3031MD
CLN3031LG
CLN3031XL
<b>PUREZERO* HG3 Light Blue Nitrile Gloves</b>
<b>CODE</b>
CLN9031XS
CLN9031SM
CLN9031MD
CLN9031LG
CLN9031MD
<b>PUREZERO* HG3 White SGX* Nitrile Gloves</b>
<b>CODE</b>
CLN3231XS
CLN3231SM
CLN3231MD
CLN3231LG
CLN3231XL
<b>PUREZERO* HG3 White Sterile Nitrile Gloves</b>
<b>CODE</b>
CLN323260
CLN323265
CLN323270
CLN323275
CLN323280
CLN323285
CLN323290
CLN323210
<b>PUREZERO* HG3 Light Blue Sterile Nitrile Gloves</b>
<b>CODE</b>
CLN923260
CLN923265
CLN923270
CLN923275
CLN923280
CLN923285
CLN923290
CLN923210



<b>PUREZERO* HG5 White Nitrile Gloves</b>
<b>CODE</b>
CLN30512XS
CLN30512SM
CLN30512MD
CLN30512LG
CLN30512XL
<b>PUREZERO* HG5 Blue SGX* Nitrile Gloves</b>
<b>CODE</b>
CLN92512XS
CLN92512SM
CLN92512MD
CLN92512LG
CLN92512XL

Thank you for your interest in HALYARD\* products. If you have any questions or need additional information including example certifications, please do not hesitate to contact us at [PIQ@hyh.com](mailto:PIQ@hyh.com), call us directly at 1-844-425-9273 or reach out to your O&M Halyard commercial representative or distributor.

Sincerely,

Gustavo Fiallos  
Director Global Quality Operations, Owens & Minor

\*Registered Trademark or Trademark of O&M Halyard. © 2023. All rights reserved. COPY-04748

# GUIDE TO DONNING AND DOFFING OF NON-STERILE CLEANROOM GLOVES

## DONNING GLOVES



1 Grasp the beaded cuff of one glove and carefully pull over the opposite hand.




2 Gently ease the glove up over the hand and wrist.



3 Grasp the second glove at the edge of the beaded cuff.




4 Gently ease the glove up over the hand and wrist.




5 You are now ready to perform your task.


## DOFFING GLOVES




1 Grasp the exterior of one glove with your other gloved hand.




2 Carefully pull the glove off your hand, turning it inside-out.




3 Ball the glove up and hold in your other gloved hand.



4 Slide your ungloved fingers into the opening of the other glove.



5 Carefully pull the glove off your hand, turning it inside-out and wrapping it around the doffed glove in your palm.



6 Discard appropriately.

For more information, contact your HALYARD\* representative or distributor, or visit [www.purezerogloves.com](http://www.purezerogloves.com)