

pure[11]-Nr.: 1107151, Marke:

## Eigenschaften

## Empfohlene Reinraumklassen

ISO

GMP

**pure[11] GmbH** |
Bavariafilmplatz 7 | D-82031 Grünwald
T +49 89 5589434 0
F +49 89 5589434 77
www.pure11.de
info@pure11.de

we care

### Material

-

### Verpackung

- Box

## Produktvarianten

**pure[11]-Nr.: 1107151,**

**pure[11]-Nr.: 1107151WHDINA4, Reinraum-Spiralblock Critical Print #PNBCPA42210WG**

Lineatur: Kariert; Farbe: Weiß; Größe: DIN A4 / VE: 10STK

**pure[11]-Nr.: 1107151WHDINA5, Reinraum-Spiralblock Critical Print #PNBCPA52220WG**


Lineatur: Kariert; Farbe: Weiß; Größe: DIN A5 / VE: 20STK

**pure[11]-Nr.: 1107151WHDINA6, Reinraum-Spiralblock Critical Print #PNBCPA62240WG**

Lineatur: Kariert; Farbe: Weiß; Größe: DIN A6 / VE: 40STK

# Critical *Print*

**For writing in critical enviroments**




## Cleanroom Notebooks

**Specifications**

**Critical Print** notebooks are the most advanced line of clean documentation available for the most demanding applications. Cleanimage notebooks utilize a Dual Binding Technology that is low in particles and created for low particle shed. Ideal for hand writing in a controlled environment. Cleanimage paper is also bonded without organic fillers and yet completely recyclable.

**Sizes** A4, A5, A6

**Colours** White, Blue

| Notebook Size | Sheets Per book | Packs per Case | Total Sheets |
|---|---|---|---|
| A4 | 100 | 10 | 2500 |
| A5 | 100 | 20 | 5000 |
| A6 | 100 | 40 | 10000 |

| | 80 gsm / 22lb |
|---|---|
| **Basis Weight (g/m2)** | 70-90 |
| **Caliper (micron)** | 94 – 104 |
| **Tear Strength MD/CD** | 74/75 |
| **Brightness (%)** | 88 – 92 |

**Partical size** >.5µm
(170 pt/cm2 via Liquid Particle Counter)

| | | |
|---|---|---|
| **Anion** | Chloride (Cl) | 0.264 µg/cm² |
| | Nitrite (NO2) | 0.0020 µg/cm² |
| | Bromide (Br) | 0.0001 µg/cm² |
| | Phosphate (PO4) | 0.0020 µg/cm² |
| | Sulfate (SO4) | 0.272 µg/cm² |
| **Cation** | Lithium (Li) | ND |
| | Sodium (Na) | 0.390 µg/cm² |
| | Ammonium (NH4) | 0.390 µg/cm² |
| | Potassium (K) | 0.068 µg/cm² |

*Tensile strength determined by the Elmendorf tear test.

**Visit us at puruseurope.com for the full line of Purus products**

Purus Cleanroom Solutions Ltd | B4 Corcanree Business Park, Dock Road, Limerick, Ireland, V94 X070
(+353) 61 496662 | sales@puruseurope.com | puruseurope.com