


Distributor pure11



## Zyto-Abfallsammelbeutel 3L, nicht bedruckt

pure<sup>11</sup>-Nr.: 1113398, Marke: Distributor pure11

### Eigenschaften

- Steril
- Material Packmittel & Entsorgungsbeutel: LDPE
- Breite Beutel in mm: 220 mm
- Folienstärke in µm: 100 µm
- Länge Beutel in mm: 310 mm
- Wiederverschließbar
- Marke: Distributor pure11

### Empfohlene

### Reinraumklassen

ISO 5|6|7|8|9

GMP A/B|C|D



## Material

- 

## Verpackung

- 200STK

## Produktvarianten

---

**pure<sup>11</sup>-Nr.: 1113398, Zyto-Abfallsammelbeutel 3L, nicht bedruckt**

Steril; Abmessungen: 220 x 310 mm (B x L) / VE: 200STK

---

**TDS 2.100.080**
**Technical Data Sheet about Zyto-Sterilset® DV 220-N**
**A. Article - General**

Description: Zyto-Sterilset® DV 220-N  
KWP material number: 2.100.080  
Customer: -  
Customer material number: -

**B. Raw material**

B.1. KWP material type: Low Density Polyethylene  
B.2. Additives: yes

**B.3. Raw material's approval**

Food Contact: EU 10/2011  
REACH EG1907/2006  
LATEX no usage or intentional addition  
Pyrogen no usage or intentional addition  
BSE/TSE no usage or intentional addition  
ADI (BSE/TSE): no use of materials of human or animal origin (ADI-free)  
DEHP no usage or intentional addition  
PVC no usage or intentional addition  
Silicone oil as slip additive no usage or intentional addition

**C. Film product**

C.1. Version: flatbag with zip-lock-closing  
Sealing: side seam  
Printing: unicolored white on handle strip

**C.2. Dimension:**

Width (W) (Opening):	mm	220
Length (L):	mm	310+19
Thickness (T):	mm	0,06

**C.3. Tolerance:**

Width (W):	intern	mm	+/-	8
Length (L):	intern	%	+/-	3
Thickness (T):	intern	%	+/-	13

**C.4. Biological requirements:**

----	---	---
------	-----	-----

**C.5. Irradiation:**

gamma Irradiation	kGy	min.	25
-------------------	-----	------	----

**C.6. Sterilisation:**

ISO 11137	steril
-----------	--------

**D. Manufacturing environment**

Extrusion:	Hygiene		
Confection:	Hygiene		
Packaging:	Cleanroom	ISO 14644-1	class 5


**E. Packaging**

	Type	PU [pcs]
Primary:	Tyvek Peelpack	20
Secondary:	Tyvek Peelpack	20
Tertiary:	LDPE-Sealpack	200

**Y. Storage**

General:	in original packaging, protect from sunlight, dark and dry	
Shelf life:	after sterilisation, when stored properly and in undamaged packaging	3 years

## Z. Drawing



### Disclaimer:

This information refers to the above mentioned product in original packagin only and does not cover any subsequent modification of its composition or any usage which might produce a denaturalized material. The information provides herein is based on our best knowledge, experience and suppliers specification. We cannot accept any responsibility for the interpretation or improper use made of ist document. Because it is impossible to know in advance all the conditions under which our products are used, we cannot discharge users of our products from the responsibility to conduct their own tests to determine the safety and suitability of each product or combination of their own purposes.

KWP GmbH	status	date	editor	tech. approved
	valid	22.11.2021	mez	plu

Change history:					
no.	date	change	remarks	editor/name	tech. approved/name

### General note

All data given are approximate or average values that may fluctuate within the production process. They correspond to our best knowledge, common measuring methods and the information provided by our suppliers of raw materials. No liability can be derived from them.