



Tupfer Sterile Polyester Swab

pure¹¹-Nr.: 06374, Hersteller: ITW Texwipe



Zusammenfassung

- Neue pure¹¹-Artikelnummer (ab 01.07.2023): 1106374
- Steriler Polyester-Tupfer mit Polystyrolgriff
- Kopflänge: 18,0 mm
- Kopfbreite: 5,8 mm
- Grifflänge: 134,0 mm
- Abgerundete Tupferform mit weißem Griff

Empfohlene Reinraumklassen

ISO	3	4	5	6	7	8	9
GMP			A/B		C	D	

Produktvarianten

pure¹¹-Nr.: 06374

Herst.-Nr.: STX763 / VE: 500 Stück

Quelle: <https://www.pure11.de/tupfer-sterile-polyester-swab>

STX705P Sterile Cotton Polystyrene Handle



Dry Sterile Collection & Transport System Available

Non-Sterile available

STX705W Sterile Cotton Wood Handle



Non-Sterile available

STX763 Sterile Polyester



STX764 Sterile Polyester Small



Dry Sterile Collection & Transport System Available

Description

Texwipe's Sterile Cotton Swabs are constructed from 100% USP-grade cotton. Texwipe's Sterile Polyester Swabs are constructed from 100% USP-grade spun polyester. The swabs are bonded securely to a wooden or polystyrene shaft by an aqueous-based adhesive. All swabs are made to exacting and consistent tolerances using high-precision automated processes.

The easy-to-open, individually wrapped swabs ensure sterility at point-of-use. The swabs are visible through clear packaging which also offers visibility of seal integrity.

Features & Benefits

- Gamma irradiated to a Sterility Assurance Level of 10^{-6} in accordance with ANSI/AAMI/ISO 11137
- Lot code and expiration date clearly marked on each package and included in bar code for inventory control
- Certificates of Irradiation and Compliance attached to each case confirm irradiation dose met specifications
- Pre-sterilized swabs eliminate repackaging, documentation and validation of autoclaved swabs
- Packaging labeled for global use

Applications

- Diagnostic sampling
- Environmental monitoring
- Cleaning with solvents such as IPA

Industries

- Pharmaceuticals
- Biologics
- Medical Device
- Microbiological Laboratories
- Diagnostic Testing Laboratories

Products

See reverse for Physical Characteristics

Sterile swabs available upon request.

Physical Characteristics

	STX705P	STX705W	STX763	STX764
Head material	Cotton	Cotton	Polyester	Polyester
Head width	7.0 mm (0.276")	7.0 mm (0.276")	5.8 mm (0.228")	4.6 mm (0.181")
Head thickness	7.0 mm (0.276")	7.0 mm (0.276")	5.8 mm (0.228")	4.6 mm (0.181")
Head length	18.2 mm (0.717")	18.2 mm (0.717")	18.0 mm (0.709")	17.0 mm (0.669")
Handle material	Polystyrene	Wood	Polystyrene	Polystyrene
Handle width	2.5 mm (0.098")	2.5 mm (0.098")	2.5 mm (0.098")	2.5 mm (0.098")
Handle thickness	2.5 mm (0.098")	2.5 mm (0.098")	2.5 mm (0.098")	2.5 mm (0.098")
Handle length	134.0 mm (5.276")	134.0 mm (5.276")	134.0 mm (5.276")	134.0 mm (5.276")
Total swab length	155.0 mm (6.102")	155.0 mm (6.102")	155.0 mm (6.102")	155.0 mm (6.102")
Head bond	Adhesive	Adhesive	Adhesive	Adhesive
Handle color	White	Brown	White	White
Design notes	100% cotton head; long polystyrene handle	100% cotton head; long wooden handle	100% spun polyester head; long polystyrene handle	100% spun polyester head; long polystyrene handle

Products

Number	Description	Packaging
STX705P	Sterile Cotton Swab with Polystyrene Handle	1 swab/sleeve; 50 swabs/box; 10 boxes/case
STX705W	Sterile Cotton Swab with Wood Handle	1 swab/sleeve; 50 swabs/box; 10 boxes/case
STX705PT	Sterile Dry Collection and Transport System, Cotton Swab with Polystyrene Handle	1 swab/tube; 100 tubes/box; 5 boxes/case
STX763	Sterile Polyester Swab	1 swab/sleeve; 50 swabs/box; 10 boxes/case
STX764	Sterile Small Polyester Swab	1 swab/sleeve; 50 swabs/box; 10 boxes/case
STX764T	Sterile Dry Collection and Transport System, Small Polyester Swab	1 swab/tube; 100 tubes/box; 5 boxes/case

Texwipe Regulatory Certificates

Texwipe is registered: ISO 9001 • ISO 14001 • OHSAS 18001